
Faculty of Social Sciences

Faculty Publications

Anthropological Contributions to Historical Ecology: 50 Questions, Infinite Prospects

Chelsey Geralda Armstrong, Anna C. Shoemaker, Iain McKechnie, Anneli Ekblom, Péter Szabó, Paul J. Lane, Alex C. McAlvay, Oliver J. Boles, Sarah Walshaw, Nik Petek, Kevin S. Gibbons, Erendira Quintana Morales, Eugene N. Anderson, Aleksandra Ibragimow, Grzegorz Podruczny, Jana C. Vamosi, Tony Marks-Block, Joyce K. LeCompte, Sākihitowin Awâsis, Carly Nabess, Paul Sinclair, and Carole L. Crumley

24 February 2017

© 2017 Armstrong et al. This is an open access article distributed under the terms of the Creative Commons Attribution License. <http://creativecommons.org/licenses/by/4.0>

This article was originally published at:

<https://doi.org/10.1371/journal.pone.0171883>

Citation for this paper:

Armstrong, C.G.; Shoemaker, A.C.; McKechnie, I.; Ekblom, A.; Szabó, P.; Lane, P.; ... & Crumley, C.L. (2017). Anthropological contributions to historical ecology: 50 Questions, infinite prospects. *PLoS One*, 12(2), e0171883. <https://doi.org/10.1371/journal.pone.0171883>

RESEARCH ARTICLE


Anthropological contributions to historical ecology: 50 questions, infinite prospects

Chelsey Geralda Armstrong¹*, Anna C. Shoemaker², Iain McKechnie^{3,4}, Anneli Ekblom², Péter Szabó⁵, Paul J. Lane^{2,6}, Alex C. McAlvay⁷, Oliver J. Boles⁸, Sarah Walshaw⁹, Nik Petek², Kevin S. Gibbons¹⁰, Erendira Quintana Morales¹¹, Eugene N. Anderson¹², Aleksandra Ibragimow¹³, Grzegorz Podruczny¹³, Jana C. Vamosi¹⁴, Tony Marks-Block¹⁵, Joyce K. LeCompte¹⁶, Săkihitoŋ Awăsis^{17,18}, Carly Nabess¹⁹, Paul Sinclair², Carole L. Crumley^{20,21}

1 Department of Archaeology, Simon Fraser University, Vancouver, British Columbia, Canada, **2** Department of Archaeology and Ancient History, Uppsala University, Uppsala, Sweden, **3** Department of Anthropology, University of Victoria, Victoria, British Columbia, Canada, **4** Hakai Institute, Heriot Bay, Quadra Island, British Columbia, Canada, **5** Department of Vegetation Ecology, Institute of Botany of the Czech Academy of Sciences, Brno, Czech Republic, **6** School of Geography, Archaeology and Environmental Studies, University of the Witwatersrand, Johannesburg, South Africa, **7** Department of Botany, University of Wisconsin–Madison, Madison, Wisconsin, United States of America, **8** Institute of Archaeology, University College London, London, United Kingdom, **9** Department of History, Simon Fraser University, Vancouver, British Columbia, Canada, **10** Department of Anthropology, University of Maryland, College Park, Maryland, United States of America, **11** Department of Anthropology, Rice University, Houston, Texas, United States of America, **12** Department of Anthropology, University California Santa Barbara, Santa Barbara, California, United States of America, **13** Polish-German Research Institute, Adams Mickiewicz University in Poznań, European University, Viadrina, Poland/Germany, **14** Department of Biological Sciences, University of Calgary, Alberta, Canada, **15** Department of Anthropology, Stanford University, Stanford, California, United States of America, **16** Independent Scholar, Seattle, Washington, United States of America, **17** Department of Geography, Western University, London, Ontario, Canada, **18** Atlohsa Native Family Healing Services, Canada, London, Ontario, Canada, **19** Department of Anthropology, University of Northern British Columbia, Prince George, British Columbia, Canada, **20** Department of Anthropology, University of North Carolina-Chapel Hill, Chapel Hill, North Carolina, United States of America, **21** Integrated History of Future of People on Earth (IHOPE) Initiative, Uppsala, Sweden

* These authors contributed equally to this work.

* cga7@sfu.ca



OPEN ACCESS

Citation: Armstrong CG, Shoemaker AC, McKechnie I, Ekblom A, Szabó P, Lane PJ, et al. (2017) Anthropological contributions to historical ecology: 50 questions, infinite prospects. PLoS ONE 12(2): e0171883. doi:10.1371/journal.pone.0171883

Editor: Aristeidis Parmakelis, National and Kapodistrian University of Athens, GREECE

Received: July 23, 2016

Accepted: January 28, 2017

Published: February 24, 2017

Copyright: © 2017 Armstrong et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Data Availability Statement: All relevant data are within the paper and its Supporting Information files.

Funding: The Integrated History and Future of People on Earth (IHOPE) research network, the Department of Archaeology and Ancient History at Uppsala University, the Mind and Nature research node at Uppsala University, the SFU Faculty of Environment, Sustainability Simon Fraser University, and the office of the Vice-President, Academic and Provost of Simon Fraser University

Abstract

This paper presents the results of a consensus-driven process identifying 50 priority research questions for historical ecology obtained through crowdsourcing, literature reviews, and in-person workshoping. A deliberative approach was designed to maximize discussion and debate with defined outcomes. Two in-person workshops (in Sweden and Canada) over the course of two years and online discussions were peer facilitated to define specific key questions for historical ecology from anthropological and archaeological perspectives. The aim of this research is to showcase the variety of questions that reflect the broad scope for historical-ecological research trajectories across scientific disciplines. Historical ecology encompasses research concerned with decadal, centennial, and millennial human-environmental interactions, and the consequences that those relationships have in the formation of contemporary landscapes. Six interrelated themes arose from our consensus-building workshop model: (1) climate and environmental change and variability; (2) multi-scalar, multi-disciplinary; (3) biodiversity and community ecology; (4) resource and environmental management and governance; (5) methods and applications; and (6) communication and

all provided funding for web costs and workshops and conference organization.

Competing interests: The authors have declared that no competing interests exist.

policy. The 50 questions represented by these themes highlight meaningful trends in historical ecology that distill the field down to three explicit findings. First, historical ecology is fundamentally an applied research program. Second, this program seeks to understand long-term human-environment interactions with a focus on avoiding, mitigating, and reversing adverse ecological effects. Third, historical ecology is part of convergent trends toward transdisciplinary research science, which erodes scientific boundaries between the cultural and natural.

Introduction

Historical ecology is a field of inquiry that has come of age and currently finds itself at a crossroads. After decades of interrelated developments in both ecology and archaeology, historical ecology is increasingly recognized as an inclusive intellectual hub for exploring a range of fundamental questions in disciplines such as ecology, biology, archaeology, anthropology, history, geography, and ethnobiology. The term is increasingly cited in academic literature and researchers are beginning to use the label to identify themselves [1–6]. The appeal of historical-ecological research is that it operates on multiple temporal scales and across disciplinary boundaries that have long separated the social and natural sciences [1,7]. It also generates applied research questions and data for historically grounded and socially just conservation programs, in which environmental initiatives consider the totality of human-environment interactions and foster a critical awareness of the imposition of “green” policy on communities, many of whom may be marginalized [2,8–10].

Historical ecology, however, is not organized around a single unified methodology or theory, and there are no dedicated publication venues. Indeed, most publications in historical ecology showcase the crossover potential of ecologically and socially engaged historical research. There are many points of departure that lead researchers to engage with historical ecology. At the core of many historical-ecological research initiatives is a recognition of the interpretive potential of combining archaeological, historical, and ecological data and expertise [11,12]. Based on our research focus, two “types” of historical ecology appear to have formed, primarily associated with either archaeology or ecology, and resulting in a parallel but largely non-overlapping literature [6,13–17].

Szabó [6] contends that historical ecology is in a third scholarly iteration, which will either stay nestled under a multidisciplinary umbrella or emerge as a conventional (institutionalized) academic discipline. Whether or not the concept is bound to either trajectory, this moment is cause for reflection on past, present, and future research questions of its practitioners. Rather than struggle with the circuitous task of defining historical ecology, we instead employed crowdsourcing and consensus-building methods to identify research questions guiding current historical-ecological research, as well as questions which may become more important in years to come.

This research initiative grew out of a symposium held at Uppsala University in 2014. Researchers identifying as historical ecologists presented their work, and while seeking to frame a discussion about the future of historical ecology, realized that there were gaps in our cumulative perceptions on the current state of the research program. In order to better understand who historical ecologists are and what they do, we crowd-sourced over 300 questions in a priority-setting initiative between November 2014– November 2015. Questions were edited down to 50, which we determined was a suitable and unconstrained number and comprised a representative subset of the total pool of submissions.

Methods

For identifying and ranking important questions in historical ecology, an open, inclusive, and consensus-driven four-stage group process was followed. This process builds on similar methods used by Sutherland and colleagues' numerous priority-setting research works [18–21] as well as the research of Seddon et al. [22], Kintigh et al. [23], and Parsons et al. [24] in paleoecology, archaeology, and marine biodiversity, respectively. Social justice organizing tactics, in which challenging conversations are facilitated to catalyze breakthrough thinking and lasting agreements, also inspired the process.

In 2014, an international meeting was convened in Uppsala (Sweden), focusing on early-career researchers working in historical ecology. Twenty-eight participants came together to generate discussion on key topics and share perspectives on the various “types” of historical ecology. A global survey was then circulated online to further crowdsource research questions from academics working broadly under the historical ecology umbrella. Over 300 questions were submitted and sorted into two or more of the following nodes: (1) climate and environmental change and variability; (2) multi-scalar, multi-disciplinary; (3) biodiversity and community ecology; (4) resource and environmental management and governance; (5) methods and applications; and (6) communication and policy.

In 2015, a second-stage meeting convened in Vancouver (Canada). Initially, 47 workshop participants from various disciplinary backgrounds, all self-associated with historical ecology, broke into groups to discuss and select preferred questions from the six nodes (Fig 1). Priority questions were identified from every theme in a consensus-based process, inspired by social justice organization in which discussion is supported by impartial peer facilitators. Rather than simply voting for questions, we used a consensus process that emphasized maximizing group intelligence through discussion and debate. The consensus method aims to eradicate a “tyranny of the majority” that occurs in democratic voting and allows for more opinions to be considered. Facilitators were chosen based on their experience in organized facilitation roles; for example, three group members had previously attended extensive facilitation-training workshops in social justice settings. These facilitators trained the other three volunteers, and after




Fig 1. Consensus-Building in Second Workshop. After sorting questions into each group (10–12 participants and a facilitator) are allotted 90 minutes to select the questions most pertinent to the node. The group then rotates to the next node.

doi:10.1371/journal.pone.0171883.g001




Fig 2. Facilitation Process Example. The facilitator stays with the same node throughout the day and discloses results and insights from previous groups' discussion with each new group. For example, Group 1 works through the list of biodiversity and community ecology questions with the help of a facilitator. Group 2 then works with the same question list but is able to interact with Group 1's ideas (but not vice versa) through the facilitator. Group 3 works with the original list again but is exposed to compounded ideas from Groups 1 and 2 through the facilitator, and so on until each group has an opportunity to discuss all six nodes.

doi:10.1371/journal.pone.0171883.g002

every node, would regroup to exchange techniques and group-organizing ideas. Facilitators refrained from influencing discussions, and concentrated on ensuring groups stayed on time and on topic, to maximize creative cooperation and to ensure group memory (Fig 2). A total of 82 questions resulted from this deliberative process.

In a third stage, a subset of workshop participants (53%) volunteered to edit the entire list of 82 questions that had been identified as the most important and relevant by deleting duplicates, fusing similar entries, and ensuring that the wording of the questions was adjusted to reflect the views of participants in the second stage. With 62 questions remaining, workshop participants decided to open a final editing round to our online community of scholars. In the last stage, the online community, comprising all participants from both the Uppsala and Vancouver workshops, were invited to rank the remaining short list of questions on a scale of importance (1–5) to reduce the number of questions to 50. We chose the number 50 because we found it was a large enough number to cover the depth and breadth of historical ecology, but small enough to force participants to think about the most pressing issues. In this online ranking forum, participants were invited to give feedback on the process and provide further comments on the formatting and content of questions.

A final quality-control round was a consensus-driven process amongst workshop organizers (from the New International Community of Historical Ecology–NICHE). This editing session was necessary for unanticipated outcomes that occurred throughout the online ranking exercise. For example, four questions were tied in the ranking for “last place”. Using the survey output and the facilitators' minutes from the workshops (four facilitators were present in this final stage), we collapsed sufficiently similar questions, and re-organized their place in the various nodes. The wording of three questions was subsequently adjusted slightly in light of reviewers' comments on a first draft of this paper. Ethics approval was granted specifically for this study by Uppsala University Ethics Board on behalf of the State Research Council.

Limitations

The range of questions developed through this process reveal limitations in both the audience responses and the scope and scale of topics selected. During the first stage of the process, many participants preferred broad questions, seeing them as more inclusive, relatable, and relevant for defining “grand challenges” in a multi-disciplinary endeavor *c.f.* [25]. However, those seeking testable hypotheses and more explicit research trajectories often preferred specific questions. The final ranking survey reflects the overwhelming participant preference for broad questions—specific questions were favored only when they were vigorously defended in-person during the workshops.

As can often be expected when attempting to generate collective knowledge, the online ranking of questions was methodologically imperfect and preliminary divisions of questions into themes are likely to have limited lateral and creative thinking, as demonstrated in other similar projects [20]. Feedback submitted by participants in the online ranking exercise revealed frustration over the perceived similarity of some questions, vagueness of wording, and disproportionate representation of certain research topics. We therefore decided to discuss rankings and debate them in person rather than stick to the exact output (e.g., marine-based questions were ranked lower because demographically, more researchers study terrestrial ecosystems, but that does not make marine questions less important). The final version of the quantitatively ranked question list incorporates some adjustments in response to the qualitative concerns of online participants, and reflects the discourse and debates generated during the workshops.

Although the initial list of questions submitted online represented engagement with a wider variety of disciplinary and geographical backgrounds, the meetings were disproportionately attended by individuals affiliated with ecological/environmental anthropology and archaeology, and to a lesser degree with participants from ecology, biology, and geography. While calls for participation went out widely and were formulated with inclusivity in mind, the process favored English-language speakers and there was obvious and regrettable under-representation from strands of historical ecology in South America (e.g., *Arqueología e Ecología Histórica dos Neotrópicos*), Germany [26], France [27,28], Russia [29], and Japan [30]. Biases in representation reflect the limitations of the communities engaged and the challenges of networking across linguistic, geographic, and disciplinary divisions.

Results

The initial open-call for research questions led to over 300 submissions from 20 countries. The majority of respondents (71%) were affiliated with Canadian, Swedish, American, and UK institutions, with lesser representation from individuals in Brazil, Colombia, Poland, Belgium, China, Mexico, the Netherlands, France, Zimbabwe, and South Africa. The majority of respondents pursued or held PhDs (89%) and were employed by, or pursuing degrees at, academic institutions.

The goal of the exercise was to set priority or key research questions among participants, recognizing that (1) developments in historical ecology and its meanings differ across disciplines and geographical context, and (2) questions were inspired by researchers more heavily engaged on the anthropological and archaeological spectrum of historical ecology. As such, our results reflect the strong anthropological background and limited geographic scope of our participants. This does not lessen the strength of the exercise or importance of the research. Firstly, the anthropological slant will serve to address those in the natural sciences who may acknowledge that humans cannot be removed from their long-lived landscapes, but struggle with how to reconcile this influence in their research [11,31]. Secondly, those working in

countries that have a rich history of coupling the natural and social sciences (Egypt, India, Greece), but were not represented, can borrow, contrast, model, critique, be inspired by the diverse list of questions that can be reframed in many global contexts.

In the following sections, questions are divided by thematic node, each with a segment clarifying or detailing the relevance of the question set. There is no implied rank given to the numbered questions, but they are discussed in a logical order of applicability to each chosen topic. We conclude by highlighting three major themes that emerged from the process of this priority-setting exercise.

Climate and environmental change and variability

Many have advocated for a new geological epoch, the Anthropocene, on the basis that human forces, for the first time in history, now operate at a global scale comparable in effects to geophysical and climatic processes [32–35]. It has been argued that the scale and agency behind climate change today is unique within the *longue durée* of human history. However, there is a need to distinguish between large-scale climate-forcing mechanisms and inherent small-scale climate variability affecting human lives, the latter of which can be both produced and mitigated by people [36,37]. Both of these concerns are reflected in the first set of questions.

1. What roles have humans played in extinction events and what can we learn about these large and small-scale changes?
2. When did human activities begin to have significant impacts/effects on their environments?
3. What factors allow human populations to become more decoupled from immediate environmental constraints?
4. What are the archaeological proxies of past climatic stability or instability?
5. What are the effects of climate and environmental change on human health and disease?
6. How predictable are human responses to environmental change, and how can we model such responses for future planning?
7. How is climate change affecting the management of eco-cultural and geo-cultural heritage?
8. How did past societies respond to sudden environmental shocks (e.g., extreme weather) and what can we learn from this?
9. What factors have made some communities more adaptable to environmental change than others?

At least two of these questions (8, 9) are explicitly concerned with past human experience of environmental variability and highlight the need to develop established research directions exemplified in ethnoecology [38–40], while a third question (5) lends itself implicitly to a historical approach, as illustrated by studies looking at the past interactions of climate, disease, and society [41]. Question 3 addresses the modern phenomena that allow human societies to operate, at least temporarily, beyond environmental constraints, for better or worse.

Question 2 raises the controversial issue of reclassification of the current geological epoch as the Anthropocene. The timing of the onset of this proposed epoch is widely debated [32,34,42,43]. Although some workshop participants were reluctant to use the term Anthropocene, inclusion of related questions illustrates the desire of many researchers in historical ecology to continue drawing attention to longer-term processes of human engagements with the environment and our “entry into the planetary machinery” [15]. The formulation of Questions 3–5 was widely debated in the group. On one hand, these formulations should be seen as transitory, reflecting the problems of representing the mutual dependency of humans and environment. On the other hand, they are indicative of the challenge of interpreting and dealing with

the multi-scalar interdynamics of stability and change in the archaeological, geomorphological, and paleoecological records.

Questions 1 and 6–9 emphasize how historical-ecological data can be used to address contemporary issues of climate and environmental change. It has been highlighted that historical data offer a vital contribution as we plan for and mitigate future climatic change [38,39,44,45]. Question 7 takes an alternative perspective, asking how such changes might affect our ability to preserve eco-cultural and geo-cultural heritage. This drive toward applied research [46,47] is at the heart of historical ecology's engagement with issues of climate change.

Multi-scalar, multidisciplinary

A key strength in ecology, ethnoecology, and archaeology is an interest in multi-scalar perspectives that incorporate a wide range of data sources. Workshop participants were keen to continue integrating multi-scalar perspectives into historical-ecological research, captured in Questions 10–14, which relate to research methodologies and frames for engaging with multiple scales and the complex indices that represent them. Question 15 addresses more practical and ethical issues related to the research processes of historical ecology.

10. How do historical ecologists address different temporal and spatial scales, how do we define/communicate them, and how do we study their interactions?

11. How can archaeological and ecological methods be standardized for evidentiary and temporal comparability?

12. Does historical ecology relate exclusively to the *longue durée*, or “deep time” and, if so, how should those concepts be defined?

13. How do we constitute humans as integral parts of ecosystems and how do we conceptualize humans as one of many species in an ecosystem? At the same time, how can environmental history, in which humans are always regarded to be the protagonists of ecosystem change, effectively cooperate with historical ecology, which regards humans as one of the many species in an ecosystem?

14. How do we engage with the concept of sustainability in historical ecology, especially given constantly changing environmental dynamics, with or without humans?

15. What data standards should we develop to aggregate relevant information in a consolidated open-source database?

Question 10 highlights the familiar challenge of working with multi-scalar perspectives. Historical ecologists make particularly effective use of the extended spatial and temporal scales represented in paleoecological and archaeological datasets [48–50]. However, practitioners also grapple with the difficulties of combining fragmented datasets of varying degrees of temporal resolution [51,52], and resolving localized versus regional landscape dynamics. In geography, temporal and spatial scales have long been discussed, particularly since the “spatial turn” introduced spatiality as a frame of analysis [53–55]. Historical ecology can deal more competently with the spatial and temporal continuities and variability that characterize complex landscape processes by researching the connections and interdependencies of variables (similar to the concepts of pattern and process in ecology discussed below).

Question 11 addresses a concern about the perceived incompatibility of methods and temporal and spatial scales used in archaeology, anthropology, and ecology/paleoecology, as noted almost a decade ago by Bailey [52]. However, this question may reflect less of a methodological challenge than a challenge of integrating conceptual frameworks and goals of various specialized fields [56]. Question 13 reflects a concern for cognitive dissonance between researchers whose theoretical and epistemological frameworks may be said to align with either the social or the natural sciences. Global environmental change research was pioneered by natural

scientists, yet humanities research situates people as the medium through which environmental change not only occurs, but is also experienced. Environmental humanities furthers a critical engagement with the construct of nature and examination of global power relations in which sustainable development operates [57,58], amongst other contributions.

Multidisciplinary projects are sustained with good collaborative relationships [59], and communication can often be a determinant of successful multi-disciplinary work [60]. Language may be the point of divergence for those from different research traditions; for instance, we found that “longue durée”, “deep time” (Question 12), and “sustainability” (Question 14) have a multitude of associated meanings, suggesting a need for consensus building when defining our terms.

Question 15 draws attention to developing standards for merging different types of data in open and accessible ways. The tendency to prioritize data generation over data curation and publication must be addressed [61]. The INTIMATE group is one example of a successful database initiative, facilitating the Integration of Ice core, Marine, and Terrestrial paleoclimate proxy records for North Atlantic and Australasian regions [62]. However, the INTIMATE group example is noticeably lacking in collaboration with social scientists, again reflecting an exclusively quantitative focus that some workshop participants found worrisome. While model-based projections of climatic change and variability powerfully inform future environmental planning, they can inadequately incorporate smaller-scale anthropogenic activity or human political responses and governance [63–65].

Biodiversity and community ecology

Historical ecology is uniquely poised to assess the decadal, centennial, and even longer-term landscape consequences of human activities, as well as more subtle anthropogenic changes to ecological communities and populations e.g. [66–73]. Insights from this research may prove valuable in future decision-making regarding the management of resources and the management of people vis-à-vis resources. For example, Anderson [39,74] provides case studies of how resource management is constructed within religious and ethical codes. Such research can also be valuable for critiquing dominant narratives that continue to shape policy and management interventions based on assumptions about the causes of environmental degradation [75]. A strength of the historical-ecological research program is its ability to contextualize biodiversity as both an ecological and social concept. Biodiversity is a scientific field of inquiry, as well as a social construct, political referent, and topic of moral discourse (see [76]).

Historical-ecological research examines the interconnections between climatic and biotic variability (such as wildlife grazing, browsing, and fire) in the context of human land use and management [77–84]. For example, human-mediated biological invasions often initially increase local biodiversity while decreasing differences between sites [85]. Over time, inclusion of invasive species in a location may lead to an ultimate decrease in local diversity [86,87]. Questions 16–21 all relate to the dynamics between plant and animal species and humans in a given landscape.

16. How does the removal or introduction of species affect landscape and seascape ecology?
17. What is the potential of evolutionary history and paleoethnobotanical knowledge for plant conservation?
18. What is the relationship between past human activities and changes in the morphology and/or phenotypic traits of plant and animal species?
19. To what degree can we use ancient and modern genetic data (e.g., genetic structure) to infer past and present management practices and human influences on other species and populations?

20. How did anthropogenic land-use practices structure vegetation patterns prior to c. AD 1500 and the commencement of European global expansion?

21. When are “invasive”, “native”, and “introduced” useful concepts? Should these terms be applied to humans as well as to other species?

Humans are conscious architects of biodiverse communities [40,73,88], but such actions can also be interpreted as producing “epiphenomenal effects” on community ecology [89–91]. Practices like terracing, diking, transplanting, pruning, coppicing, livestock penning, broadcast burning, and fertilizing shape landscapes and associated community compositions in intentional and unintentional ways [40].

In addition to the more widely cited impacts of agricultural and pastoral pursuits on landscapes, human activities have also directly shaped ecosystems in intertidal and aquatic environments. For instance, some rock alignments that were once thought to be naturally occurring in intertidal marine environments now prove to be ancient remnants of large marine enhancement projects that expanded habitat and productivity and enhanced in marine resource availability [92]. Other human reactions to marine resource instability warrant further investigation (see Question 26) including substitution of aquatic foods for terrestrial alternatives, reduction of harvests and augmentation of resource pools [93,94], and mitigating, and seeking food sources more broadly [95].

Smaller scale anthropogenic changes to ecological communities can be detected at the molecular level, as addressed by Questions 18–19, which acknowledge the use of phenotypic and genotypic markers for investigating past human-environment interactions. Researchers commonly use contemporary plant community assemblages to infer the presence of past human ecosystem modifications [73,96–98], but genetic and/or morphological differences are increasingly used indicators [70,99–101]. Mutualism, co-evolution, and hybridity are key concepts in analyzing interactions between species and landscapes that can be better utilized to predict how communities might change with anthropogenic modification. Human niche construction models offer further modes of inquiry in the study of eco-cultural dynamics [16,102,103], and relate to important concepts such as landscape domestication [104], novel ecosystems [16] and neobiotic species [34].

Because mutualism, co-evolution, and human niche construction take place on varying timescales [105–107], it is relevant to consider the temporal baselines used to understand the interplay between agents and processes in landscape formation. Question 20 refers to the use of appropriate baselines to better appreciate rates of change and scales of impact brought on by human transformations of landscapes. Such baselines are treated as transitory, rather than static, but allow us to frame important research questions that can be contingent on historical circumstances. Related to this discussion is Question 21, which asks when and if the idea of “invasive species” is a useful concept. Some would argue that the terms “invasive” and “alien” are normative and culturally freighted [108], imposing ideals of authenticity and stasis, or that invasive species eventually stabilize as a new normal [109]. Most workshop participants reasoned that because invasive species cause realized and measurable disturbances (changes) to otherwise diverse socio-ecological systems, such terms should remain an important frame of reference and field of inquiry [110,111].

Worldwide, many of the most biodiverse landscapes have been produced by long-term, anthropogenic management practices [112]. In places where local management has been discontinued, or cultural landscapes have become relict, historical-ecological research has demonstrated that the absence of humans can lead to a decline in species diversity, landscape heterogeneity, and threats to livelihood [45,113–117].

22. What are the ecological impacts of anthropogenic soil (and sediment) transformations?

23. How has anthropogenic broadcast fire influenced ecosystem dynamics?

24. How do we identify different cropping styles (e.g., monocropping, polycropping, perennial orcharding) in the past and their effects on ecosystems and landscapes?

Questions 22–24 are related to the anthropogenic modification of soils and vegetation through fire and/or building of soils. Much attention has been given to the formation of *terra preta* or “Dark Earths”, created through the combination of infield and fallow burning, composting, and mulching. Anthropogenic soils have been shown to harbor important reservoirs of agro-biodiversity [118–122] and enhance forest productivity [123–125]. However, in many landscapes the customary practices that shape such soils are now discontinued. Historical ecology offers tools to understand not just the ecological dynamics of soil modifications and fire use, but also the social organization and cultural significance of these practices and the landscapes they produce [126].

Broadcast fire is an essential tool in landscape management, both to create mosaics of successional stages and to reduce wildfire spread. Seasonal fires and burning of different vegetation types creates and encourages vegetation mosaics and also protects forest patches (see for instance [120,127–129]). Recent studies in western North America have combined paleo-ecological and archaeological data to examine changes in anthropogenic broadcast fire regimes and found notable changes with the onset of Spanish colonialism [130,131]. Historical anthropogenic fire regime data can also inform contemporary fire and land management policies, such as in the West Arnhem Land Fire Abatement (WALFA) project, which now incorporates and restores Indigenous fire management practices [132,133].

Barthel et al. [134] (see also [135]) referred to continuing cultural landscapes as bio-cultural refugia where local knowledge, species, techniques, and methods are crucial for both biological and agro-ecological diversity (see Question 24). Other customary settlement practices, including those relating to waste discard and manuring, may also have beneficial ecological consequences that go well beyond the epiphenomenal, and could be conceived as central to situational processes of landscape domestication [136,137].

While the direct effects of resource extraction, industrial pollution, and land-use change on biodiversity are often well characterized, subtle and indirect consequences of low-impact cultural practices have yet to be investigated, prompting the following questions.

25. How and why does biological diversity (e.g., alpha and/or beta diversity) correlate with proxy indicators for cultural diversity (e.g., linguistic diversity)?

26. How have people responded to temporal-spatial fluctuations in marine resources?

27. What are the environmental impacts of political and economic restrictions to—or increases in—human mobility?

28. What are the environmental effects of past conflict and military activity?

At the core of historical-ecological research is the understanding that culture, in terms of local knowledge, customary practices, traditions, social norms, and languages, is intimately linked with landscape. Question 25 highlights an interest to further document and understand this integration [138]. Question 26 draws attention to the fact that human influences on marine environments also need consideration [12,139], prompted in part by concerns about the impacts of future sea-level rise [140] on the livelihoods of coastal people [141], the changes in habitat distribution and ecosystem functions that may ensue [142], and also the likely impacts on coastal heritage [143].

Changes to human mobility on different spatial scales (see Question 27) may alter population densities and thereby concentrate resource use [144,145]. For example, sedentism and land loss for pastoral peoples has implications for grazing intensity and grassland composition [146,147]. Constrained mobility may impact cultural practices tied to landscapes, though in other cases international and jurisdictional barriers may isolate kin networks and communities in ways that result in the discontinuation of local traditions [148], including resource management practices

[149]. Conversely, limited human mobility may reduce access to resources, increase exposure to pollutants, and produce other negative human impacts [150,151].

The environmental impact of warfare, political upheaval, and human conflict is also becoming a key line of historical-ecological research (Question 28). The ecological impacts of modern weaponry—including the testing and use of nuclear weapons—can be demonstrated [152–154]. However, it should be pointed out that an under-acknowledged aspect of historical warfare in the early modern period is their influence on contemporary landscapes both in environmental impact [155] and heritage status commemoration.

Resource and environmental management and governance

Practitioners of historical ecology share an interest in resource management and governance. This concern arises from an interest in applying knowledge to the politics of conservation and sustainability and to bring this to the forefront in discussions of environmental history and resource conservation. Governance and applied policy is at the core of many of the research questions, with the growing recognition that the best paths toward resource management depend less on managing resources and more so on managing people [39,156]. These concerns relate to a heightened understanding of the geopolitics and differential equities in which conservation and sustainable development initiatives operate [157].

This cluster of questions emphasizes dissolution of human-nature binaries and represents an embrace of multiple ways of knowing. Historical ecologists are aware of the ties between landscape ecologies and issues of human economy, well-being, sociality, and spirituality. The research insight provided by historical ecology to resource managers is therefore not simply an exercise in expert data exchange, but a meaningful, emergent process that aims to bring about collaboration and co-management strategies between people from different backgrounds [158]. Questions 29–38 reflect the importance of a plurality of perspectives for addressing social and environmental challenges.

29. How are past relationships between centers and peripheries (e.g., urban centers and hinterlands) characterized in terms of resource management and governance?

30. Why do different cultural groups in the same bioregions utilize resources in dissimilar ways?

31. What are the correlations between the health and well-being of humans and perceived status of the ecosystems they rely upon?

32. How do traditional resource management practices of migrant human populations shape newly encountered land- and seascapes?

33. What is the role of geopolitical power in the development, maintenance, and dissolution of cultural ecosystems?

34. How has the construction of borders, boundaries, and frontiers affected land-use practices?

35. How have people altered and managed their land- and seascapes to enhance desirable resources in coastal regions?

36. What has been, and continues to be, the impact of imperialism and colonialism on cultural ecosystems?

37. How can we best engage with Indigenous and/or local communities to respectfully incorporate traditional and local knowledge into historical ecology projects that are specific to place?

38. How can historical ecology address current and future challenges of global food sovereignty and security, both in terms of geopolitical constraints and sustainable ecological practices?

This research node identified issues of human health and well-being (Question 31) and food sovereignty (Question 38) as themes that require an applied focus. Workshop participants also signaled concerns with the contested and tentative nature of human relationships with landscapes, ecosystems, or resource bases. Many wanted to see critical research into the construction and (sometimes coercive) maintenance of geopolitical borders (Question 34) and centers and peripheries (Question 29) and/or “frontiers” [159,160]. The challenges of trans-boundary environmental management and protection have been gaining recognition in recent decades [161]. It is clear that cartography and socio-economic negotiations of power have relevance to local, traditional, and Indigenous governance systems and deserve research attention [162,163].

The legacies of imperialism and colonialism (Question 36) and global power dynamics more generally (Question 33) have ongoing ramifications for how resources are managed and governed and provide key contextual dimensions to our understanding of the recent past and present [164]. Many historical ecologists from social science backgrounds concentrate on how oppressive states, top-down management systems, or hyper-extractionist capitalism have been and are increasingly affecting global resource bases. We argue that an applied historical ecology is obligated to acknowledge and scrutinize such concerns and contribute to the mitigation of unjust practices [165]. Other social scientists have developed diverse tactics and tools for evaluating the efficacy and sustainability of resource management and governance [166].

Globally, the increasing commodification of biophysical resources and human labor has caused the disenfranchisement of local or Indigenous people and communities [159,167–169]. Diminishing Indigenous and local control of, and engagement with, lands and waters, depended on for material and spiritual sustenance, has led to concomitant reductions in cultural and biological diversity [39,170] as well as exploitative mismanagement of resources [171]. Questions 30, 32, and 37 deal with the use of traditional knowledge and Indigenous management models to better understand the past and pursue desired futures.

Workshop participants often took issue with questions that involved the terms “traditional” or “management”. For the purposes of this section we use the terms “traditional” or “Indigenous knowledge” not as static types of knowledge, but as Indigenous land-based and inter-generational knowledge [40]. Local knowledge generally refers to knowledge that has been situated in a particular landscape by typically non-Indigenous communities [172]. Iterations of the concepts of traditional knowledge have gone through arduous critiques and many anthropologists use these terms carefully and in reflexive fashions—the commodification and obfuscation of local or Indigenous knowledge is considered in the discussion section, see also [167,168,173,174].

Some participants also took issue with the term “management” because of the association with hierarchical state sanctioned management agencies that have generated negative connotations of the word among local or Indigenous communities. Lertzman’s [175] broadly encompassing treatment of management systems, which includes the sum of actions, goals and objectives, legitimized by social norms, institutions, and actors involved, has been adopted. Participants, particularly Indigenous scholars, challenged the use of the term “resource” (widely used both in social sciences and ecology) as its connotation leads us to think of ecological relationships as dichotomous, hierarchical, and extractive, and called for other ways of describing the world that may help us question such narratives.

Methods and applications

Methodological practices tend to distinguish historical ecology from other similar research programs and disciplines like environmental history and environmental anthropology. The

development of historical ecology in ecology predates the anthropological trend [6]. Ecologists have developed methods for gauging current human impacts on the environment, while archaeologists are able to reveal the timing and extent of specific human activity at the landscape scale and over deep timespans [15,38,176]. The triangulation of multiple kinds of sources and explorations of residual dissonance between different “archives”, actors and ontologies of the natural and human world, are similarly defining characteristics of this field of scholarly endeavor, as the next set of questions highlight.

39. How can modeling of social-ecological scenarios be better developed to incorporate various datasets relating to the past (e.g., paleoenvironmental, historical, archaeological)?

40. How can historical ecology contribute to archaeological investigations of ephemeral sites? (E.g., Sites that reflect activities at a scale that is difficult to detect yet reveals fine-grained temporal records.)

41. How can we see and understand gendered relationships to foodways, past and present? (e.g., food and food systems operating in dynamic socio-cultural environments connected to issues of health and nutrition, livelihood security, labor and power divisions, and cultural and biocultural renewal).

42. What unique contributions might historical ecology make to emergent cross-disciplinary conversations about the Anthropocene?

43. How do we assess and address changes in religious/spiritual interpretations of landscapes?

44. How do land and resource management practices affect nutrient and water cycling in different ecosystems?

45. How can we differentiate between natural and human-mediated range expansions for plants, animals, and other organisms?

46. How can historical ecology engage with Indigenous and local oral traditions that may incorporate diverse spatial and temporal scales?

Questions 41 and 43 address the religious, spiritual, and engendered aspects of landscapes that affect how they are managed [39,177]. These questions could provide new insights to ecologists who may not consider the more subtle or nuanced human activities that shape landscapes [14,178–180]. For decades, anthropologists have wrestled with how to understand and study the relationship between cultures and their biological worlds e.g. [56,181–183]. In the course of this research, many have come to appreciate not only the physical remnants of these interactions, but also the cognitive and emotional experiences [39,184].

Historical-ecological research produces new insights into the relationships between people and landscapes over long time periods, but it requires a careful interlacing of research methodologies from various academic disciplines that incorporate cultural, historical, linguistic, biological, and environmental data [185,186]. Ecological principles and techniques generate strong data that can be used to test hypotheses and build rigorous models to track the subtle changes humans enact on the landscape [187–189]. Question 40 recognizes the ability of historical ecology to integrate proxy markers from multiple disciplines to locate and delimit ephemeral archaeological sites [190], the study of which can further build on understandings of human- environmental transformations.

Although Question 39 highlights the caveat of over-selling and over-representing models, these still provide valuable frameworks for interpreting data and simulating various potential outcomes and are instrumental to many research programs [191,192]. Indeed, van der Leeuw and colleagues [193] have noted that thoughtfully constructed, well-populated models of human eco-dynamics are a necessary component of understanding human-environmental systems at diverse timescales. For example, Question 45 was important for workshop participants who studied ancient transplanting and human-mediated range expansions of important

plant species e.g. [194]. Kraft et al. [195] use species-distribution models to support genetic, archaeological, and paleobiolinguistic data to track the domestication of peppers (*Capsicum annuum*). Likewise, Anderies and Hegmon [196] have presented models for understanding human migration and resource use across multiple temporal and spatial scales in the Mimbres region of the American Southwest.

Connecting ecological data (e.g., soil nutrient levels) to anthropogenic actions (e.g., fertilizing and mulching) requires a deep cross-pollination of methodologies (Question 44). In Iceland, Adderley and others [197] have modeled the manuring necessary for Norse settlers to achieve the desired level of home-field productivity when colonizing landscapes. Bean and Sanderson [198] have modeled the effects of historical Indigenous fire regimes on ecosystems in Manhattan, New York.

The methods and application section reflects the broad disciplinary reach of historical ecological research and presages our desire to connect all relevant data to understanding long-term human ecodynamics. As Question 42 suggests, many historical ecologists are interested in contributing to broader conversations about change in contemporary human-natural systems and our arrival in the Anthropocene [32,199]. The compelling integration of data from a multitude of historical and paleoecological research traditions remains one of the most important challenges in archaeology and historical ecology [23], (also see section 4.2 Multi-Scalar, Multi-Disciplinary).

Communication and policy

Broader outreach requires effective public communication, and it is no secret that academics and scientists are not always the best at engaging audiences outside their chosen fields. It is increasingly apparent that quantitative results do not “speak for themselves” [200], and that practitioners need effective measures to communicate research. Workshop participants felt strongly that historical-ecological research should have an engaged approach, understanding that communication and policy is critical for applied research to be implemented. There is still a widely perceived gap between scientific data and priority information for policy makers [20], as explored in our last group of questions.

47. How can we develop evidence-based frameworks that highlight and overcome the problem of shifting baselines by incorporating long-term archaeological and historical data into contemporary policies and governance?

48. How can we better integrate heritage management laws and policy with those of natural resource management and conservation?

49. How can policy makers, resource managers, and researchers develop respectful, committed, and transparent partnerships with Indigenous and local communities beyond the life-span of a typical project?

50. How can historical ecology be made relevant for education and built into curricula?

Question 47 highlights the value of generating data of actual utility for policy makers. Two such examples are the re-assessment of ecological baselines for herring fisheries [201], and reviewing reference conditions in the landscapes of the North American Southwest e.g. [46]. Yet there is a caveat to Question 47; historical ecology and other “usable past” approaches can be vulnerable to reductionist narratives of the past [174,202]. This is as true for policy as it is for museums, education, and other curatorial approaches to history [203]. It is acknowledged that the entirety of a particular historical interpretation is not equally accessible or translatable into a policy realm [204]. Recognizing this is crucial to research projects that set out to apply time-series data to advise on contemporary issues [205,206]. Policy should be informed by the amalgamation of diverse data sources and interpretations that are continuously iterated, with the help and consent of all communities involved e.g. [207].

Existing divisions between management of heritage and environmental resources are also particularly problematic. Historical ecology provides solid arguments for fusing heritage and environmental management policy—Question 48 was the highest-ranked question during the final survey exercise. This builds on the recognition that the erasure of humans from a landscape is not necessarily good for ecosystem conservation or associated human communities e.g. [208–210] and that climate change and environmental management (or lack thereof) strongly impact heritage resources [211,212]. Effective policy requires respectful partnerships to develop at the intersection of government, resource managers, researchers, and Indigenous and local people. The need for a commitment to bettering relations between diverse communities in a heterarchical and respectful way was recognized during the priority-setting exercise (Question 49).

Question 50 highlights a facet of communication that transmits historical-ecological knowledge through institutionalized education (e.g., the Global Environmental History MA program at Uppsala University). One potentially effective method for increasing meaningful student interest in the sciences is through project-based curricula or “teaching by phenomena”, which entangles human and environmental elements in a single teachable event or landscape [213].

Teaching historical ecology has the potential to empower others to use knowledge of the past. It also allows for the identification of environmental problems, encourages informed discourse, and supports the development of consensus-driven policy. Participants of the priority-setting exercise all shared a desire for continued engagement with the fluid research program of historical ecology as a way of interpreting the past for the benefit of coming generations.

Discussion

Traditional and local knowledge

For millennia, people have been tied to their landscapes through practical experiences and complex sets of environmental and cultural knowledge. As historical ecology navigates multiple iterations of time and space, and seeks to strengthen the breadth of a still-emerging field, traditional and Indigenous knowledge bases are valued as dynamic information sources that can transform or complement Western science traditions. Indeed, the role of ethnographic and ethnohistoric data and engagement with oral historical accounts was a crucial component in most participants’ research tool kits. However, despite the widespread use and celebration of traditional, local, and Indigenous knowledge, many participants felt that our questions should also reflect the global power relations inherent in our work. For example, the legacies and ongoing effects of Western/European colonialism are of particular significance in considering of the complexities of global resource management.

While scholars have long recognized that multi-generational local knowledge systems are a key foundation of successful management e.g. [214–217], it is also important to recognize and discuss the marginalization of Indigenous and local communities from management decisions e.g. [218]. Traditional knowledge or, for example, traditional ecological knowledge (TEK), has long been used as anthropological currency in resource development [170] and has been criticized as such [219]. In 1984, a working group on TEK grew out of a symposium hosted by the Commission on Ecology of the International Union for Conservation of Nature and Natural Resources (IUCN), which resulted in several publications and eventual proliferation of the use of the term TEK [220,221]. Since then, TEK has been subject to extended debates in sustainable development and international conservation. The (mis)-appropriation and decontextualization of TEK, particularly in the context of mitigating facilitating industrial development has often had negative impacts, on both the purported resources targeted for management and the communities who subsist and rely on those same resources [167,174,222].

Most participants agreed with the inherent complexity of engaging with Indigenous and local knowledge and yet also agreed that these difficulties in no way negate or invalidate the benefits of doing so. These shared opinions capture insight into the long and complex political landscape to be traversed in order to achieve meaningful collaboration between Western science and local and Indigenous knowledge as a fundamental pillar of historical ecology.

Eroding boundaries

The results of the question-setting exercise and deliberative process reflected an increased awareness that (1) long-term eco-human dynamics have the potential to be better understood through engaging in multidisciplinary, historically oriented research; (2) there is a surge of interest in applied research; and (3) the boundaries between natural and social sciences are seemingly beginning to erode.

First, our knowledge of local and community-based resource use and landscape management practices is largely derived from ethnographic and historical data. We know relatively little about longer-term (i.e., centennial and millennial) developments of resource use and management systems and the legacies they have created for contemporary ecosystems e.g. [39]. One reason for this lack of clarity is that traditional and locally based practices can mimic natural ecological processes (such as native plant management), and thus the histories of such interactions can often be difficult to detect in the archaeological and paleoecological records [179]. Understanding the mosaic or meshworks of ancient burning, farming and other secondary landscape transformations, e.g. [3], requires strong empirical methodologies. Such research focuses on generating scientific data from multiple disciplines and didactic insights about ethics, politics, conservation, science, destruction, and tradition. By tracking such variation, historical ecologists aim to create a larger picture and broader context for evaluating transformation, adaption, innovation, and social and ecological risks.

Another unifying theme among participants was that historical ecology encourages applied, change-oriented research. The motivations behind early anthropological historical ecology research were born from a context of increasing concern for understanding climate change and land-use governance. A focus emerged on tracking temporal elements of climate change and climate variability [223] while actively recognizing the impacts of human land-use strategies [224].

Historical ecology currently has many configurations, in multiple institutional and disciplinary settings, and not all research and or data collection efforts are directed toward social justice and environmental programs. However, a consensus viewpoint is that an applied historical ecology must act in service of, and consider, research that has wider socio-environmental relevance [9,165].

Conclusion

The great environmental crises of the twenty-first century will require diverse knowledge sets and the cross-pollination of multiple scientific disciplines to generate innovative solutions. Anthropologists have long struggled with how to conceptualize many types of knowledge (Western, scientific, Indigenous) and have come to recognize the ontologies of “many worlds” (not “one world, many views”) e.g. [225,226], a problem also relevant for historical ecology [227,228]. Landscapes are constituted by individuals and their repetitive actions, where relations with other people and with nonhuman entities, including built landscapes, technology, plants, animals, and others [229–231], interact at varying spatial and temporal scales. In historical ecology, a relational landscape approach recognizes that humans live in animated and continually emergent landscapes, a recognition which opens the field for varying and inclusive perspectives, see also [232].

While the initial goal of our exercise was to identify priority research questions relating to the emergent field of historical ecology, workshop participants decided to be less insular, realizing that the developments of historical ecology and its associated expressions vary across disciplines and geographic locales of practice. However, our anthropological and archaeological focus of self-selected respondents is indicative of one aspect of the surging influence that historical-ecological research is developing across multiple academic disciplines. Taken together, these series of highlighted research questions strengthens the basis for collaborative and mindful research to better understand the interrelated entanglements of people and environment over the course of human history.

Supporting information

S1 Table. List of participants from Uppsala and Vancouver workshops.

(DOCX)

S1 File. Complete list of all questions submitted to New International Community for Historical Ecology (NICHE) organizers during the crowdsourcing portion of research.

(DOCX)

Acknowledgments

The authors acknowledge all workshop participants from the 2014 Uppsala and 2015 Vancouver meetings as well as those who submitted questions and feedback in online surveys for their thoughtful contributions, especially Dr. William Sutherland. The Integrated History and Future of People on Earth (IHOPE) research network, the Department of Archaeology and Ancient History at Uppsala University, the Mind and Nature research node at Uppsala University, the SFU Faculty of Environment, SFU Department of Archaeology, Sustainable SFU, and VP Academic at SFU all provided funding for web costs, workshops, and conference organization. We would lastly like to thank our esteemed readers, Travis Freeland, Rachael O'Callahan, Felix Riede, Nancy J. Turner, Leslie Main Johnson, and the three anonymous reviewers for their helpful and critical comments.

Author Contributions

Conceptualization: CGA ACS AE IM SW CLC.

Data curation: CGA ACS OJB ACM NP KSG.

Funding acquisition: CGA ACS AE PJJ CLC PAS.

Investigation: CGA ACS AE IM PS PJJ OJB ACM SW NP KSG EQM ENA AI GP JCV TM-B JKL SA CN PS CLC.

Methodology: CGA ACS SW OJB NP KSG ACM EQM.

Project administration: CGA ACS.

Supervision: CGA ACS.

Visualization: CGA ACS AE IM PS PJJ.

Writing – original draft: CGA ACS AE IM PS PJJ OJB ACM SW NP KSG.

Writing – review & editing: CGA ACS AE IM PS PJJ.

References

1. Russell E. *People and the Land through Time: Linking Ecology and History*. New Haven: Yale University Press; 1997.
2. Balée W. Historical Ecology: Premises and Postulates. In: Balée W, editor. *Advances in Historical Ecology*. New York: Columbia University Press; 1998. pp. 13–29.
3. Balée W. *Cultural forests of the Amazon: a historical ecology of people and their landscapes*. Tuscaloosa: University of Alabama Press; 2013.
4. Thompson V, Waggoner J. *The Archaeology and Historical Ecology of Small Scale Economies*. Gainesville: University Press of Florida; 2013.
5. Isendahl C, Stump D. *The Oxford Handbook of Historical Ecology and Applied Archaeology*. Oxford: Oxford University Press; 2015.
6. Szabó P. Historical ecology: past, present and future. *Biol Rev*. 2015; 90: 997–1014. doi: [10.1111/brv.12141](https://doi.org/10.1111/brv.12141) PMID: [25174685](https://pubmed.ncbi.nlm.nih.gov/25174685/)
7. Crumley C. Historical Ecology: integrated thinking at multiple temporal and spatial scales. In: Hornborg A, Crumley C, editors. *The World System and the Earth System: Global Socio-Environmental Change and Sustainability Since the Neolithic*. Walnut Creek: Left Coast Press; 2007. pp. 15–28.
8. Szabó P, Hédl R. Advancing the Integration of History and Ecology for Conservation. *Conserv Biol*. 2011; 25: 680–687. doi: [10.1111/j.1523-1739.2011.01710.x](https://doi.org/10.1111/j.1523-1739.2011.01710.x) PMID: [21771076](https://pubmed.ncbi.nlm.nih.gov/21771076/)
9. Armstrong C, Veteto J. Historical ecology and ethnobiology: applied research for environmental conservation and social justice. *Ethnobiol Lett*. 2015; 6: 5–7.
10. Levin PS, Anderson LE. When Good Fences Make Bad Neighbors: Overcoming Disciplinary Barriers to Improve Natural Resource Management. *Coast Manag*. 2016; 44.
11. Briggs J, KA S, Schaafsma H, Kintigh K, Kruse M, Morehouse K, et al. Why ecology needs archaeologists and archaeology needs ecologists. *Front Ecol Environ*. 2006; 4: 180–188.
12. Rick TC, Lockwood R. Integrating Paleobiology, Archeology, and History to Inform Biological Conservation. *Conserv Biol*. 2013; 27: 45–54. doi: [10.1111/j.1523-1739.2012.01920.x](https://doi.org/10.1111/j.1523-1739.2012.01920.x) PMID: [22979917](https://pubmed.ncbi.nlm.nih.gov/22979917/)
13. Gimmi U, Bürgi M. Using Oral History and Forest Management Plans to Reconstruct Traditional Non-Timber Forest Uses in the Swiss Rhone Valley (Valais) Since the Late Nineteenth Century. *Environ Hist*. 2007; 13: 211–246.
14. Pennings S. Forging Collaborations between Ecology and Historical Ecology. In: Thompson V, Waggoner J, editors. *The Archaeology and Historical Ecology of Small Scale Economies*. Gainesville: University Press of Florida; 2013. pp. 167–175.
15. Crumley C. New Paths into the Anthropocene: Applying Historical Ecologies to the Human Future. In: Isendahl C, Stump D, editors. *Oxford Handbook of Historical Ecology and Applied Archaeology*. 2015.
16. Ellis EC. Ecology in an anthropogenic biosphere. *Ecol Monogr*. 2015; 85: 287–331.
17. Lotze H, McClenachan L. Marine historical ecology: informing the future by learning from the past. In: Bertness M, Bruno J, Silliman B, Stachowicz J, editors. *Marine community ecology and conservation*. Sunderland: Sinauer Press; 2013. pp. 165–200.
18. Sutherland WJ, Armstrong-Brown S, Armsworth PR, Tom B, Brickland J, Campbell CD, et al. The identification of 100 ecological questions of high policy relevance in the UK. *J Appl Ecol*. 2006; 43: 617–627.
19. Sutherland WJ, Adams WM, Aronson RB, Aveling R, Blackburn TM, Broad S, et al. One Hundred Questions of Importance to the Conservation of Global Biological Diversity. *Conserv Biol*. 2009; 23: 557–567. doi: [10.1111/j.1523-1739.2009.01212.x](https://doi.org/10.1111/j.1523-1739.2009.01212.x) PMID: [19438873](https://pubmed.ncbi.nlm.nih.gov/19438873/)
20. Sutherland WJ, Fleishman E, Mascia MB, Pretty J, Rudd MA. Methods for collaboratively identifying research priorities and emerging issues in science and policy. *Methods Ecol Evol*. 2011; 2: 238–247.
21. Sutherland WJ, Freckleton RP, Godfray HCJ, Beissinger SR, Benton T, Cameron DD, et al. Identification of 100 fundamental ecological questions. *J Ecol*. 2013; 101: 58–67.
22. Seddon AWR, Mackay AW, Baker AG, Birks HJB, Breman E, Buck CE, et al. Looking forward through the past: identification of 50 priority research questions in palaeoecology. *J Ecol*. 2014; 102: 256–267.
23. Kintigh KW, Altschul JH, Beaudry MC, Drennan RD, Kinzig AP, Kohler TA, et al. Grand challenges for archaeology. *Proc Natl Acad Sci*. 2014; 111: 879–880. doi: [10.1073/pnas.1324000111](https://doi.org/10.1073/pnas.1324000111) PMID: [24449827](https://pubmed.ncbi.nlm.nih.gov/24449827/)
24. Parsons ECM, Favaro B, Aguirre AA, Bauer AMYL, Blight LK, Cigliano JA, et al. Seventy-One Important Questions for the Conservation of Marine Biodiversity. *Conserv Biol*. 2014; 28: 1206–1214. doi: [10.1111/cobi.12303](https://doi.org/10.1111/cobi.12303) PMID: [24779474](https://pubmed.ncbi.nlm.nih.gov/24779474/)

25. Kintigh KW, Altschul JH, Beaudry MC, Drennan RD, Kinzig A, Kohler T a., et al. Grand challenges for archaeology. *Proc Natl Acad Sci.* 2014; 111: 879–880. doi: [10.1073/pnas.1324000111](https://doi.org/10.1073/pnas.1324000111) PMID: [24449827](https://pubmed.ncbi.nlm.nih.gov/24449827/)
26. Bürgi M. Historische Ökologie—ein interdisziplinärer Forschungsansatz, illustriert am Beispiel der Waldstreunutzung. *GAI—Ecol Perspect Sci Soc.* 2008; 17: 370–377.
27. Girel J. Quand le passé éclaire le présent: écologie et histoire du paysage. *Géocarrefour.* 2006; 81: 249–264.
28. Mathevet R. *La Solidarité écologique.* Paris: Actes Sud; 2012.
29. Arkady B, Kiseleva N, Khasanov B. Some Problems in Historical Ecology: Objects, Methods, Results, and Interpretation. *Zool Zhurnal.* 2005; 85: 173–184.
30. Habu J, Matsui A, Yamamoto N, Kanno T. Shell midden archaeology in Japan: Aquatic food acquisition and long-term change in the Jomon culture. *Quat Int.* 2011; 239: 19–27.
31. Bürgi M, Östlund L, Mladenoff DJ. Legacy Effects of Human Land Use: Ecosystems as Time-Lagged Systems. *Ecosystems.* 2016; 1–10.
32. Crutzen P, Stoermer E. The “Anthropocene.” *Glob Chang Newsl.* 2000; 41: 17–
33. Ruddiman WF, Fuller DQ, Kutzbach JE, Tzedakis PC, Kaplan JO, Ellis EC, et al. Late Holocene climate: Natural or anthropogenic? *Rev Geophys.* 2016; 54: 93–118.
34. Williams M, Zalasiewicz J, Haff PK, Schwägerl C, Barnosky AD, Ellis EC. The Anthropocene biosphere. *Anthr Rev.* 2015;
35. Waters CN, Zalasiewicz J, Summerhayes C, Barnosky AD, Poirier C, Gałuszka A, et al. The Anthropocene is functionally and stratigraphically distinct from the Holocene. *Science.* 2016; 351.
36. Orlove B. Human adaptation to climate change: a review of three historical cases and some general perspectives. *Environ Sci Policy.* 2005; 8: 589–600.
37. Wolverson S, Chambers KJ, Veteto JR. Climate Change and Ethnobiology. *J Ethnobiol.* 2014; 34: 273–275.
38. Cooper J, Sheets P. *Surviving Sudden Environmental Change.* Boulder: University of Colorado Press; 2012.
39. Anderson E. *Caring for Place: Ecology, Ideology, and Emotion in Traditional Landscape Management.* Walnut Creek: Left Coast Press; 2014.
40. Turner N. *Ancient Pathways, Ancestral Knowledge: Ethnobotany and Ecological Wisdom of Indigenous Peoples of Northwestern North America.* Montreal: McGill-Queen’s University Press; 2014.
41. Chritz KL, Marshall FB, Zagal ME, Kirera F, Cerling TE. Environments and trypanosomiasis risks for early herders in the later Holocene of the Lake Victoria basin, Kenya. *Proc Natl Acad Sci.* 2015; 112: 3674–3679. doi: [10.1073/pnas.1423953112](https://doi.org/10.1073/pnas.1423953112) PMID: [25775535](https://pubmed.ncbi.nlm.nih.gov/25775535/)
42. Lewis SL, Maslin MA. Defining the Anthropocene. *Nature.* 2015; 519: 171–180. doi: [10.1038/nature14258](https://doi.org/10.1038/nature14258) PMID: [25762280](https://pubmed.ncbi.nlm.nih.gov/25762280/)
43. Steffen W, Richardson K, Rockström J, Cornell SE, Fetzer I, Bennett EM, et al. Planetary boundaries: Guiding human development on a changing planet. *Science.* 2015; 347.
44. Dearing JA, Yang X, Dong X, Zhang E, Chen X, Langdon PG, et al. Extending the timescale and range of ecosystem services through paleoenvironmental analyses, exemplified in the lower Yangtze basin. *Proc Natl Acad Sci.* 2012; 109: E1111–E1120. doi: [10.1073/pnas.1118263109](https://doi.org/10.1073/pnas.1118263109) PMID: [22499786](https://pubmed.ncbi.nlm.nih.gov/22499786/)
45. Gillson L. *Biodiversity Conservation and Environmental Change: Using Palaeoecology to Manage Dynamic Landscapes in the Anthropocene.* Oxford: Oxford University Press; 2015.
46. Swetnam T, Allen C, Betancourt J. Applied Historical Ecology: Using the Past to Manage for the Future. *Ecol Appl.* 1999; 9: 1189–1206.
47. Marchant R, Lane P. Past perspectives for the future: foundations for sustainable development in East Africa. *J Archaeol Sci.* 2014; 51: 12–21.
48. Peterson G, Allen C, Holling C. Ecological Resilience, Biodiversity, and Scale. *Ecosystems.* 1998; 1: 6–18.
49. Redman C, Kinzig A. Resilience of past landscapes: resilience theory, society, and the longue durée. *Conserv Ecol.* 2003; 7: 14.
50. Sayre NF. Ecological and geographical scale: parallels and potential for integration. *Prog Hum Geogr.* 2005; 29: 276–290.
51. Walker B, Gunderson L, Kinzig A, Folke C, Carpenter S, Schultz L. Biodiversity, resilience and the control of ecological-economic systems: the case of fire driven rangelands. *Ecol Soc.* 2006; 11: 13.

52. Bailey G. Time perspectives, palimpsests and the archaeology of time. *J Anthropol Archaeol.* 2007; 26: 198–223.
53. Lefebvre H. *The Production of Space.* Maiden: Blackwell Publishing; 1991.
54. Soja E. *Postmodern Geographies: The Reassertion of Space in Critical Social Theory.* London: Verso; 1989.
55. Massey D. *For Space.* London: Sage; 2005.
56. Ingerson A. Tracking and testing the nature/culture dichotomy in practice. In: Crumley L, editor. *Historical Ecology: Cultural Knowledge and Changing Landscapes.* Santa Fe: School of American Research Press; 1994. pp. 43–66.
57. Cronon W. The Trouble with Wilderness: Or, Getting Back to the Wrong Nature. *Environ Hist Durh N C.* 1996; 1: 7–28.
58. Hornborg A. Artifacts have consequences, not agency: Toward a critical theory of global environmental history. *Eur J Soc Theory.* 2016;
59. Ledford H. How to solve the world's biggest problems. *Nature.* 2015; 525: 308–311. doi: [10.1038/525308a](https://doi.org/10.1038/525308a) PMID: [26381968](https://pubmed.ncbi.nlm.nih.gov/26381968/)
60. Thurow A, Abdalla C, Younglove-Webb J, Gray B. The Dynamics of Multidisciplinary Research Teams in Academia. *Rev High Educ.* 1999; 22: 425–440.
61. Howe D, Costanzo M, Fey P, Gojobori T, Hannick L, Hide W, et al. Big data: The future of biocuration. *Nature.* 2008; 455: 47–50. doi: [10.1038/455047a](https://doi.org/10.1038/455047a) PMID: [18769432](https://pubmed.ncbi.nlm.nih.gov/18769432/)
62. Blockley SPE, Lane CS, Hardiman M, Rasmussen SO, Seierstad IK, Steffensen JP, et al. Synchronisation of palaeoenvironmental records over the last 60,000 years, and an extended INTIMATE1 event stratigraphy to 48,000 b2k. *Quat Sci Rev.* 2012; 36: 2–10.
63. Strandberg G, Kjellström E, Poska A, Wagner S, Gaillard M-J, Trondman A-K, et al. Regional climate model simulations for Europe at 6 and 0.2 k BP: sensitivity to changes in anthropogenic deforestation. *Clim Past.* 2014; 10: 661–680.
64. Lightfoot KG, Cuthrell RQ. *Anthropogenic burning and the Anthropocene in late Holocene California. The Holocene.* 2015;
65. Savo V, Lepofsky D, Benner JP, Kohfeld KE, Bailey J, Lertzman K. Observations of climate change among subsistence-oriented communities around the world. *Nat Clim Chang.* 2016; 6: 462–473.
66. Nicholas G. A light but lasting footprint: Human influences on the northeastern landscape. In: Levine M, Sassaman KE, Nassaney S, editors. *The Archaeological Northeast.* Westport: Bergin and Garvey; 1999. pp. 25–38.
67. Peterson AT, Vieglais DA. Predicting Species Invasions Using Ecological Niche Modeling. *Biosci.* 2001; 51: 363–371.
68. Rackham O. *Ancient woodland: its history, vegetation and uses in England.* Second Edition. Dalbeattie: Castlepoint Press; 2003.
69. Rackham O. *Woodlands.* London: Harper Collins; 2006.
70. Tomimatsu H, Kephart SR, Vellend M. Phylogeography of *Camassia quamash* in western North America: postglacial colonization and transport by indigenous peoples. *Mol Ecol.* 2009; 18: 3918–3928. doi: [10.1111/j.1365-294X.2009.04341.x](https://doi.org/10.1111/j.1365-294X.2009.04341.x) PMID: [19732332](https://pubmed.ncbi.nlm.nih.gov/19732332/)
71. Wyndham FS. Spheres of Relations, Lines of Interaction: Subtle Ecologies of the Rarámuri Landscape in Northern Mexico. *J Ethnobiol. Society of Ethnobiology;* 2009; 29: 271–295.
72. Szabó P. Ancient woodland boundaries in Europe. *J Hist Geogr.* 2010; 36: 205–214.
73. Ford A, Nigh R. *The Maya Forest Garden: Eight Millennia of Sustainable Cultivation of the Tropical Woodlands (New Frontiers in Historical Ecology).* Walnut Creek: Left Coast Press; 2015.
74. Anderson E. *Ecologies of the heart: emotions, belief and the environment.* Oxford: Oxford University Press; 1994.
75. Lane P. Environmental Narratives and the History of Soil Erosion in Kondoa District, Tanzania: An Archaeological Perspective. *Int J Afr Hist Stud.* 2009; 42: 457–483.
76. Youatt R. *Counting Species.* Chicago: University of Minnesota Press; 2015.
77. Holling CS. Resilience and Stability of Ecological Systems. *Annu Rev Ecol Syst.* 1973; 4: 1–23.
78. Pickett S, White P. *The Ecology of Natural Disturbance and Patch Dynamics.* San Diego: Academic Press; 1985.
79. Dublin HT, Sinclair ARE, McGlade J. Elephants and Fire as Causes of Multiple Stable States in the Serengeti-Mara Woodlands. *J Anim Ecol.* 1990; 59: 1147–1164.
80. Lord JM, Norton DA. Scale and the Spatial Concept of Fragmentation. *Conserv Biol.* 1990; 4: 197–202.

81. Wu J, Loucks OL. From Balance of Nature to Hierarchical Patch Dynamics: A Paradigm Shift in Ecology. *Q Rev Biol.* 1995; 70: 439–466.
82. Perrings C, Walker B. Biodiversity, resilience and the control of ecological-economic systems: the case of fire-driven rangelands. *Ecol Econ.* 1997; 22: 73–83.
83. Millington AC, Velez-Liendo XM, Bradley A V. Scale dependence in multitemporal mapping of forest fragmentation in Bolivia: implications for explaining temporal trends in landscape ecology and applications to biodiversity conservation. *ISPRS J Photogramm Remote Sens.* 2003; 57: 289–299.
84. Capers R, Selsky R, Bugbee G, White J. Aquatic plant community invasibility and scale-dependent patterns in native and invasive species richness. *Ecology.* 2007; 88: 3135–3143. PMID: [18229847](#)
85. Smart SM, Thompson K, Marrs RH, Le Duc MG, Maskell LC, Firbank LG. Biotic homogenization and changes in species diversity across human-modified ecosystems. *Proc R Soc B Biol Sci.* 2006; 273: 2659–2665.
86. Strayer DL, Eviner VT, Jeschke JM, Pace ML. Understanding the long-term effects of species invasions. *Trends Ecol Evol.* 2006; 21: 645–651. doi: [10.1016/j.tree.2006.07.007](#) PMID: [16859805](#)
87. Lockwood J, McKinney M. *Biotic Homogenization.* New York: Springer US; 2001.
88. Anderson M. *Tending the wild: Native American knowledge and the management of California's natural resources.* Berkeley: University of California Press; 2005.
89. Coddling BF, Bliege Bird R, Kauhanen PG, Bird DW. Conservation or Co-evolution? Intermediate Levels of Aboriginal Burning and Hunting Have Positive Effects on Kangaroo Populations in Western Australia. *Hum Ecol.* 2014; 42: 659–669.
90. Smith EA, Wishnie M. Conservation and Subsistence in Small-Scale Societies. *Annu Rev Anthropol.* 2000; 29: 493–524.
91. Bird R. Disturbance, Complexity, Scale: New Approaches to the Study of Human-Environment Interactions. *Annu Rev Anthropol.* 2015; 44: 241–257.
92. Lepofsky D, Smith N, Cardinal N, Harper J, Morris M, Elroy-White G, et al. Ancient Shellfish Mariculture on the Northwest Coast of North America. *Am Antiq.* 2015; 80: 236–259.
93. Young OR. Institutional dynamics: Resilience, vulnerability and adaptation in environmental and resource regimes. *Glob Environ Chang.* 2010; 20: 378–385.
94. Merino G, Barange M, Blanchard JL, Harle J, Holmes R, Allen I, et al. Can marine fisheries and aquaculture meet fish demand from a growing human population in a changing climate? *Glob Environ Chang.* 2012; 22: 795–806.
95. Berkes F, Hughes T, Steneck R, Wilson J, Bellwood D, Crona B, et al. Globalization, roving bandits, and marine resources. *Science.* 2006; 17: 1557–1558.
96. Nabhan G, Rea A, Reichhardt K, Mellink E, Hutchinson C. Papago influences on habitat and biotic diversity: Quitovac oasis ethnobotany. *J Ethnobiol.* 1982; 2: 124–143.
97. Ross NJ. Modern tree species composition reflects ancient Maya “forest gardens” in northwest Belize. *Ecol Appl.* 2011; 21: 75–84. PMID: [21516889](#)
98. Barlow J, Gardner T, Lees A, Parry L, Peres C. How pristine are tropical forests? An ecological perspective on the pre-Columbian human footprint in Amazonia and implications for contemporary conservation. *Biol Conserv.* 2012; 151: 45–49.
99. Casas A, Otero-Araiz A, Pérez-Negrón E, Valiente-Banuet A. In situ Management and Domestication of Plants in Mesoamerica. *Ann Bot.* 2007; 100: 1101–1115. doi: [10.1093/aob/mcm126](#) PMID: [17652338](#)
100. Parker KC, Trapnell DW, Hamrick JL, Hodgson WC, Parker AJ. Inferring ancient Agave cultivation practices from contemporary genetic patterns. *Mol Ecol.* 2010; 19: 1622–1637. doi: [10.1111/j.1365-294X.2010.04593.x](#) PMID: [20345679](#)
101. Fine PVA, Misiewicz TM, Chavez AS, Cuthrell RQ. Population Genetic Structure of California Hazelnut, An Important Food Source for People in Quiroste Valley in the Late Holocene. *Calif Archaeol.* 2013; 5: 353–370.
102. McClure SB. The Pastoral Effect. *Curr Anthropol.* 2015; 56: 901–910.
103. Bird DW, Bird RB, Coddling BF, Taylor N. A Landscape Architecture of Fire: Cultural Emergence and Ecological Pyrodiversity in Australia's Western Desert. *Curr Anthropol.* 2016; 57: S65–S79.
104. Erickson CL. Amazonia: The Historical Ecology of a Domesticated Landscape. In: Silverman H, Isbell WH, editors. *The Handbook of South American Archaeology.* New York, NY: Springer New York; 2008. pp. 157–183.
105. Thompson JN. Rapid evolution as an ecological process. *Trends Ecol Evol.* 1998; 13: 329–332. PMID: [21238328](#)

106. Palumbi SR. Humans as the World's Greatest Evolutionary Force. *Science*. 2001; 293: 1786 LP–1790.
107. Hairston NG, Ellner SP, Geber MA, Yoshida T, Fox JA. Rapid evolution and the convergence of ecological and evolutionary time. *Ecol Lett*. 2005; 8: 1114–1127.
108. Robbins P, Moore SA. Ecological anxiety disorder: diagnosing the politics of the Anthropocene. *Cult Geogr*. 2013; 20: 3–19.
109. Hobbs RJ, Higgs E, Harris JA. Novel ecosystems: implications for conservation and restoration. *Trends Ecol Evol*. 2009; 24: 599–605. doi: [10.1016/j.tree.2009.05.012](https://doi.org/10.1016/j.tree.2009.05.012) PMID: [19683830](https://pubmed.ncbi.nlm.nih.gov/19683830/)
110. Crosby A. *Ecological imperialism: the biological expansion of Europe, 900–1900*. Second Edition. Cambridge: Cambridge University Press; 2004.
111. Simberloff D. Non-natives: 141 scientists object. *Nature*. 2011; 475: 36.
112. Denevan WM. After 1492: Nature Rebounds. *Geogr Rev*. 2016; 106: 381–398.
113. Foster DR. Conservation Issues and Approaches for Dynamic Cultural Landscapes. *J Biogeogr*. 2002; 29: 1533–1535.
114. Agnoletti M. *Conservation of Cultural Landscapes*. Wallingford: CAB International; 2006.
115. Ross NJ, Rangel TF. Ancient Maya Agroforestry Echoing Through Spatial Relationships in the Extant Forest of NW Belize. *Biotropica*. 2011; 43: 141–148.
116. Bird R, Taylor N, Coddling B, Bird D. Niche construction and Dreaming logic: aboriginal patch mosaic burning and varanid lizards (*Varanus gouldii*) in Australia. *Proc R Soc London B Biol Sci*. 2013; 380.
117. Ekblom A. Archaeology, Historical Sciences, and Environmental Conservation. In: Isendahl C, Stump D, editors. *The Oxford Handbook of Historical Ecology and Applied Archaeology*. Oxford: Oxford University Press; 2015.
118. Glaser B. Prehistorically modified soils of central Amazonia: a model for sustainable agriculture in the twenty-first century. *Philos Trans R Soc B Biol Sci*. London: The Royal Society; 2007; 362: 187–196.
119. Falcão NPS, Clement CR, Tsai SM, Comerford NB. Pedology, Fertility, and Biology of Central Amazonian Dark Earths. In: Woods WI, Teixeira WG, Lehmann J, Steiner C, WinklerPrins A, Rebellato L, editors. *Amazonian Dark Earths: Wim Sombroek's Vision*. Dordrecht: Springer Netherlands; 2009. pp. 213–228.
120. Fairhead J, Leach M. Amazonian Dark Earths in Africa? In: Woods WI, Teixeira WG, Lehmann J, Steiner C, WinklerPrins A, Rebellato L, editors. *Amazonian Dark Earths: Wim Sombroek's Vision*. Dordrecht: Springer Netherlands; 2009. pp. 265–278.
121. Woods W, Denevan W. Amazonian dark earths: the first century of reports. In: Woods W, Teixeira W, Lehmann J, Steiner C, WinklerPrins A, Rebellato L, editors. *Amazonian Dark Earths: Wim Sombroek's Vision*. Netherlands: Springer; 2009. pp. 1–14.
122. Junqueira AB, Shepard GH, Clement CR. Secondary forests on anthropogenic soils in Brazilian Amazonia conserve agrobiodiversity. *Biodivers Conserv*. 2010; 19: 1933–1961.
123. Trant AJ, Nijland W, Hoffman KM, Mathews DL, McLaren D, Nelson TA, et al. Intertidal resource use over millennia enhances forest productivity. *Nat Commun*. The Author(s); 2016; 7: 12491. doi: [10.1038/ncomms12491](https://doi.org/10.1038/ncomms12491) PMID: [27572157](https://pubmed.ncbi.nlm.nih.gov/27572157/)
124. Hoffman KM, Gavin DG, Lertzman KP, Smith DJ, Starzomski BM. 13,000 years of fire history derived from soil charcoal in a British Columbia coastal temperate rain forest. *Ecosphere*. 2016; 7: e01415–n/a.
125. Morin-Rivat J, Fayolle A, Favier C, Bremond L, Gourlet-Fleury S, Bayol N, et al. Present-day central African forest is a legacy of the 19th century human history. *Elife*. 2017; 6: e20343. doi: [10.7554/eLife.20343](https://doi.org/10.7554/eLife.20343) PMID: [28093097](https://pubmed.ncbi.nlm.nih.gov/28093097/)
126. McKey DB, Durécu M, Pouilly M, Béarez P, Ovando A, Kalebe M, et al. Present-day African analogue of a pre-European Amazonian floodplain fishery shows convergence in cultural niche construction. *Proc Natl Acad Sci*. 2016; 113: 14938–14943. doi: [10.1073/pnas.1613169114](https://doi.org/10.1073/pnas.1613169114) PMID: [27980030](https://pubmed.ncbi.nlm.nih.gov/27980030/)
127. Laris P. Burning the Seasonal Mosaic: Preventative Burning Strategies in the Wooded Savanna of Southern Mali. *Hum Ecol*. 2002; 30: 155–186.
128. Erickson C. *The Domesticated Landscapes of the Bolivian Amazon*. New York: Columbia University Press; 2006.
129. Trauernicht C, Murphy BP, Prior LD, Lawes MJ, Bowman DMJS. Human-Imposed, Fine-Grained Patch Burning Explains the Population Stability of a Fire-Sensitive Conifer in a Frequently Burnt Northern Australia Savanna. *Ecosystems*. 2016; 19: 896–909.
130. Lightfoot KG, Cuthrell RQ, Boone CM, Byrne R, Chavez AS, Collins L, et al. Anthropogenic Burning on the Central California Coast in Late Holocene and Early Historical Times: Findings, Implications, and Future Directions. *Calif Archaeol*. 2013; 5: 371–390.

131. Liebmann MJ, Farella J, Roos CI, Stack A, Martini S, Swetnam TW. Native American depopulation, reforestation, and fire regimes in the Southwest United States, 1492–1900 CE. *Proc Natl Acad Sci*. 2016; 113: E696–E704. doi: [10.1073/pnas.1521744113](https://doi.org/10.1073/pnas.1521744113) PMID: [26811459](https://pubmed.ncbi.nlm.nih.gov/26811459/)
132. Bowman D, Murphy B. Australia—A Model System for the Development of Pyrogeography. *Fire Ecol*. 2011; 7: 5–12.
133. Russell-Smith J, Monagle C, Jacobsohn M, Beatty RL, Bilbao B, Millán A, et al. Can savanna burning projects deliver measurable greenhouse emissions reductions and sustainable livelihood opportunities in fire-prone settings? *Clim Change*. 2013; 121:1–15.
134. Barthel S, Crumley C, Svedin U. Biocultural Refugia: Combating the Erosion of Diversity in Landscapes of Food Production. *Glob Environ Chang*. 2013; 23: 1142–1152.
135. Maffi L. Linguistic, Cultural, and Biological Diversity. *Annu Rev Anthropol*. 2005; 34: 599–617.
136. Frausin V, Fraser JA, Narmah W, Lahai MK, Winnebaha TRA, Fairhead J, et al. “God Made the Soil, but We Made It Fertile”: Gender, Knowledge, and Practice in the Formation and Use of African Dark Earths in Liberia and Sierra Leone. *Hum Ecol*. 2014; 42: 695–710.
137. Fraser JA, Frausin V, Jarvis A. An intergenerational transmission of sustainability? Ancestral habitus and food production in a traditional agro-ecosystem of the Upper Guinea Forest, West Africa. *Glob Environ Chang*. 2015; 31: 226–238.
138. Gorenflo LJ, Romaine S, Mittermeier RA, Walker-Painemilla K. Co-occurrence of linguistic and biological diversity in biodiversity hotspots and high biodiversity wilderness areas. *Proc Natl Acad Sci*. 2012; 109: 8032–8037. doi: [10.1073/pnas.1117511109](https://doi.org/10.1073/pnas.1117511109) PMID: [22566626](https://pubmed.ncbi.nlm.nih.gov/22566626/)
139. Rick TC, Sillett TS, Ghalambor CK, Hofman CA, Ralls K, Anderson RS, et al. Ecological Change on California’s Channel Islands from the Pleistocene to the Anthropocene. *Bioscience*. 2014; 64: 680–692.
140. Nicholls RJ, Cazenave A. Sea-Level Rise and Its Impact on Coastal Zones. *Science*. 2010; 328: 1517 LP–1520.
141. Nunn PD. The end of the Pacific? Effects of sea level rise on Pacific Island livelihoods. *Singap J Trop Geogr*. 2013; 34: 143–171.
142. Kirwan ML, Megonigal JP. Tidal wetland stability in the face of human impacts and sea-level rise. *Nature*. 2013; 504: 53–60. doi: [10.1038/nature12856](https://doi.org/10.1038/nature12856) PMID: [24305148](https://pubmed.ncbi.nlm.nih.gov/24305148/)
143. Marzeion B, Levermann A. Loss of cultural world heritage and currently inhabited places to sea-level rise. *Environ Res Lett*. 2014; 9: 34001.
144. Black R, Sessay M. Forced migration, environmental change and woodfuel issues in the Senegal River Valley. *Environ Conserv*. 1997; 24: 251–260.
145. Adamo S, Izazola H. Human migration and the environment. *Popul Environ*. 2010; 32: 105–108.
146. Ole Seno S, Tome S. Socioeconomic and Ecological Viability of Pastoralism in Loitokitok District, Southern Kenya. *Nomad People*. 2013; 17: 66–86.
147. Fan M, Li W, Zhang C, Li L. Impacts of Nomad Sedentarization on Social and Ecological Systems at Multiple Scales in Xinjiang Uyghur Autonomous Region, China. *Ambio*. 2014; 43: 673–686. doi: [10.1007/s13280-013-0445-z](https://doi.org/10.1007/s13280-013-0445-z) PMID: [24092595](https://pubmed.ncbi.nlm.nih.gov/24092595/)
148. Werner C, Barcus HR. Mobility and Immobility in a Transnational Context: Changing Views of Migration among the Kazakh Diaspora in Mongolia. *Migr Lett*. 2009; 6: 49–62.
149. Babai D, Molnár Z. Small-scale traditional management of highly species-rich grasslands in the Carpathians. *Agriculture, Ecosystems & Environment*. *Ecosyst Environ*. 2014; 182: 123–130.
150. Taylor D. *Toxic Communities: Environmental Racism, Industrial Pollution, and Residential Mobility*. New York: New York University Press; 2014.
151. Hernandez M, Collins TW, Grineski SE. Immigration, mobility, and environmental injustice: A comparative study of Hispanic people’s residential decision-making and exposure to hazardous air pollutants in Greater Houston, Texas. *Geoforum*. 2015; 60: 83–94.
152. Harwell M. *Nuclear Winter: The Human and Environmental Consequences of Nuclear War*. New York: Springer-Verlag; 1984.
153. Sadiq M, McCain J. *The Gulf War Aftermath: An Environmental Tragedy*. Dordrecht: Springer Netherlands; 1993.
154. Yateem A. Rhizoremediation of oil-contaminated sites: a perspective on the Gulf War environmental catastrophe on the State of Kuwait. *Environ Sci Pollut Res*. 2013; 20: 100–107.
155. Kuhl JD. Environmental Impacts on the German Blitzkrieg in World War Two. *Utah Hist Rev*. 2014; 4: 133–144.

156. Natcher DC, Davis S, Hickey CG. Co-Management: Managing Relationships, Not Resources. *Hum Organ*. 2005; 64: 240–250.
157. Frazier JG. The Call of the Wild. In: Dean RM, editor. *The Archaeology of Anthropogenic Environments*. Occasional. Carbondale: Southern Illinois University; 2010. pp. 341–369.
158. Vollan B, Ostrom E. Cooperation and the Commons. *Science*. 2010; 330: 923 LP–924.
159. Tsing A. *Friction: An Ethnography of Global Connection*. Princeton: Princeton University Press; 2005.
160. Escobar A. *Encountering Development: The Making and Unmaking of the Third World*. Princeton: Princeton University Press; 1995.
161. Dallimer M, Strange N. Why socio-political borders and boundaries matter in conservation. *Trends Ecol Evol*. 2015; 30: 132–139. doi: [10.1016/j.tree.2014.12.004](https://doi.org/10.1016/j.tree.2014.12.004) PMID: [25637933](https://pubmed.ncbi.nlm.nih.gov/25637933/)
162. Brody H. *Maps and dreams: Indians and the British Columbia frontier*. Long Grove: Waveland Press Inc.; 1981.
163. Thom B. The paradox of boundaries in Coast Salish territories. *Cult Geogr*. 2009; 16: 179–205.
164. Altamirano-Jiménez I. *Indigenous Encounters with Neoliberalism: Place, Women and the Environment in Canada and Mexico*. Vancouver: UBC Press; 2013.
165. Veteto J, Lockyer J. Towards a political ecology of applied anthropology. *J Polit Ecol*. 2015; 22: 357–465.
166. Ostrom E. *The Future of the Commons*. London: The Institute of Economic Affairs; 2012.
167. Simpson L. Aboriginal Peoples and Knowledge: Decolonizing Our Processes. *Can J Native Stud*. 2001; 21: 137–148.
168. Escobar A. *Territories of Difference: Place, Movements, Life, Redes*. Durham: Duke University Press; 2008.
169. Bodley J. *Victims of Progress*. Sixth Edition. Lanham: Alta Mira Press; 2014.
170. Nazarea VD. Local Knowledge and Memory in Biodiversity Conservation. *Annu Rev Anthropol*. 2006; 35: 317–335.
171. Berkes F. *Sacred ecology: Traditional ecological knowledge and resource management*. Second Edition. Philadelphia: Taylor & Francis; 2012.
172. Griffith D. Local Knowledge, Multiple Livelihoods, and the Use of Natural and Social Resources in North Carolina. In: Menzies C, editor. *Traditional Ecological Knowledge and Natural Resource Management*. Lincoln: University of Nebraska Press; 2006. pp. 153–174.
173. Nadasdy P. The Anti-Politics of TEK: The Institutionalization of Co-Management Discourse and Practice. *Anthropologica*. 2005; 47: 215–232.
174. Menzies C. *Traditional Ecological Knowledge and Natural Resource Management*. Lincoln: University of Nebraska Press; 2006.
175. Lertzman K. The Paradigm of Management, Management Systems, and Resource Stewardship. *J Ethnobiol*. 2009; 29: 339–358.
176. Harrison R, Maher R. *Human Ecodynamics in the North Atlantic: A Collaborative Model of Humans and Nature through Space and Time*. Lanham: Lexington Books; 2014.
177. Vipat A, Bharucha E. Sacred Groves: The Consequence of Traditional Management. *J Anthropol*. 2014;
178. Simpson IA, Dugmore AJ, Thomson A, Vésteinsson O. Crossing the thresholds: human ecology and historical patterns of landscape degradation. *Catena*. 2001; 42: 175–192.
179. Lepofsky D, Lertzman K. Documenting ancient plant management in the northwest of North America. *Botany*. 2008; 86: 129–145.
180. Turner N, Deur D, Lepofsky D. Plant Management Systems of British Columbia's First Peoples. *BC Stud*. 2013; 179: 107–133.
181. Balée W. The research program of historical ecology. *Annu Rev Anthropol*. 2006; 21: 75–98.
182. Young OR, Berkhout F, Gallopin GC, Janssen MA, Ostrom E, van der Leeuw S. The globalization of socio-ecological systems: An agenda for scientific research. *Glob Environ Chang*. 2006; 16: 304–316.
183. Ingold T. Toward an Ecology of Materials. *Annu Rev Anthropol*. 2012; 41: 427–442.
184. Harvey D, Perry J. *The Future of Heritage as Climates Change: Loss, Adaptation, and Creativity*. London: Routledge; 2015.
185. Meyer M, Crumley C. Historical Ecology: Using what Works to Cross the Divide. In: Moore T, Armada L, editors. *Atlantic Europe in the First Millennium BC: Crossing the Divide*. Oxford: Oxford University Press; 2011. pp. 109–134.

186. Hegmon M, Arneborg J, Comeau L, Dugmore A, Hambrecht G, Ingram S. The Human Experience of Social Change and Continuity: The Southwest and North Atlantic in “Interesting Times” ca. 1300. *Climates of Change: The Shifting Environments of Archaeology Proceedings of the 44th Annual Chacmool Conference*. Calgary: University of Calgary; 2014. pp. 53–68.
187. Heckenberger MJ, Kuikuro A, Kuikuro UT, Russell JC, Schmidt M, Fausto C, et al. Amazonia 1492: Pristine Forest or Cultural Parkland? *Science*. 2003; 301: 1710 LP–1714.
188. Shahack-Gross R, Marshall F, Ryan K, Weiner S. Reconstruction of spatial organization in abandoned Maasai settlements: implications for site structure in the Pastoral Neolithic of East Africa. *J Archaeol Sci*. 2004; 31: 1395–1411.
189. Muchiru AN, Western D, Reid RS. The impact of abandoned pastoral settlements on plant and nutrient succession in an African savanna ecosystem. *J Arid Environ*. 2009; 73: 322–331.
190. Lane P. Entangled banks and the domestication of East African pastoralist landscapes. In: Fernandini F, Der L, editors. *Archaeology of Entanglement*. Walnut Creek: Left Coast Press; 2016. pp. 127–150.
191. Kohler T, van der Leeuw S. *The Model-Based Archaeology of Socionatural Systems*. Santa Fe: School for Advanced Research Press; 2007.
192. Wiens J, Hayward G, Safford H, Giffen C. *Historical Environmental Variation in Conservation and Natural Resource Management*. Oxford: Wiley-Blackwell; 2012.
193. Van der Leeuw S, Costanza R, Aulenbach S, Brewer S, Burek M, Cornell C, et al. Toward and integrated history to guide the future. *Ecol Soc*. 2011; 16: 2.
194. Blancas J, Casas A, Rangel-Landa S, Moreno-Calles A, Torres I, Pérez-Negrón E, et al. Plant Management in the Tehuacán-Cuicatlán Valley, Mexico. *Econ Bot*. 2010; 64: 297–302.
195. Kraft KH, Brown CH, Nabhan GP, Luedeling E, Luna Ruiz J de J, Coppens d'Eeckenbrugge G, et al. Multiple lines of evidence for the origin of domesticated chili pepper, *Capsicum annuum*, in Mexico. *Proc Natl Acad Sci*. 2014; 111: 6165–6170. doi: [10.1073/pnas.1308933111](https://doi.org/10.1073/pnas.1308933111) PMID: [24753581](https://pubmed.ncbi.nlm.nih.gov/24753581/)
196. Anderies J, Hegmon M. Robustness and resilience across scales: migration and resource degradation in the prehistoric US southwest. *Ecol Soc*. 2011; 16: 22.
197. Adderley W, Simpson I, Vésteinsson O. Local-scale Adaptations: A modeled assessment of soil, landscape, microclimate, and management factors in Norse homefield productivities. *Geoarchaeology An Int J*. 2008; 23: 500–527.
198. Bean W, Sanderson E. Using a spatially explicit ecological model to test scenarios of fire use by Native Americans: An example from the Harlem Plains, New York, NY. *Ecol Model*. 2008; 211: 301–308.
199. Zalasiewicz J, Williams M, Steffen W, Crutzen P. The New World of the Anthropocene. *Environ Sci Technol*. 2010; 44: 2228–2231. doi: [10.1021/es903118j](https://doi.org/10.1021/es903118j) PMID: [20184359](https://pubmed.ncbi.nlm.nih.gov/20184359/)
200. Baron N. *Escape from the Ivory Tower: A Guide to Making your Science Matter*. Washington DC: Island Press; 2010.
201. McKechnie I, Lepofsky D, Moss ML, Butler VL, Orchard TJ, Coupland G, et al. Archaeological data provide alternative hypotheses on Pacific herring (*Clupea pallasii*) distribution, abundance, and variability. *Proc Natl Acad Sci*. 2014; 111: E807–E816. doi: [10.1073/pnas.1316072111](https://doi.org/10.1073/pnas.1316072111) PMID: [24550468](https://pubmed.ncbi.nlm.nih.gov/24550468/)
202. Blaikie P, Brookfield H. *Land Degradation and Society*. New York: Routledge; 1987.
203. Cameron F, Hodge B, Salazar JF. Representing climate change in museum space and places. *Interdiscip Rev Clim Chang*. 2013; 4: 9–21.
204. Lowenthal D. *The Past Is a Foreign Country—Revisited*. Cambridge: Cambridge University Press; 2015.
205. Stump D. “Ancient and Backward or Long-Lived and Sustainable?” The Role of the Past in Debates Concerning Rural Livelihoods and Resource Conservation in Eastern Africa. *World Dev*. 2010; 38: 1251–1262.
206. Stump D. On Applied Archaeology, Indigenous Knowledge, and the Usable Past. *Curr Anthropol*. 2013; 54: 268–298.
207. Martindale A, Nicholas G. Archaeology as Federated Knowledge. *Can J Archaeol*. 2014; 38: 434–465.
208. Redford KH, Stearman AM. Forest-Dwelling Native Amazonians and the Conservation of Biodiversity: Interests in Common or in Collision? *Conserv Biol*. 1993; 7: 248–255.
209. Kittinger JN, Pandolfi JM, Blodgett JH, Hunt TL, Jiang H, Maly K, et al. Historical Reconstruction Reveals Recovery in Hawaiian Coral Reefs. *PLoS One*. 2011; 6: e25460. doi: [10.1371/journal.pone.0025460](https://doi.org/10.1371/journal.pone.0025460) PMID: [21991311](https://pubmed.ncbi.nlm.nih.gov/21991311/)
210. Ross A, Pickering Sherman K, Snodgrass J, Delcore H, Sherman R. *Indigenous Peoples and the Collaborative Stewardship of Nature: Knowledge Binds and Institutional Conflicts*. Walnut Creek: Left Coast Press; 2011.

211. Kearsley G, Middleton M. *Conflicted Heritage: Values, Visions and Practices in the Management and Preservation of Cultural and Environmental Heritage*. *Public Hist Rev*. 2006; 13: 23–34.
212. Howard AJ, Knight D, Coulthard T, Hudson-Edwards K, Kossoff D, Malone S. Assessing riverine threats to heritage assets posed by future climate change through a geomorphological approach and predictive modelling in the Derwent Valley Mills WHS, UK. *J Cult Herit*. 2016; 19: 387–394.
213. Kanter DE. Doing the project and learning the content: Designing project-based science curricula for meaningful understanding. *Sci Educ*. 2010; 94: 525–551.
214. Bateson G. *Steps to an Ecology of Mind*. San Francisco: Chandler Publications; 1972.
215. Berkes F. Some environmental and social impacts of the James Bay hydroelectric project, Canada. *J Environ Manage*. 1981; 12: 157–172.
216. Berkes F. *Common property resources: Ecology and community-based sustainable development*. London: Belhaven Press; 1989.
217. Rettig B, Berkes F, Pinkerton E. The Future of Fisheries Co-Management: A Multi-Disciplinary Assessment. In: Pinkerton E, editor. *Co-operative Management of Local Fisheries New Directions for Improved Management and Community Development*. Vancouver: UBC Press; 1989. pp. 273–290.
218. Tang R, Gavin MC. Traditional Ecological Knowledge Informing Resource Management: Saxoul Conservation in Inner Mongolia, China. *Soc Nat Resour*. 2010; 23: 193–206.
219. Parkes P. Enclaved knowledge: Indigent and indignant representations of environmental management and development among the Kalasha of Pakistan. In: Ellen R, Parkes P, A B, editors. *Indigenous environmental knowledge and its transformations: Critical anthropological perspectives*. Amsterdam: Harwood Academic Publishers; 2000. pp. 253–292.
220. Freeman M, Carbyn L. *Traditional knowledge and renewable resource management in northern regions*. Edmonton: International Union for the Conservation of Nature; 1988.
221. Williams N, Baines G. *Traditional Ecological Knowledge: Wisdom for Sustainable Development*. Canberra: Centre for Resource and Environmental Studies, Australian National University; 1993.
222. Nadasdy P. *Hunters and Bureaucrats: Power, Knowledge, and Aboriginal-State Relations in the Southwest Yukon*. Vancouver: UBC Press; 2004.
223. Crumley C. The ecology of conquest: contrasting agropastoral and agricultural societies' adaptation to climatic change. In Crumley C, editor. *Historical Ecology: Cultural Knowledge and Changing Landscapes*. Santa Fe: SAR Press; 1994. pp. 183–201.
224. Hjelle KL, Kaland S, Kvamme M, Løvdøen TK, Natlandsmyr B. Ecology and long-term land-use, palaeoecology and archaeology—the usefulness of interdisciplinary studies for knowledge-based conservation and management of cultural landscapes. *Int J Biodivers Sci Ecosyst Serv Manag*. 2012; 8: 321–337.
225. Latour B. Another way to compose the common world. *J Ethnogr Theory*. 2014; 4: 301–307.
226. Daly L, French K, Miller TL, Nic Eoin L. Integrating Ontology into Ethnobotanical Research. *J Ethnobiol*. 2016; 36: 1–9.
227. Crumley C, Marquardt W. *Regional Dynamics: Burgundian Landscapes in Historical Perspective*. San Diego: Academic Press; 1987.
228. Marquardt W. Dialectical archaeology. In: Schiffer M, editor. *Archaeological Method and Theory*. Tucson: University of Arizona Press; 1992. pp. 101–140.
229. Ingold T. *The perception of the environment: essays on livelihood, dwelling and skill*. London: Routledge; 2000.
230. Latour B. *Reassembling the Social: An Introduction to Actor-Network-Theory*. New York: Oxford University Press; 2005.
231. Deleuze G, Guattari F. *A thousand plateaus: capitalism and schizophrenia*. London: Athlone; 1988.
232. Hinchliffe S, Kearnes MB, Degen M, Whatmore S. *Urban Wild Things: A Cosmopolitical Experiment*. *Environ Plan D Soc Sp*. 2005; 23: 643–658.