
Faculty of Mathematics & Statistics

Faculty Publications

Leaves for packings with block size four

Chang, Y., Dukes, P. J., & Feng, T.

2019

© 2019 Chang, Y., Dukes, P. J., & Feng, T. This article is published by a free distribution service in an open-access archive.

This article was originally published at:
<https://arxiv.org/abs/1905.12151>

Citation for this paper:

Chang, Y., Dukes, P. J., & Feng, T. (2019). Leaves for packings with block size four. *arXiv*. <https://arxiv.org/abs/1905.12151>

LEAVES FOR PACKINGS WITH BLOCK SIZE FOUR

Yanxun Chang, Peter J. Dukes, and Tao Feng

May 30, 2019

ABSTRACT. We consider maximum packings of edge-disjoint 4-cliques in the complete graph K_n . When $n \equiv 1$ or $4 \pmod{12}$, these are simply block designs. In other congruence classes, there are necessarily uncovered edges; we examine the possible ‘leave’ graphs induced by those edges. We give particular emphasis to the case $n \equiv 0$ or $3 \pmod{12}$, when the leave is 2-regular. Colbourn and Ling settled the case of Hamiltonian leaves in this case. We extend their construction and use several additional direct and recursive constructions to realize a variety of 2-regular leaves. For various subsets $S \subseteq \{3, 4, 5, \dots\}$, we establish explicit lower bounds on n to guarantee the existence of maximum packings with any possible leave whose cycle lengths belong to S .

1. Introduction

Let n, k, t, λ be nonnegative integers with $n \geq k \geq t$. A t - (n, k, λ) *packing* is a pair (X, \mathcal{B}) , where X is a set of size n , \mathcal{B} is a collection of k -subsets of X , and such that, for every t -subset T of X , there are at most λ elements of \mathcal{B} which contain T . Elements of \mathcal{B} are called *blocks* and elements of X are called *points* or *vertices*. The survey [18] offers more details on the background results to follow.

Packings are relaxations of designs in the sense that if “at most” is replaced by “exactly” in the definition of a packing, one recovers the definition of a design. Alternatively, designs are packings with the maximum number $\lambda \binom{v}{t} / \binom{k}{t}$ of blocks.

Packings in the case $t = 1$ are simply partial partitions of a (λ -fold) n -set by k -subsets. The first interesting case for existence is $t = 2$, $\lambda = 1$. In the language of graph theory, a packing here is equivalent to a set of edge-disjoint k -cliques in the complete graph K_n on n vertices. There is also some geometric significance here: blocks may be interpreted as lines which cover any two distinct points at most once.

The (first) Johnson bound says that the number of blocks in a 2 - $(n, k, 1)$ packing satisfies

$$(1.1) \quad |\mathcal{B}| \leq \left\lfloor \frac{n}{k} \left\lfloor \frac{n-1}{k-1} \right\rfloor \right\rfloor.$$

The *leave* of a packing (X, \mathcal{B}) is the graph of ‘uncovered pairs’ $L = (X, E)$, where $\{x, y\} \in E$ if and only if there is no $B \in \mathcal{B}$ containing $\{x, y\}$. Often, isolated vertices are discarded in leaves. For instance, the leave of a maximum 2 - $(5, 3, 1)$ packing (consisting of two edge-disjoint triangles on 5 vertices) is isomorphic to the 4-cycle C_4 .

The leave L of a 2 - $(n, k, 1)$ packing satisfies the congruence conditions

Research of Yanxun Chang is supported by NSFC grant 11431003; research of Peter Dukes is supported by NSERC grant 312595–2017; research of Tao Feng is supported by NSFC grant 11471032; research of this paper was also partially supported by 111 Project of China, grant number B16002.

- $|E(L)| \equiv \binom{n}{2} \pmod{\binom{k}{2}}$ and
- $\deg_L(x) \equiv n - 1 \pmod{k - 1}$ for each $x \in X$.

As a result, we note that equality in (1.1) is sometimes not possible. An improved upper bound on the number of blocks is

$$(1.2) \quad |\mathcal{B}| \leq \frac{1}{\binom{k}{2}} \left[\binom{n}{2} - |E(L)| \right],$$

where L is a minimum size simple graph satisfying the above conditions. As an example, the reader can easily check that for $k = 3$ and $n \equiv 5 \pmod{6}$, the right side of (1.2) is one smaller than that in (1.1). Here, $L = C_4$ is the (unique) minimum leave.

Let us denote by $\text{MP}(n, k)$ a 2 - $(n, k, 1)$ packing whose number of blocks achieves equality in (1.2). Caro and Yuster, [4], identified candidate leaves and used a graph decomposition result of Gustavsson, [16] to settle the existence of $\text{MP}(n, k)$ for each k and sufficiently large n . Chee et al., [5], obtained a slightly weaker result independent of [16]. More recently, Barber et al. [1] and Keevash [17] have verified (and generalized) the needed result for $\text{MP}(n, k)$ that all sufficiently large dense graphs admit a K_k -decomposition provided the necessary divisibility conditions hold. So, if any candidate leave L_n is chosen, say with bounded degree, its complement in K_n can be decomposed for $n > n_0(k)$. Unfortunately, no upper bounds are known on $n_0(k)$. And the randomized construction methods in [1, 17] give especially huge worst-case guarantees.

For block size 3, a complete existence result is possible. When $n \equiv 1, 3 \pmod{6}$, an $\text{MP}(n, 3)$ is just a Steiner triple system, and the leave is edgeless. When $n \equiv 0, 2 \pmod{6}$, an $\text{MP}(n, 3)$ results from deleting one point (and all incident blocks) from a Steiner triple system of order $n + 1$. In this case, the leave is a perfect matching $\frac{n}{2}K_2$. For each $n \equiv 5 \pmod{6}$, it is known that K_n decomposes into triangles and one 5-clique; this is also known as a pairwise balanced design $\text{PBD}(v, \{3, 5^*\})$. Replacing the block of size 5 by two edge-disjoint triangles produces an $\text{MP}(n, 3)$ with leave C_4 . Finally, deleting a point from the 4-cycle in such a construction settles the class $n \equiv 4 \pmod{6}$, where the unique leave for $\text{MP}(n, 3)$ is $K_{1,3} \cup \frac{n-4}{2}K_2$. A concise summary of the above appears in [7, Table 40.22].

When $k = 4$, existence of $\text{MP}(n, 4)$ is known except for a few small values of n ; see [7, Table 40.23]. However, in contrast to the case $k = 3$, there emerge different possibilities for the leave in some of the congruence classes for n . Indeed, when $n \equiv 0, 3 \pmod{12}$, the minimum leave can be any 2-regular spanning graph. Deleting a point from a 2 - $(n + 1, 4, 1)$ design produces $\text{MP}(n, 4)$ in which L is $\frac{n}{3}K_3$. However, relatively little is known about other possible leaves. A special case of the main result of [9] realizes the leave $\frac{n}{4}C_4$ for each $n \equiv 0 \pmod{12}$, $n \geq 24$. Colbourn and Ling [8] constructed, for all $n \equiv 0, 3 \pmod{12}$, $n \geq 15$, an $\text{MP}(n, 4)$ with Hamiltonian leave C_n ; such packings are useful in statistics for sampling plans that exclude cyclically adjacent pairs.

In this paper, we study the possible leaves in a packing $\text{MP}(n, 4)$, with particular emphasis on 2-regular leaves, that is, for the congruence classes $n \equiv 0, 3 \pmod{12}$. The next section sets up some background for our constructions. As a first step, in Section 3, we obtain explicit bounds on n for the existence of $\text{MP}(n, 4)$ whose leaves contain a mixture of small cycle lengths. Then, in Section 4, we adapt a construction from [8] to merge cycles in the leave. Concerning other congruence classes, a new leave for $\text{MP}(31, 4)$ is found, leading to an explicit lower bound for existence of each of two non-isomorphic leaves in the case $n \equiv 7, 10 \pmod{12}$. The classes $n \equiv 6, 9 \pmod{12}$ are more difficult, but we offer a few preliminary remarks. A (surprisingly small) number of explicit packings are needed for our results; these are detailed in an appendix.

2. Background

2.1. Group divisible designs. Let v be a positive integer, and T be an integer partition of v . A *group divisible design of type T* with block sizes in K , abbreviated $\text{GDD}(T, K)$ or as a K -GDD of type T , is a triple (V, Π, \mathcal{B}) such that

- V is a set of v points;
- $\Pi = \{V_1, \dots, V_u\}$ is a partition of V into *groups* so that $T = (|V_1|, \dots, |V_u|)$;
- $\mathcal{B} \subseteq \cup_{k \in K} \binom{V}{k}$ is a set of blocks meeting each group in at most one point; and
- any two points from different groups appear together in exactly one block.

Often in this context, exponential notation such as n^u is used to abbreviate u parts or ‘groups’ of size n . It is also convenient to drop the brackets for a single block size and write k instead of $\{k\}$.

Lemma 2.1 (Brouwer, Schriver and Hanani, [2]). *There exists a 4-GDD of type g^u if and only if $3 \mid g(u-1)$ and $12 \mid g^2u(u-1)$, where $u \geq 4$ and $(g, u) \neq (2, 4), (6, 4)$.*

A GDD naturally induces a packing in which the group partition is interpreted as a leave. For small group sizes, these are maximum packings. Taking $g = 2$ and $g = 3$ in Lemma 2.1 gives the following $\text{MP}(n, 4)$.

Corollary 2.2. (a) *For $n \equiv 2, 8 \pmod{12}$, $n \geq 14$, there exists an $\text{MP}(n, 4)$ with leave $\frac{n}{2}K_2$.*
 (b) *For $n \equiv 0, 3 \pmod{12}$, there exists an $\text{MP}(n, 4)$ whose leave is $\frac{n}{3}C_3$.*

Later, we also require some results on 4-GDDs with all but one group of the same size.

Lemma 2.3 (Ge and Ling, [14]). *For $u \geq 4$, there exists a 4-GDD of type $15^u x^1$ if and only if $u \equiv 0 \pmod{4}$, $x \equiv 0 \pmod{3}$, and $x \leq \frac{1}{2}(15u - 18)$; or $u \equiv 1 \pmod{4}$, $x \equiv 0 \pmod{6}$, and $x \leq \frac{1}{2}(15u - 15)$; or $u \equiv 3 \pmod{4}$, $x \equiv 3 \pmod{6}$, and $x \leq \frac{1}{2}(15u - 15)$.*

Lemma 2.4 (Schuster, [20]). *There exists a 4-GDD of type $24^u x^1$ if and only if $u \geq 4$, $x \equiv 0 \pmod{3}$, and $x \leq 12(u-1)$. There exists a 4-GDD of type $120^u x^1$ if and only if $u \geq 4$, $x \equiv 0 \pmod{3}$, and $x \leq 60(u-1)$.*

Some additional results on 4-GDDs can be found in [11, 12, 22] and the handbook survey [7, IV 4.1].

2.2. The fundamental construction. We cite an important recursive construction for designs by R.M. Wilson. The main idea is to produce a new GDD from a given one by replacing points with clusters of points (or removing them), provided each block is replaced by an appropriate ingredient.

Lemma 2.5 (Wilson’s Fundamental Construction, [23]). *Suppose there exists a GDD (V, Π, \mathcal{B}) , where $\Pi = \{V_1, \dots, V_u\}$. Let $\omega : V \rightarrow \mathbb{Z}_{\geq 0}$, assigning nonnegative weights to each point in such a way that for every $B \in \mathcal{B}$ there exists a K -GDD of type $[\omega(x) : x \in B]$. Then there exists a K -GDD of type*

$$\left[\sum_{x \in V_1} \omega(x), \dots, \sum_{x \in V_u} \omega(x) \right].$$

In our application of Lemma 2.5 to follow, we take $K = \{4\}$ and use ingredients as above.

2.3. Transversal designs. A *transversal design* $\text{TD}(k, n)$ is a $\{k\}$ -GDD of type n^k . A $\text{TD}(k, n)$ is equivalent to $k - 2$ mutually orthogonal latin squares of order n , where two groups are reserved to index the rows and columns of the squares. It follows that there exists a $\text{TD}(k, q)$ when $q \geq k - 1$ is a prime power. From this and some further constructions, it was shown in [6] that there exist $\text{TD}(k, n)$ for all integers $n \geq n_0(k)$.

A *parallel class* in a design is a collection of blocks which partition the points. A transversal design $\text{TD}(k, n)$ with a parallel class is equivalent to $k - 2$ mutually orthogonal idempotent latin squares of order n . If there exists a $\text{TD}(k + 1, n)$, then there exists a $\text{TD}(k, n)$ having a parallel class, and in fact a ‘resolvable’ such TD. Later, we have occasion to use some specific bounds on existence of transversal designs; we refer the reader to §III.3.6 in [7] for details.

If we delete points from one group of a transversal design $\text{TD}(k, n)$, the result is a $\{k - 1, k\}$ -GDD of type $n^{k-1}x^1$. Note that this is a special case of Wilson’s fundamental construction in which $\omega = 1$ or 0.

2.4. Graph divisible designs. Suppose T is a list of (simple, undirected) graphs G_1, G_2, \dots, G_u on disjoint vertex sets whose union is X . A *graph divisible design* of type T and block size k is an edge-decomposition of the join $G_1 + \dots + G_u$ into cliques K_k . In the case when each G_i is edgeless \overline{K}_{g_i} , the result is a group divisible design of type $[g_i : i = 1, \dots, u]$. For this reason, similar notation (k -GDD of type T) was adopted for this more general case.

Graph divisible designs were introduced in [10]. As an example of their utility, an explicit construction for $\text{MP}(n, 5)$ was shown in the difficult congruence class $n \equiv 13 \pmod{20}$.

Let M_r denote the 1-regular graph on $2r$ vertices. Graph divisible designs whose ‘groups’ are perfect matchings M_r of equal sizes were considered in [9]. The following existence result was proved.

Theorem 2.6 (Dukes, Feng and Ling [9]). *A 4-GDD of type M_r^u exists if and only if $u \geq 4$, $r(u - 1) \equiv 1 \pmod{3}$ and $2 \mid ru$.*

Taking $r = 2$ and observing that the complement of M_2 (on four vertices) is C_4 , one obtains packings $\text{MP}(n, 4)$ whose leave is a disjoint union of 4-cycles.

Corollary 2.7. *There exists an $\text{MP}(n, 4)$ with leave $\frac{n}{4}C_4$ for each $n \equiv 0 \pmod{12}$, $n \geq 24$.*

2.5. Double and holey GDDs. A *double group divisible design* with block sizes in K , or K -DGDD, is a quadruple $(V, \Gamma_1, \Gamma_2, \mathcal{B})$ where

- V is a set of v points;
- Γ_1 is a partition of V into *groups* and Γ_2 is a partition of V into *holes*;
- $\mathcal{B} \subseteq \cup_{k \in K} \binom{V}{k}$ is a set of blocks meeting each group and each hole in at most one point; and
- any two points from different groups and different holes appear together in exactly one block.

Of particular importance is the situation where any group and any hole intersect in the same number, say a , of points, each group has the same size, say ag , and each hole has the same size, say ah . This case is called a (uniform) *holey group divisible design*, or K -HGDD; see [15]. To reflect the symmetry between groups and holes, we use the notation $a^{g \times h}$ for the type. In our applications to

follow, $K = \{4\}$ and $a = 3$. The following existence theorem is a special case of Ge and Wei's more general result for 4-HGDDs, a few cases of which were completed in a later paper.

Lemma 2.8 ([3, 15]). *There exists a 4-HGDD of type $3^{g \times h}$ if and only if $g, h \geq 4$.*

In certain cases a 4-DGDD with different group and hole sizes can be obtained from Wilson's fundamental construction. For this, we start with a $\text{TD}(k, n)$ having a parallel class of blocks, and give weight zero or three to points. Blocks of the parallel class become holes, and other blocks are replaced with 4-GDDs of type 3^k or 3^{k-1} . We apply this method later to produce templates for our constructions of packings.

3. Short cycle lengths

To begin our analysis of possible 2-regular leaves in $\text{MP}(n, 4)$, we consider various mixtures of short cycle lengths. The 4-GDDs in Section 2 play a crucial role as templates. We also need some small explicit packings. An important case $n = 24$ was settled computationally and detailed in a supplementary file.

Lemma 3.1. *Any possible 2-regular graph on 24 vertices is the leave of some $\text{MP}(24, 4)$.*

A few other specific small leaves are helpful; these packings can be found in the appendix.

Lemma 3.2. *There exist $\text{MP}(n, 4)$ with the following leaves:*

- $n = 15$: $L = 3C_5$ and $C_3 \cup 2C_6$;
- $n = 27$: $L = 3C_4 \cup 3C_5$, $C_3 \cup 4C_6$, $3C_3 \cup 3C_6$, $5C_3 \cup 2C_6$, and $7C_3 \cup C_6$;
- $n = 36$: $L = C_3 \cup 2C_4 \cup 5C_5$, $2C_3 \cup 6C_5$, and $6C_6$;
- $n = 39$: $L = C_3 \cup 9C_4$;
- $n = 48$: $L = C_3 \cup 9C_5$.

We can now get started realizing more general leaves.

Proposition 3.3. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 144$, any 2-regular graph with cycle lengths in $\{3, 4\}$ is the leave of some $\text{MP}(n, 4)$.*

PROOF. Write $n = 24u + x$, where $x \in X := \{0, 3, 12, 39\}$ and $u \geq 5$. From Lemma 2.4, there exists a 4-GDD of type $24^u x^1$. Fill groups of size 24 with packings having leaves $8C_3$, $4C_3 \cup 3C_4$, or $6C_4$ (where Lemma 3.1 is used). This completely settles the case $x = 0$. The case $x = 3$ is similar, where we regard the last group of the GDD as an additional 3-cycle in the leave. When $x = 12$, fill the last group with a packing having leave $4C_3$; the leave $\frac{2}{4}C_4$ is obtained separately from Corollary 2.7. When $x = 39$, fill the last group with a packing having leave $13C_3$ from Corollary 2.2(b), or $C_3 \cup 9C_4$ from Lemma 3.2, according to whether more 3-cycles or 4-cycles are desired. \square

Proposition 3.4. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 132$, any 2-regular graph with cycle lengths in $\{3, 5\}$ is the leave of some $\text{MP}(n, 4)$.*

PROOF. Write $n = 15u + x$, where $x \in X := \{0, 12, 24, 36, 48\}$ and $u \equiv 0$ or $1 \pmod{4}$, $u \geq 8$. Under these conditions, Lemma 2.3 gives a 4-GDD of type $15^u x^1$. Fill the groups of size 15 with packings having leaves $5C_3$ or $3C_5$, the latter from Lemma 3.2. We may fill the group of size x with a packing having leave $\frac{x}{3}C_3$ if a majority of 3-cycles is desired. To obtain leaves with mostly

5-cycles, it remains to check the existence of packings for the orders in X having the minimum possible number of 3-cycles. In this case, the desired leave is $jC_3 \cup \frac{x-3j}{5}C_5$, where $j \in \{0, 1, 2, 3, 4\}$. In the case $x = 0$ there is nothing more to do. For $x = 12$, we simply use a 4-GDD of type 3^4 . When $x = 24$, we use a packing having leave $3C_3 \cup 3C_5$, using Lemma 3.1. When $x = 36$, we use a packing having leave $2C_3 \cup 6C_5$, from Lemma 3.2. When $x = 48$, we use a packing having leave $C_3 \cup 9C_5$, also from Lemma 3.2. \square

We next consider cycle lengths in $\{3, 4, 5\}$. For the following constructions, it is helpful to abbreviate a leave of the form $aC_3 \cup bC_4 \cup cC_5$ as an (a, b) -leave. Given n, a, b , note that c is uniquely determined. We begin by realizing various (a, b) -leaves with small a and b .

Lemma 3.5. *There exists an $MP(n, 4)$ with (a, b) -leave in each of the following cases:*

- (a) $n = 276$ and $(a, b) = (4, 1)$;
- (b) $n = 288$ and $(a, b) \in \{(0, 2), (2, 3), (3, 1), (4, 4)\}$;
- (c) $n = 300$ and $(a, b) \in \{(1, 3), (2, 1), (3, 4), (4, 2)\}$;
- (d) $n = 312$ and $(a, b) \in \{(1, 1), (2, 4), (3, 2)\}$.

PROOF. (a) From a TD(6, 5), delete points from two groups to obtain a $\{4, 5, 6\}$ -GDD of type $5^4 2^1 1^1$. Give every point weight 12 and replace blocks with 4-GDDs of types 12^4 , 12^5 , and 12^6 . This produces a 4-GDD of type $60^4 24^1 12^1$. Fill the first four groups with packings having leave $12C_5$, which can be obtained from a 4-GDD of type 15^4 . Fill the group of size 24 with an $MP(24, 4)$ having leave $C_4 \cup 4C_5$, using Lemma 3.1, and the group of size 12 with an $MP(12, 4)$ having leave $4C_3$.

(b) Following a similar construction as in (a), we first obtain a 4-GDD of type $60^4 24^2$. Fill the first four groups with packings having leave $12C_5$ and the two groups of size 24 with $3C_3 \cup 3C_5$, $2C_3 \cup 2C_4 \cup 2C_5$, or $C_4 \cup 4C_5$, where again Lemma 3.1 is used.

(c) Similar to before, we first obtain a 4-GDD of type $60^4 36^1 24^1$. Fill the first four groups with leave $12C_5$, the group of size 36 with leave $2C_3 \cup 6C_5$ or $C_3 \cup 2C_4 \cup 5C_5$, and the group of size 24 with leave $2C_3 \cup 2C_4 \cup 2C_5$, $C_3 \cup 4C_4 \cup C_5$, or $C_4 \cup 4C_5$. For the existence of the small packings, refer to Lemmas 3.1 and 3.2.

(d) This time we fill groups of 4-GDD of type $60^4 48^1 24^1$, using $12C_5$ for the first four groups, $C_3 \cup 9C_5$ for the next, and the three cases just as in (c) for the last group. \square

Lemma 3.6. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 936$, there exists an $MP(n, 4)$ having any possible (a, b) -leave in which $a, b \leq 4$ and $3a + 4b \equiv n \pmod{5}$.*

PROOF. Write $n = 15u + x$, where x is chosen as in Table 1, and $u \geq 44$ with $u \equiv 0$ or $\pm 1 \pmod{4}$, the sign being positive or negative according to whether x is even or odd, respectively. The lower bound on u implies, by Lemma 2.3, existence of a 4-GDD of type $15^u x^1$ for any of the given values of x .

We claim that there is an $MP(x, 4)$ with (a, b) -leave. The twelve large entries in the table correspond with cases in Lemma 3.5. The two occurrences of $x = 96$ follow from filling groups of a 4-GDD of type 24^4 using either $C_4 \cup 4C_5$ or $3C_3 \cup 3C_5$ as the leave. The remaining entries are handled by Lemmas 3.1 and 3.2. After filling groups of size 15 with $MP(15, 4)$ having leave $3C_5$ and the group of size x using an $MP(x, 4)$ with (a, b) -leave, we obtain an $MP(n, 4)$ with (a, b) -leave. \square

x	0	1	2	3	4	b
0	0	24	288	27	96	
1	3	312	36	300	24	
2	36	300	24	288	312	
3	24	288	312	96	300	
4	12	276	300	24	288	
a						

TABLE 1. Cases for small (a, b)

Theorem 3.7. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 3216$, any 2-regular graph with cycle lengths in $\{3, 4, 5\}$ is the leave of some $MP(n, 4)$.*

PROOF. Suppose we are given nonnegative integers a, b, c with $3a + 4b + 5c = n$, and we wish to construct an $MP(n, 4)$ with leave $aC_3 \cup bC_4 \cup cC_5$.

We first consider $n = 120$. Filling groups of a 4-GDD of type 15^8 , via Lemma 2.1, with packings having leave $3C_5$ or $5C_3$ results in an $MP(120, 4)$ with $(a, 0)$ -leave for each a a multiple of 5. If we also fill groups of a 4-GDD of type 24^5 in all possible ways using Lemma 3.1, we obtain (after some routine case checking) any possible (a, b) -leave for $MP(120, 4)$, with the possible exception of (a, b) equal to

$$(2, 1), (1, 3), (4, 2), (7, 1).$$

Call an ordered pair (a, b) of nonnegative integers with $3a + 4b \equiv 0 \pmod{5}$ ‘good’ if not in this list. We remark that any good pair can be written as a sum of good pairs (a_i, b_i) with $3a_i + 4b_i \leq 120$.

Now, write $n = 120u + x$, where $u \geq 19$ and $936 \leq x \leq 1047$. By Lemma 2.4, there exists a 4-GDD of type $120^u x^1$. We proceed according to two cases.

CASE 1: $3a + 4b > x + 25$. Fill the group of size x with an $MP(x, 4)$ whose leave has cycle lengths in $\{3, 4\}$, appealing to Proposition 3.3. This leaves, say, a' 3-cycles and b' 4-cycles to allocate to the remaining groups in $MP(120, 4)$. Since $3a' + 4b' > 25$, it follows that (a', b') is good, and we can get the rest of the needed leave as a combination of the possible leaves for $MP(120, 4)$.

CASE 2: $3a + 4b \leq x + 25$. We then have $5c = n - 3a - 4b > 3x - (x + 25) > x$, so that there are enough 5-cycles to cover the group of size x . Let a_0, b_0 be the least residues of a, b , respectively, $\pmod{5}$. Note that $3a_0 + 4b_0 \equiv n \equiv x \pmod{5}$. It follows by Lemma 3.6 that there exists an $MP(x, 4)$ having (a_0, b_0) -leave. The pair $(a - a_0, b - b_0)$ is good, since each component is a multiple of 5. Hence we may fill the groups of size 120 with $MP(120, 4)$ so as to realize exactly $a - a_0$ 3-cycles and $b - b_0$ 4-cycles. Taken together, we have constructed an $MP(n, 4)$ with leave $aC_3 \cup bC_4 \cup cC_5$. \square

In some cases, we can obtain good bounds in situations with other specific cycle lengths.

Example 3.8. By Lemma 3.1, an $MP(24, 4)$ exists with leave $3C_8$. By filling a 4-GDD of type 24^u , we also obtain $MP(n, 4)$ with leave $\frac{n}{24}C_8$ for all $n \equiv 0 \pmod{24}$, $n \geq 96$.

In the next section, we show how to obtain longer cycles from shorter ones in leaves of $MP(n, 4)$. To this end, we give a result that facilitates a cycle-merging construction.

Proposition 3.9. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 120$, any 2-regular graph with cycle lengths in $\{3, 6\}$ is the leave of some $MP(n, 4)$.*

PROOF. Write $n = 24u + x$, where $x \in X := \{0, 3, 15, 36\}$ and $u \geq 4$. From Lemma 2.4, there exists a 4-GDD of type $24^u x^1$. Fill groups of size 24 with packings having leaves $8C_3$, $6C_3 \cup C_6$, $4C_3 \cup 2C_6$, $2C_3 \cup 3C_6$ or $4C_6$, using Lemma 3.1. This settles the cases $x = 0, 3$. For $x = 15$, we additionally fill the group of size 15 so that the leave is either $5C_3$ or $C_3 \cup 2C_6$, the latter from Lemma 3.2; note here that $3C_3 \cup C_6$, a leave which does not exist on 15 points, is not needed because of the variety of leaves used on the groups of size 24. For $x = 36$, we may fill the group of size 36 so that the leave is either $12C_3$ or $6C_6$ (Lemma 3.2), chosen according to whether the desired leave has more cycles of length 3 or 6, respectively. \square

4. Merging cycles

In [8, Lemma 3.2], a construction was given which has the effect of joining leave cycles. Although its purpose was to produce Hamiltonian leaves C_n , we can easily adapt the construction to merge shorter cycles in the leave.

Suppose we have a 4-HGDD of type $3^{g \times h}$. Consider a group G of size $3g$ and a hole H of size $3h$, and put $G \cap H = \{a, b, c\}$. If we fill G with an $\text{MP}(3g, 4)$ in such a way that $C = (a, b, c, d_1, \dots, d_r, a)$ is a cycle in its leave, and we similarly fill H with an $\text{MP}(3h, 4)$ so that $C' = (a, c, b, e_1, \dots, e_s, a)$ is a cycle in its leave, then in the resulting packing has the cycle

$$(4.1) \quad b, c, d_1, \dots, d_r, a, e_s, \dots, e_1, b$$

in its leave. The length is the sum of the lengths of C and C' minus 3. Note that the relative ordering of points a, b, c in the input cycles C and C' is essential, but that such orderings can be freely chosen with appropriate embeddings of the packings into G and H , respectively. We also remark that the above merging can be applied to several cycles. In a little more detail, if subsequently another group G^* (or hole H^*) is filled so as to have a cycle C^* in its leave, then C^* merges similarly with the compound cycle (4.1) above if we ensure that C^* runs through $G^* \cap H$ (or $G \cap H^*$) but intersects in exactly one edge.

As a special case, if two groups (or two holes) of the HGDD are filled with cycles of lengths l_1 and l_2 in their leaves, then, using a connecting 6-cycle in the other direction, a cycle of length $l_1 + l_2$ is obtained. An example is shown in Figure 1, where horizontal ‘dotted’ cycles of lengths 6 and 9 are merged using a vertical ‘dashed’ C_6 . Solid edges on the right (left) are covered by blocks in the horizontal (vertical) packing.

The case of $\text{MP}(n, 4)$ in which leave cycles are arbitrary multiples of three is a particularly clean application of cycle merging.

Theorem 4.1. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 5112$, any 2-regular graph with cycle lengths in $\{3, 6, 9, \dots\}$ is the leave of some $\text{MP}(n, 4)$.*

PROOF. Write $n = 3(8m + r)$, where $8 \mid m$ and $r \equiv 0, 1 \pmod{4}$, $40 \leq r \leq 101$. We have $m \geq 208 > 2r$.

We claim that there exists a path P in the integer lattice which

- visits every vertex of $\{1, \dots, 8\} \times \{1, \dots, m\}$, and also r extra vertices in the ninth column,
- has at most two consecutive horizontal vertices, and
- uses vertical runs of only 2, 4, or 8 vertices.




FIGURE 1. Cycle merging illustration




FIGURE 2. A wiggly lattice path

An example of such a path for $m = 16$, $r = 5$ is shown in Figure 2. The example illustrates how in general P can be built from 8×8 tiles and ‘detours’ to the ninth column. It is sufficient in general to have $8 \mid m$ and $m > 2r$, which hold for our instance of the parameters.

Take an idempotent $\text{TD}(9, m)$, which exists for the stated values of m as seen in Tables III.3.83 and 87 of [7]. Delete all but r points from the last group. Without loss of generality, we may assume the resulting $8m + r$ points are naturally labelled by the lattice points of P . Give every point weight three and replace all blocks except for those in one parallel class \mathcal{C} by 4-GDDs of type 3^8 or 3^9 . The result is a 4-DGDD with group sizes in $\{3m, 3r\}$, hole sizes in $\{24, 27\}$, and such that every intersection between them has size 0 or 3.

Consider a partition of n into summands which are multiples of three that we wish to realize as cycle lengths in the leave. We begin by cutting up our path P into a disjoint union Q of paths whose lengths are one-third of the required summands. Groups and holes of the DGDD are filled with $\text{MP}(3m, 4)$, $\text{MP}(3r, 4)$, $\text{MP}(24, 4)$, and $\text{MP}(27, 4)$, where the cycle lengths in the leaves are chosen according to (thrice) the component sizes of the subgraph of Q induced by the corresponding row or column of the grid. At each meeting of vertical and horizontal edges in Q , we apply a cycle merge.

Note that the conditions on P ensure that only cycles of lengths in $\{3, 6\}$ are needed for the holes of size 24 or 27, and in the group of size $3r$. The needed packings $\text{MP}(24, 4)$ and $\text{MP}(27, 4)$ exist from Lemmas 3.1 and 3.2. The needed $\text{MP}(3r, 4)$ exists in view of Proposition 3.9 and our lower bound on r . Some groups of size $3m$ in our construction may demand cycle lengths in $\{6, 12, 24\}$, but such $\text{MP}(3m, 4)$ are easily seen to exist by filling a 4-GDD of type $24^{m/8}$ with various $\text{MP}(24, 4)$ from Lemma 3.1. \square

To obtain arbitrary 2-regular graphs as leaves in $\text{MP}(n, 4)$, it is helpful to have two lemmas that mix cycles of length 4, 5, and multiples of three.

Lemma 4.2. *Let $n \equiv 0, 3 \pmod{12}$, $n > 10^6$. Suppose $G = A \cup bC_4 \cup cC_5$, where A is a union of cycles of length divisible by 3 and $|V(A)| \leq 3000$. Then G is the leave of some $MP(n, 4)$.*

PROOF. Put $a = \frac{1}{3}|V(A)|$, so that $3a + 4b + 5c = n$ and $a \leq 1000$.

We claim that $n = 120u + 123m$ for integers u and m satisfying $m \geq 2000$, $m \equiv 0, 1 \pmod{4}$, and $123m \leq 60(u - 1)$. To see that this is possible, let $m \equiv n/3 \pmod{40}$ with $2000 \leq m < 2040$. Then, with $u = \frac{1}{120}(n - 123m)$, we have $60(u - 1) = \frac{1}{2}(n - 123m) - 60 > \frac{1}{2}(10^6 - 123 \times 2040) - 60 > 123m$. By Lemma 2.4, there exists a 4-GDD of type $120^u(123m)^1$.

Next, we claim that there exist nonnegative integers b_0 and c_0 satisfying $4b_0 + 5c_0 = 3(m - a)$, where $b \equiv b_0 \pmod{5}$ and $c \equiv c_0 \pmod{4}$. For this, observe that $3(m - a) = n - 120(m + u) - 3a \equiv 4b + 5c \pmod{20}$ so that some multiple of 5 may be subtracted from b and some multiple of 4 subtracted from c to get the desired b_0, c_0 .

From a 4-GDD of type $15^8 3^1$ (Lemma 2.3), there exists an $MP(123, 4)$ with leave $24C_5 \cup C_3$. Similarly, from a 4-GDD of type $24^5 3^1$ (Lemma 2.4), there exists an $MP(123, 4)$ with leave $30C_4 \cup C_3$. And, as seen in the proof of Theorem 3.7, there exist $MP(120, 4)$ with any possible leave having cycle lengths in $\{4, 5\}$.

We begin our construction with a 4-HGDD of type $3^{m \times 41}$ (Lemma 2.8). Fill holes of size 123 with $MP(123, 4)$ having leave either $24C_5 \cup C_3$ or $30C_4 \cup C_3$, where in the first a holes, the unique C_3 is placed in the first group, and in the last $m - a$ holes the unique C_3 occurs in the last group. Fill the groups with $MP(3m, 4)$ having the following leaves:

- in the first group, leave $A \cup (m - a)C_3$, where A is placed on the first a holes;
- in the last group, leave $aC_3 \cup b_0C_4 \cup c_0C_5$, where aC_3 is placed on the first a holes;
- in all other groups, leave mC_3 , from a 4-GDD of type 3^m .

The filling strategy is shown in Figure 3. It results in an $MP(123m, 4)$ having leave $A \cup b_1C_4 \cup c_1C_5$, where $b_1 \equiv b \pmod{5}$ and $c_1 \equiv c \pmod{5}$. Either $b_1 = b_0$ if the leave $24C_5 \cup C_3$ is used to fill holes, or $c_1 = c_0$ if the leave $30C_4 \cup C_3$ is used. By choosing this ingredient according to which of b or c is larger, it is possible to ensure that both $b_1 \leq b$ and $c_1 \leq c$. Finally, if we fill groups of a 4-GDD of type $120^u(123m)^1$ with $MP(120, 4)$ having cycle lengths in $\{4, 5\}$ and the above $MP(123m, 4)$, we may obtain the leave $A \cup bC_4 \cup cC_5$, as desired. \square

Lemma 4.3. *Let $n \equiv 0 \pmod{3840}$, $n > 10^6$. Suppose $G = A \cup bC_4 \cup cC_5$, where A is a union of cycles of length divisible by 3, $|V(A)| \geq 3000$, and $4b + 5c \equiv 0 \pmod{60}$. Then G is the leave of some $MP(n, 4)$.*

PROOF. Put $a = \frac{1}{3}|V(A)|$, so that $3a + 4b + 5c = n$ and $a \geq 1000$. Write $n = 960m$, where $4 \mid m$. We have $m > 1000$ from our assumed lower bound on n .

Suppose $4b + 5c = 960t + u$, where $0 \leq u \leq 900$ with $60 \mid u$. Note that $t = \lfloor (n - 3a)/960 \rfloor \leq m - 4$. Using that $60 \mid 4b + 5c$, we can, using multiples of 60, decompose $b = b_1 + \dots + b_t + b_{t+1}$ and $c = c_1 + \dots + c_t + c_{t+1}$, where $4b_k + 5c_k = 960$ for each $k = 1, \dots, t$, and $4b_{t+1} + 5c_{t+1} = u$.

We now describe a decomposition of A .

CASE 1: $u = 0$. We simply ‘cut up’ A at multiples of 960. In more detail, suppose the cycle lengths in A are l_1, \dots, l_h with $l_1 + \dots + l_h = 960(m - t)$. Consider the partial sums $s_0 := 0$, $s_j := l_1 + \dots + l_j$

in A_{t+1} with a reduced cycle in one of these later holes for merging. (This may be necessary, for instance, when there is demand for a large number of cycles of length 9.) As before, merging may be needed in the first and last groups, and we can choose to avoid placing A_{t+1} in those groups since $960 - 3a_{t+1} \geq 60$. \square

REMARK. This statement was given so as to roughly match Lemma 4.2 for later use, but in fact much better bounds on n and slightly better bounds on A are possible in Lemma 4.3 with the same methods.

We pause to mention a topic in graph theory loosely connected with our cycle merging methods. Given a graph G and a spanning sub-forest F of G , let $\lambda(F)$ denote the multiset of component sizes of F . The set of possible $\lambda(F)$ as F varies is connected with the ‘forest signature table’ of G , [13, Section 2.1] as well as Stanley’s ‘chromatic symmetric function’ of G , [21, Theorem 2.5]. For our construction of packings with arbitrary cycle lengths divisible by three, we have effectively used that grids or certain sub-graphs of grids have the property that any possible integer partition is realized by $\lambda(F)$ for some sub-forest F . Hamilton paths (with some convenient bending conditions) have been all we have needed, except that some caterpillars are used to link C_3 s with reduced cycles in Case 2 of Lemma 4.3.

Cycle merging is slightly more delicate when lengths are not multiples of three. In the construction to follow, we make use of alignments of cycles of lengths 4 and 5, two or three at a time, on a small number of bundles of three vertices. It is possible to give each cycle two edges internal to some bundle; see Figure 5. If we identify bundles with group/hole intersections in an HGDD, this means that any such cycle can be merged with cycles in other groups. This is used in the proof of the following result: a longer cycle of length $1 \pmod{3}$ arises from merging some such C_4 with a C_{3t} , and similarly for length $2 \pmod{3}$ using C_5 and C_{3t} .




FIGURE 5. Alignment of small clusters of cycles with lengths in $\{4, 5\}$

Theorem 4.4. *For all $n \equiv 0, 3 \pmod{12}$, $n > 10^7$, any 2-regular graph of order n is the leave of some packing $MP(n, 4)$ of edge-disjoint K_4 .*

PROOF. Suppose we are given a list of integers $l_1, \dots, l_a \equiv 0 \pmod{3}$, $l'_1, \dots, l'_b \equiv 1 \pmod{3}$, and $l''_1, \dots, l''_c \equiv 2 \pmod{3}$ to be realized as cycle lengths of an $MP(n, 4)$.

For each length $l'_i > 4$, put $p'_i = l'_i - 4$. Similarly, for each $l''_j > 5$, put $p''_j = l''_j - 5$. We have $p'_i \equiv p''_j \equiv 0 \pmod{3}$ for each i, j .

The outline of our approach is to fill a DGDD so that its groups contain the leave $bC_4 \cup cC_5$ together with some residual cycles of length divisible by three; then, we reconstruct the desired lengths l_h, l'_i, l''_j by merging along holes.

Write $n = 3(8m + r)$, where $m > r > 10^6/3$ and $1280 \mid m$. As in the proof of Theorem 4.1, we construct a 4-DGDD on n points by giving weight three to an (idempotent) transversal design

TD(9, m) with one group truncated to have size r . Recall that there are eight groups of size $3m$, one group of size $3r$, r holes of size 27, and $m - r$ holes of size 24.

If $4b + 5c = n$, then we are done by Proposition 3.7. So, assume in what follows that $4b + 5c < n$. We fill the DGDD according to two main cases.

CASE 1: $4b + 5c \geq 3r - 3000$. Choose integers b_0, c_0 satisfying $b \equiv b_0 \pmod{15}$, $c \equiv c_0 \pmod{12}$, $0 \leq b_0 \leq b$, $0 \leq c_0 \leq c$, $3r - 3000 \leq 4b_0 + 5c_0 \leq 3r$, and $4(b - b_0) + 5(c - c_0) < 24m$. Write $4(b - b_0) + 5(c - c_0) = 3mt + u$, where $0 \leq t \leq 7$ and $0 \leq u < 3m$. Note that since the left side is divisible by 60, we also have $60 \mid u$. Now, using multiples of 60 (as 4×15 or 5×12), we can write

$$4(b - b_0) + 5(c - c_0) = \sum_{k=1}^{t+1} 4b_k + 5c_k,$$

where $4b_k + 5c_k = 3m$ for each $k = 1, \dots, t$, and $4b_{t+1} + 5c_{t+1} = u$.

Next, we describe a choice of graphs A_{t+1}, \dots, A_8, A_0 which are disjoint unions of cycles of length divisible by three. The graph A_{t+1} has $3m - u$ vertices, A_0 has $3r - 4b_0 - 5c_0$ vertices, and all others (if any) have $3m$ vertices. The specific lengths of cycles are l_h, p'_i, p''_j , except that it may be necessary to make $8 - t$ cuts to certain lengths in this list so that each graph has the correct order.

We fill groups of the DGDD as follows:

- the k th group, $k = 1, \dots, t$, gets MP($3m, 4$) having leave $b_k C_4 \cup c_k C_5$, using Theorem 3.7;
- the next group gets MP($3m, 4$) with leave $A_{t+1} \cup b_{t+1} C_4 \cup c_{t+1} C_5$, using Lemma 4.2 or 4.3;
- the next groups up to the 8th (if any) get MP($3m, 4$) having leaves A_{t+2}, \dots, A_8 , using Theorem 4.1;
- the last group is gets MP($3r, 4$) having leave $A_0 \cup b_0 C_4 \cup c_0 C_5$, using Lemma 4.2.

At this point, we note that the leave in each group can be placed onto the vertices of the DGDD according to any permutation. Using this, we match each cycle of length p'_i with some C_4 from a different group. Choose a hole H traversed by the cycle $C_{p'_i}$ and demand that its matched C_4 uses two edges in the same hole. In this way, a C_6 inside H spanning the two relevant groups facilitates a merge of the cycles and results in a cycle of length $p'_i + 4 = l'_i$. Similarly, we match leave cycles $C_{p''_j}$ with C_5 in a different group, and set these up for merging to produce a cycle of length $p''_j + 5 = l''_j$.

CASE 2: $4b + 5c < 3r - 3000$. Fill the last group with MP($3r, 4$) having leave $a_0 C_3 \cup b C_4 \cup c C_5$, where $a_0 := r - \frac{1}{3}(4b + 5c)$, which exists by Theorem 3.7. Now, similar to the proof of Lemma 4.2, we remove occurrences of 3 from the list l_1, \dots, l_h or reduce each length in l_h, p'_i, p''_j by a nonnegative multiple of three up to half of its length so that the total reduction is exactly $3a_0$. The 2-regular graph A' with these reduced cycle lengths has exactly $n - 3a_0 - 4b - 5c = 24m$ vertices and all cycle lengths a multiple of three. We may realize a leave A' in the first 8 groups of the DGDD, by cutting into multiples of $3m$ and merging (if needed) using one or more C_6 in MP($24, 4$) in (say) the first and last holes. Similar to Case 1 above, the required lengths can now be reconstructed by additional merging using C_6 which run through the last group. \square

We give an example to illustrate the method further.

Example 4.5. Consider $n = 14 \times 10^6 + 7 \equiv 3 \pmod{12}$, and suppose the leave $C_7 \cup 10^6 C_{14}$ is desired. We can take $m = 519680$, $r = 509229$ for our DGDD. We also have $b = 1$, $c = 10^6$, leading us to case 1 of the proof. With the choice $b_0 = 1$, $c_0 = 305500$, we have $4(b - b_0) + 5(c - c_0) = 3mt + u$

for $t = 2$ and $u = 354420$. The first two groups are filled so as to have all C_5 components in the leave, and the third group has $c_3 = u/5 = 70884$ C_5 . The list of residual cycle lengths divisible by three is $3, 9, \dots, 9$. The leave in the rest of the third group is $2C_3 \cup 133846C_9$, where one C_3 is saved for merging with C_4 and the other has resulted from cutting a C_9 . This C_3 can be merged with the leftover C_6 in the fourth group, which gets leave $C_6 \cup 173226C_9$. Groups 5, 6, 7, 8 are filled similarly with the cutting dictating C_6 in groups 5 and 8, and $2C_3$ in groups 6 and 7. The C_6 in group 8 is merged into the ninth group, which gets leave $C_4 \cup 305500C_5 \cup C_3 \cup 20C_9$. With considerable choice, it is possible to match each C_5 with a C_9 for merging.

We remark that our lower bound of 10^7 in Theorem 4.4 is very crude. Improvements should be possible with some additional work, perhaps based on a more intricate strategy for merging cycles. Here is another example which shows that the proof method can apply in much smaller cases.

Example 4.6. Let $n = 48048$, and suppose the leave $C_{16015} \cup C_{16016} \cup C_{16017}$ is desired. Take $m = 1800$, $r = 1616$ for the DGDD. In this case, $4b + 5c = 9$, and we proceed as in case 2 of the proof. Fill the ninth group so as to have leave $1613C_3 \cup C_4 \cup C_5$, using Theorem 3.7. We reduce the first two desired cycle lengths by 4 and 5, respectively, and reduce 16017 (a multiple of three) by $3 \times 1613 = 4839$. We then realize the residual lengths 16011, 16011, 11178, which total $24m$, in the first 8 groups, using Theorem 4.1, by cutting them up as C_{5400} , $C_{5400}, C_{5211} \cup C_{189}$, C_{5400} , C_{5400} , $C_{5022} \cup C_{378}$, C_{5400} , C_{5400} and re-joining them using the first and last holes. The cycles in the ninth group are merged with the residual lengths so as to produce the desired leave. Note that the cycle of length 16017 is routed through groups 6, 7, and 8, and additionally takes 1613 detours of length three into the ninth group.

We also note that a variety of specific leaves can be obtained with significantly better bounds on n . Here is one such example result which makes use of Lemma 3.1 and a few cycle merges.

Proposition 4.7. *For all $n \equiv 0, 3 \pmod{12}$, $n \geq 7695$ and any integer l with $3 \leq l \leq n/2$, the graph $C_l \cup C_{n-l}$ is the leave of some $MP(n, 4)$.*

PROOF. We first show that the result holds for $24 \mid n$, $n \geq 960$. For this case, put $n = 24m$ and write $l = l_1 + l_2 + \dots + l_m$ with $l_i \in \{0, 3, 4, \dots, 12\}$ for each $i = 1, \dots, m$, where furthermore at most one l_i belongs to $\{3, 4, 5\}$. Fill a 4-HGDD of type $3^{m \times 8}$ so that group i receives an $MP(24, 4)$ having leave $C_{l_i} \cup C_{24-l_i}$. (When $l_i = 0$, this is to be interpreted as C_{24} .) The holes are to be filled with $MP(3m, 4)$ whose leaves have cycle lengths in $\{3, 6\}$, using Proposition 4.1. Cycles of length six are used to join together the cycles C_{l_i} and (separately) the complementary cycles C_{24-l_i} . Note that, by the condition that at most one l_i belongs to $\{3, 4, 5\}$, it is possible to merge cycles C_{l_i} along an alternating sequence of two holes, so that merging cycles of length six suffice.

For the general case, write $n = 3(8m + r)$ where $8 \mid m$, $m \geq 320$, and $r \equiv 0, 1 \pmod{4}$, $5 \leq r \leq 68$. Write $l = l_1 + l_2 + \dots + l_8$ with $l_i \in \{0, 3, 4, \dots, 2m\}$. Construct as in the proof of Theorem 4.1 a 4-DGDD with 8 groups of size $3m$, one group of size $3r$, r holes of size 27, and $m - r$ holes of size 24. Fill groups of size $3m$ with $MP(3m, 4)$ having leave $C_{l_i} \cup C_{3m-l_i}$; these packings exist by the first part of the proof. The group of size $3r$ can be filled with an $MP(3r, 4)$ having leave C_{3r} ; these exist by the main result of [8] on Hamiltonian 2-regular leaves. Holes are to be filled with $MP(24, 4)$ and $MP(27, 4)$ having leaves with cycle lengths in $\{3, 6\}$ as needed to join together the cycles C_{l_i} across groups to form C_l and (separately) the cycles C_{3m-l_i} along with C_{3r} to form C_{n-l} . \square

5. Other congruence classes

5.1. Nonempty bounded leaves. Suppose $n \equiv 7, 10 \pmod{12}$. Here, the leave of an $\text{MP}(n, 4)$ is bounded (non-spanning) since $n \equiv 1 \pmod{3}$ and its number of edges is $3 \pmod{6}$. Since we are assuming $\lambda = 1$, the leave is a simple graph and so at least nine edges is necessary. The unique $\text{MP}(7, 4)$ has two blocks intersecting in one point. Its leave is isomorphic to $K_{3,3}$. For larger orders, use a 4-GDD of type $1^{n-7}7^1$ (a design with a hole), which exists, [19], for all $n \equiv 7, 10 \pmod{12}$, $n \geq 22$. Filling the group of size 7 with an $\text{MP}(7, 4)$ settles the existence problem for $\text{MP}(n, 4)$ for these congruence classes.

There is exactly one other graph up to isomorphism with 9 edges and all degrees a multiple of three: this is the ‘triangular prism’ $K_2 \square K_3$. In the appendix, we present an $\text{MP}(31, 4)$ with this leave. Then, proceeding as above, we have a bound for existence of packings with each of the two possible leaves.

Proposition 5.1. *For all $n \equiv 7, 10 \pmod{12}$, $n \geq 94$, there exists an $\text{MP}(n, 4)$ with each of the possible leaves $K_{3,3}$ and $K_2 \square K_3$.*

PROOF. It remains to consider the leave $K_2 \square K_3$. Take a 4-GDD of type $1^{n-31}31^1$, which exists from [19] for all $n \geq 3 \times 31 + 1 = 94$. Fill the group of size 31 with the example packing shown in the appendix. The resulting set of blocks gives an $\text{MP}(n, 4)$ with leave $K_2 \square K_3$. \square

5.2. Irregular spanning leaves. We now briefly consider $n \equiv 6, 9 \pmod{12}$. In this case, similar to our earlier work, every vertex in the leave has degree $2 \pmod{3}$. However, the global divisibility condition forces $|E(L)| \equiv n + 3 \pmod{6}$. When coupled with the degree condition, it follows that the target leaves for $\text{MP}(n, 4)$, $n \equiv 6, 9 \pmod{12}$ have two possible degree sequences:

- $8, 2, 2, \dots, 2$; or
- $5, 5, 2, 2, \dots, 2$.

The former degree sequence is realized by four cycles identified at a common vertex (and vertex-disjoint unions with 2-regular graphs). For the latter sequence, the two odd degree vertices must belong to the same connected component, by parity. There are one, three, or five internally disjoint paths joining these vertices. To summarize the cases, our leave has one component which is a subdivision of one of the four structures shown in Figure 6, and (optionally) cycles as other components.



FIGURE 6. Possible connected leaf types for $\text{MP}(n, 4)$, $n \equiv 6, 9 \pmod{12}$

The $\text{MP}(6, 4)$ consisting of a single block has leave $K_6 \setminus K_4$, which consists of five internally disjoint paths joining two vertices (those not in the block). The path lengths are as small as possible for simple graphs, namely $1, 2, 2, 2, 2$.

Filling the groups of a 4-GDD of type $3^u 6^1$, [7, IV 4.1], one obtains for $n \equiv 6, 9 \pmod{12}$, $n \neq 9, 18$, an $\text{MP}(n, 4)$ having leave $u\mathcal{C}_3 \cup (K_6 \setminus K_4)$. Somewhat more generally, a variety of non-isomorphic

leaves with one component equal to $K_6 \setminus K_4$ can be obtained by filling GDDs having one group of size 6 and other group sizes 0 or 3 (mod 12). For this, our earlier constructions produce the remaining 2-regular subgraph of the leave. Moreover, it seems that our cycle merging technique of Section 4 could be adapted to create longer paths and cycles in the non-regular component. We leave it as an open problem to obtain some explicit bound for the existence of all possible leaves in this more challenging case.

5.3. Summary. We conclude with a summary of the status of this problem in Table 2, which builds on [7, Table 40.23]. A bold value indicates that the bound is best possible; G denotes a subdivision of one of the graphs in Figure 6.

$n \equiv$	possible leaves	existence for $n \geq$
1, 4 (mod 12)	empty	1
7, 10 (mod 12)	$K_{3,3}$ or $K_2 \square K_3$	94
2, 8 (mod 12)	$\frac{n}{2}K_2$	14
5, 11 (mod 12)	$K_{1,4} \cup \frac{n-5}{2}K_2$	23
0, 3 (mod 12)	2-regular	10^7
6, 9 (mod 12)	2-regular $\cup G$?

TABLE 2. Bounds for $\text{MP}(n, 4)$ with arbitrary leaves

Appendix: Small examples

We give the explicit packings $\text{MP}(n, 4)$ defined on $\{0, 1, \dots, n-1\}$ for small n appearing in Lemma 3.2 and for Proposition 5.1. When $n \equiv 0, 3 \pmod{12}$, we naturally label the cycles in the leave, starting at 0. For instance, an $\text{MP}(15, 4)$ with leave $C_3 \cup 2C_6$ is presented with cycles $(0, 1, 2)$, $(3, 4, 5, 6, 7, 8)$ and $(9, 10, 11, 12, 13, 14)$ as its leave. Only ‘base blocks’ are listed below. The set of all blocks is obtained by developing these base blocks under the action of some group $G = \langle \alpha \rangle$, where $\alpha \in \mathcal{S}_n$ is presented as a product of disjoint (permutation) cycles. Base blocks marked with a * generate short orbits.

$n = 15$ with leaves $3C_5$ and $C_3 \cup 2C_6$:

$$3C_5: \alpha = (0, 1, 2, 3, 4)(5, 6, 7, 8, 9)(10, 11, 12, 13, 14).$$

$$\{0, 2, 5, 10\}, \quad \{0, 6, 9, 12\}, \quad \{0, 7, 11, 14\}.$$

$$C_3 \cup 2C_6: \alpha = (0, 1, 2)(3, 5, 7)(4, 6, 8)(9, 11, 13)(10, 12, 14).$$

$$\{0, 3, 5, 9\}, \quad \{3, 6, 11, 14\}, \quad \{0, 7, 10, 14\}, \quad \{0, 6, 8, 12\}, \quad \{0, 4, 11, 13\}.$$

$n = 27$ with leaves $C_3 \cup 4C_6$, $3C_3 \cup 3C_6$, $5C_3 \cup 2C_6$, $7C_3 \cup C_6$, and $3C_4 \cup 3C_5$:

$$C_3 \cup 4C_6: \alpha = (0, 1, 2)(3, 9, 15)(4, 10, 16)(5, 11, 17)(6, 12, 18)(7, 13, 19)(8, 14, 20)(21, 23, 25) (22, 24, 26).$$

$$\{0, 3, 5, 9\}, \quad \{3, 6, 11, 13\}, \quad \{0, 4, 13, 15\}, \quad \{3, 7, 12, 21\}, \quad \{3, 20, 23, 26\},$$

$$\{3, 18, 22, 24\}, \quad \{3, 14, 16, 25\}, \quad \{0, 7, 19, 26\}, \quad \{4, 7, 10, 24\}, \quad \{5, 8, 13, 20\},$$

$$\{5, 19, 21, 23\}, \quad \{4, 11, 17, 26\}, \quad \{0, 11, 18, 21\}, \quad \{0, 8, 17, 24\}, \quad \{0, 6, 14, 22\},$$

$$\{0, 12, 16, 23\}, \quad \{4, 6, 8, 12\}, \quad \{0, 10, 20, 25\}.$$

$$3C_3 \cup 3C_6: \alpha = (0, 1, 2)(3, 4, 5)(6, 7, 8)(9, 15, 21)(10, 16, 22)(11, 17, 23)(12, 18, 24)(13, 19, 25) (14, 20, 26).$$

$\{0, 3, 9, 15\}, \quad \{0, 6, 21, 24\}, \quad \{3, 8, 12, 21\}, \quad \{6, 13, 15, 22\}, \quad \{9, 13, 17, 23\},$
 $\{9, 19, 24, 26\}, \quad \{9, 11, 20, 22\}, \quad \{0, 12, 18, 23\}, \quad \{6, 12, 16, 19\}, \quad \{3, 14, 18, 26\},$
 $\{3, 16, 22, 24\}, \quad \{0, 10, 20, 25\}, \quad \{0, 8, 22, 26\}, \quad \{0, 4, 11, 16\}, \quad \{0, 5, 13, 19\},$
 $\{0, 7, 14, 17\}, \quad \{3, 6, 17, 20\}, \quad \{3, 7, 11, 13\}.$

$5C_3 \cup 2C_6: \alpha = (0, 1, 2)(3, 6, 9)(4, 7, 10)(5, 8, 11)(12, 13, 14)(15, 17, 19)(16, 18, 20)(21, 23, 25) (22, 24, 26).$

$\{0, 3, 6, 10\}, \quad \{0, 5, 9, 14\}, \quad \{3, 13, 15, 17\}, \quad \{3, 16, 19, 21\}, \quad \{3, 11, 23, 26\},$
 $\{3, 14, 18, 25\}, \quad \{3, 20, 22, 24\}, \quad \{4, 8, 13, 22\}, \quad \{0, 11, 19, 22\}, \quad \{5, 8, 19, 23\},$
 $\{0, 8, 16, 18\}, \quad \{4, 11, 12, 16\}, \quad \{0, 13, 20, 26\}, \quad \{4, 7, 20, 23\}, \quad \{4, 14, 15, 26\},$
 $\{0, 4, 17, 24\}, \quad \{0, 7, 15, 21\}, \quad \{0, 12, 23, 25\}.$

$7C_3 \cup C_6: \alpha = (0, 1, 2)(3, 6, 9)(4, 7, 10)(5, 8, 11)(12, 15, 18)(13, 16, 19)(14, 17, 20)(21, 23, 25)(22, 24, 26).$

$\{0, 3, 6, 10\}, \quad \{0, 5, 9, 18\}, \quad \{3, 13, 15, 19\}, \quad \{3, 11, 14, 21\}, \quad \{3, 16, 20, 23\},$
 $\{3, 18, 22, 25\}, \quad \{3, 17, 24, 26\}, \quad \{0, 11, 17, 20\}, \quad \{4, 12, 15, 20\}, \quad \{4, 7, 17, 25\},$
 $\{0, 14, 16, 26\}, \quad \{0, 7, 12, 22\}, \quad \{5, 8, 15, 22\}, \quad \{0, 15, 21, 25\}, \quad \{0, 4, 19, 24\},$
 $\{0, 8, 13, 23\}, \quad \{4, 8, 16, 21\}, \quad \{4, 11, 13, 22\}.$

$3C_4 \cup 3C_5: \alpha = (0, 4, 8)(1, 5, 9)(2, 6, 10)(3, 7, 11)(12, 17, 22)(13, 18, 23)(14, 19, 24)(15, 20, 25) (16, 21, 26).$

$\{0, 2, 4, 9\}, \quad \{2, 6, 11, 12\}, \quad \{0, 6, 14, 16\}, \quad \{2, 14, 17, 20\}, \quad \{2, 13, 15, 19\},$
 $\{2, 16, 21, 23\}, \quad \{1, 10, 13, 20\}, \quad \{0, 17, 19, 24\}, \quad \{0, 7, 13, 18\}, \quad \{0, 20, 23, 26\},$
 $\{0, 12, 21, 25\}, \quad \{0, 11, 15, 22\}, \quad \{1, 3, 15, 25\}, \quad \{1, 7, 19, 23\}, \quad \{1, 12, 18, 22\},$
 $\{1, 11, 16, 17\}, \quad \{3, 7, 16, 24\}, \quad \{1, 5, 14, 26\}.$

$n = 36$ with leaves $C_3 \cup 2C_4 \cup 5C_5, 2C_3 \cup 6C_5,$ and $6C_6:$

$C_3 \cup 2C_4 \cup 5C_5: \alpha = (1, 2)(3, 5)(4, 6)(7, 9)(8, 10)(11, 16)(12, 17)(13, 18)(14, 19)(15, 20)(22, 25) (23, 24) (27, 30)(28, 29)(32, 35) (33, 34).$

$\{0, 21, 26, 31\}^*, \quad \{3, 5, 11, 16\}^*, \quad \{4, 6, 13, 18\}^*, \quad \{7, 9, 14, 19\}^*, \quad \{8, 10, 15, 20\}^*,$
 $\{12, 17, 22, 25\}^*, \quad \{27, 30, 32, 35\}^*, \quad \{0, 3, 7, 12\}, \quad \{0, 4, 11, 20\}, \quad \{0, 8, 13, 27\},$
 $\{0, 14, 22, 32\}, \quad \{0, 23, 28, 33\}, \quad \{1, 4, 7, 25\}, \quad \{4, 8, 16, 22\}, \quad \{1, 3, 10, 22\},$
 $\{3, 9, 25, 30\}, \quad \{11, 13, 22, 29\}, \quad \{13, 15, 25, 32\}, \quad \{14, 23, 25, 26\}, \quad \{15, 22, 30, 33\},$
 $\{22, 28, 31, 34\}, \quad \{4, 14, 21, 30\}, \quad \{4, 17, 33, 35\}, \quad \{4, 10, 23, 34\}, \quad \{4, 9, 24, 32\},$
 $\{4, 12, 27, 29\}, \quad \{4, 15, 19, 31\}, \quad \{1, 6, 26, 29\}, \quad \{7, 11, 28, 32\}, \quad \{7, 16, 26, 34\},$
 $\{7, 18, 21, 33\}, \quad \{7, 15, 17, 29\}, \quad \{7, 20, 24, 30\}, \quad \{1, 9, 18, 31\}, \quad \{1, 13, 20, 33\},$
 $\{1, 5, 30, 34\}, \quad \{11, 18, 24, 27\}, \quad \{1, 14, 17, 27\}, \quad \{8, 11, 30, 31\}, \quad \{3, 8, 14, 34\},$
 $\{11, 17, 19, 34\}, \quad \{3, 13, 19, 28\}, \quad \{1, 16, 19, 32\}, \quad \{1, 11, 21, 23\}, \quad \{8, 19, 23, 29\},$
 $\{8, 12, 18, 26\}, \quad \{1, 8, 28, 35\}, \quad \{1, 12, 15, 24\}, \quad \{3, 17, 24, 31\}, \quad \{8, 17, 21, 32\},$
 $\{3, 15, 26, 35\}, \quad \{3, 18, 23, 32\}, \quad \{3, 20, 21, 29\}.$

$2C_3 \cup 6C_5: \alpha = (0, 1, 2)(3, 4, 5)(6, 11, 16)(7, 12, 17)(8, 13, 18)(9, 14, 19)(10, 15, 20)(21, 26, 31) (22, 27, 32) (23, 28, 33)(24, 29, 34)(25, 30, 35).$

$\{0, 3, 6, 11\}, \quad \{0, 8, 10, 16\}, \quad \{3, 7, 13, 16\}, \quad \{6, 8, 14, 19\}, \quad \{6, 9, 17, 21\},$
 $\{6, 20, 23, 25\}, \quad \{6, 22, 24, 28\}, \quad \{6, 30, 31, 33\}, \quad \{6, 27, 32, 35\}, \quad \{6, 26, 29, 34\},$
 $\{0, 4, 13, 30\}, \quad \{3, 18, 21, 30\}, \quad \{0, 18, 25, 34\}, \quad \{9, 15, 25, 30\}, \quad \{3, 17, 28, 35\},$
 $\{0, 12, 22, 35\}, \quad \{7, 9, 24, 35\}, \quad \{7, 18, 28, 31\}, \quad \{8, 13, 22, 34\}, \quad \{8, 15, 23, 28\},$
 $\{8, 20, 27, 31\}, \quad \{0, 7, 19, 23\}, \quad \{0, 5, 28, 32\}, \quad \{0, 14, 21, 27\}, \quad \{3, 9, 23, 29\},$
 $\{3, 14, 24, 32\}, \quad \{0, 9, 26, 33\}, \quad \{3, 15, 19, 27\}, \quad \{3, 10, 26, 31\}, \quad \{3, 12, 20, 34\},$
 $\{7, 10, 12, 27\}, \quad \{0, 15, 20, 24\}, \quad \{0, 17, 29, 31\}.$

$6C_6: \alpha = (0, 1, 2, 3, 4, 5)(6, 7, 8, 9, 10, 11)(12, 13, 14, 15, 16, 17)(18, 19, 20, 21, 22, 23)(24, 25, 26, 27, 28, 29)(30, 31, 32, 33, 34, 35)$

$\{0, 3, 6, 9\}^*, \quad \{12, 15, 18, 21\}^*, \quad \{24, 27, 30, 33\}^*, \quad \{0, 2, 7, 12\}, \quad \{0, 8, 20, 24\},$
 $\{0, 13, 15, 26\}, \quad \{0, 21, 28, 30\}, \quad \{0, 23, 25, 29\}, \quad \{0, 17, 19, 33\}, \quad \{0, 18, 22, 34\},$
 $\{0, 10, 27, 32\}, \quad \{0, 14, 31, 35\}, \quad \{6, 14, 26, 33\}, \quad \{6, 16, 21, 24\}, \quad \{6, 12, 22, 27\},$
 $\{6, 8, 19, 32\}, \quad \{6, 13, 20, 31\}, \quad \{6, 15, 25, 35\}.$

$n = 39$ with leave $C_3 \cup 9C_4: \alpha = (0, 1, 2)(3, 7, 11, 15, 19, 23, 27, 31, 35)(4, 8, 12, 16, 20, 24, 28, 32, 36)(5, 9, 13, 17, 21, 25, 29, 33, 37)(6, 10, 14, 18, 22, 26, 30, 34, 38).$

$\{0, 3, 15, 27\}^*$, $\{0, 12, 24, 36\}^*$, $\{0, 14, 26, 38\}^*$, $\{0, 4, 7, 11\}$, $\{0, 5, 8, 21\}$,
 $\{0, 6, 10, 13\}$, $\{3, 8, 10, 28\}$, $\{4, 12, 21, 34\}$, $\{4, 14, 25, 30\}$, $\{3, 5, 12, 16\}$,
 $\{3, 24, 29, 38\}$, $\{3, 18, 20, 26\}$, $\{3, 9, 11, 30\}$, $\{3, 14, 19, 33\}$, $\{3, 13, 21, 25\}$.

$n = 48$ with leave $C_3 \cup 9C_5$: $\alpha = (0, 1, 2)(3, 8, 13, 4, 9, 14, 5, 10, 15, 6, 11, 16, 7, 12, 17)(18, 23, 28, 19, 24, 29, 20, 25, 30, 21, 26, 31, 22, 27, 32)(33, 38, 43, 34, 39, 44, 35, 40, 45, 36, 41, 46, 37, 42, 47)$.

$\{0, 3, 8, 14\}$, $\{0, 18, 23, 29\}$, $\{0, 33, 38, 44\}$, $\{3, 5, 18, 33\}$, $\{3, 10, 32, 34\}$, $\{3, 12, 23, 37\}$,
 $\{3, 30, 35, 42\}$, $\{3, 29, 31, 43\}$, $\{3, 20, 27, 45\}$, $\{3, 28, 38, 41\}$, $\{3, 24, 40, 44\}$, $\{3, 22, 26, 39\}$.

$n = 31$ with leave $K_3 \square K_2$ consisting of edges $\{0, 1\}$, $\{0, 2\}$, $\{1, 2\}$, $\{3, 4\}$, $\{3, 5\}$, $\{4, 5\}$, $\{0, 3\}$, $\{1, 4\}$ and $\{2, 5\}$: $\alpha = (0, 1, 2)(3, 4, 5)(7, 8, 9)(10, 11, 12)(13, 14, 15)(16, 17, 18)(19, 20, 21)(22, 23, 24)(25, 26, 27)(28, 29, 30)$.

$\{6, 10, 11, 12\}^*$, $\{6, 13, 14, 15\}^*$, $\{6, 16, 17, 18\}^*$, $\{6, 19, 20, 21\}^*$, $\{6, 22, 23, 24\}^*$,
 $\{6, 25, 26, 27\}^*$, $\{6, 28, 29, 30\}^*$, $\{0, 4, 6, 7\}$, $\{0, 5, 9, 10\}$, $\{0, 12, 13, 16\}$,
 $\{0, 8, 15, 19\}$, $\{0, 14, 18, 22\}$, $\{0, 20, 24, 25\}$, $\{0, 17, 26, 28\}$, $\{0, 21, 27, 30\}$,
 $\{0, 11, 23, 29\}$, $\{7, 12, 15, 26\}$, $\{10, 15, 20, 30\}$, $\{3, 14, 23, 30\}$, $\{3, 13, 19, 26\}$,
 $\{3, 15, 17, 29\}$, $\{7, 13, 23, 25\}$, $\{3, 12, 27, 28\}$, $\{10, 18, 23, 26\}$, $\{3, 8, 18, 25\}$,
 $\{3, 16, 20, 22\}$, $\{3, 10, 21, 24\}$, $\{7, 8, 22, 30\}$, $\{7, 10, 16, 19\}$, $\{7, 18, 20, 28\}$.

References

- [1] B. Barber, D. Kühn, A. Lo and D. Osthus, Edge-decompositions of graphs with high minimum degree. *Adv. Math.* 288 (2016), 337–385.
- [2] A.E. Brouwer, A. Schrijver and H. Hanani, Group divisible designs with block-size four. *Discrete Math.* 20 (1977/78), 1–10.
- [3] H. Cao, L. Wang and R. Wei, The existence of HGDDs with block size four and its application to double frames. *Discrete Math.* 309 (2009), 945–949.
- [4] Y. Caro and R. Yuster, Packing graphs: the packing problem solved. *Electron. J. Combin.* 4 (1997) #R1, 7 pp.
- [5] Y.M. Chee, C.J. Colbourn, A.C.H. Ling and R.M. Wilson, Covering and packing for pairs. *J. Combin. Theory Ser. A* 120 (2013), 1440–1449.
- [6] S. Chowla, P. Erdős, and E.G. Straus, On the maximal number of pairwise orthogonal latin squares of a given order. *Canad. J. Math.* 12 (1960), 204–208.
- [7] C.J. Colbourn and J.H. Dinitz, eds., The CRC Handbook of Combinatorial Designs, 2nd edition, CRC Press, Boca Raton, 2006.
- [8] C.J. Colbourn and A.C.H. Ling, Balanced sampling plans with block size four excluding contiguous units. *Australas. J. Combin.* 20 (1999), 37–46.
- [9] P.J. Dukes, T. Feng and A.C.H. Ling, Matching divisible designs with block size four. *Discrete Math.* 339 (2016), 790–799.
- [10] P. Dukes and A.C.H. Ling, Graph divisible designs for packing constructions. *Graphs Combin.* 31 (2015), 2181–2191.
- [11] A.D. Forbes and K.A. Forbes, Group divisible designs with block size 4 and type $g^u m^1$. *J. Combin. Des.* 26 (2018), 519–539.
- [12] A.D. Forbes, Group divisible designs with block size four and type $g^u m^1$ —II. *J. Combin. Des.* 27 (2019), 311–349.
- [13] O. Giménez, P. Hliněný, and M. Noy, Computing the Tutte polynomial on graphs of bounded clique-width. *Graph-theoretic concepts in computer science*, 59–68, Lecture Notes in Comput. Sci., 3787, Springer, Berlin, 2005.
- [14] G. Ge and A.C.H. Ling, Group divisible designs with block size four and group type $g^u m^1$ for small g . *Discrete Math.* 285 (2004), 97–120.
- [15] G. Ge and R. Wei, HGDDs with block size four. In honour of Zhu Lie. *Discrete Math.* 279 (2004), 267–276.
- [16] T. Gustavsson, Decompositions of large graphs and digraphs with high minimum degree, Doctoral Dissertation, Department of Mathematics, Stockholm University, 1991.
- [17] P. Keevash, The existence of designs, arXiv preprint <http://arxiv.org/abs/1401.3665>, 2014.
- [18] W.H. Mills and R.C. Mullin, Coverings and packings. Contemporary design theory, 371–399, Wiley-Intersci. Ser. Discrete Math. Optim., Wiley, New York, 1992.

- [19] R. Rees and D.R. Stinson, On the existence of incomplete designs of block size four having one hole. *Utilitas Math.* 35 (1989), 119–152.
- [20] E. Schuster, Group divisible designs with block size four and group type $g^u m^1$ where g is a multiple of 8. *Discrete Math.* 310 (2010), 2258–2270.
- [21] R. Stanley, A symmetric function generalization of the chromatic polynomial of a graph. *Adv. Math.* 111 (1995), 166–194.
- [22] H. Wei and G. Ge, Group divisible designs with block size four and group type $g^u m^1$. *Des. Codes Cryptogr.* 74 (2015), 243–282.
- [23] R.M. Wilson, Constructions and uses of pairwise balanced designs. *Math. Centre Tracts* 55 (1974), 18–41.

Yanxun Chang: Mathematics, Beijing Jiaotong University, Beijing, P.R. China

E-mail address: `yxchang@bjtu.edu.cn`

Peter J. Dukes: Mathematics and Statistics, University of Victoria, Victoria, Canada

E-mail address: `dukes@uvic.ca`

Tao Feng: Mathematics, Beijing Jiaotong University, Beijing, P.R. China

E-mail address: `tfeng@bjtu.edu.cn`

LEAVES FOR MAXIMUM 2-(24, 4, 1) PACKINGS

Yanxun Chang, Peter J. Dukes, and Tao Feng

This is a supplement for Lemma 3.1 in the paper *Leaves for packings with block size four*.

Lemma 3.1. *Any possible 2-regular graph on 24 vertices is the leave of some MP(24, 4).*

PROOF. The leave L of an MP(24, 4) consists of disjoint cycles covering all 24 vertices. If L contains u_i cycles of size g_i , $1 \leq i \leq r$, then L is of type $g_1^{u_1} g_2^{u_2} \cdots g_r^{u_r}$. If L is of type 24^1 , then the packing is a BSEC(24, 4, 1), [2]. If L is of type 3^8 , then the packing is a GDD(3^8 , 4), [1]. If L is of type 4^6 , then it is equivalent to a matching divisible design GDD(M_2^6 , 4), [3].

There are 110 ways to partition 24 into integers greater than 2. Given a leave L of any of the 107 other types (apart from 24^1 , 3^8 , 4^6 considered above), we explicitly construct an MP(24, 4) with leave L according to the following conventions. The vertex set is taken to be $\{0, 1, \dots, 23\}$. We label the cycles in L naturally. For instance, if L is of type $3^6 6^1$, then it consists of cycles $(3i, 3i+1, 3i+2)$, $0 \leq i \leq 5$, and $(18, 19, 20, 21, 22, 23)$. Only ‘base blocks’ are listed below. The set of all blocks is obtained by developing these base blocks under the action of some group $G = \langle \alpha \rangle$, where $\alpha \in \mathcal{S}_n$ is presented as a product of disjoint (permutation) cycles. Base blocks marked with a * generate short orbits.

· Type $3^6 6^1$: $\alpha = (0, 3, 6)(1, 4, 7)(2, 5, 8)(9, 12, 15)(10, 13, 16)(11, 14, 17)(18, 20, 22)(19, 21, 23)$.

$\{0, 3, 7, 9\}$, $\{1, 9, 15, 18\}$, $\{2, 5, 9, 22\}$, $\{0, 10, 12, 21\}$, $\{9, 13, 17, 21\}$ $\{2, 12, 17, 19\}$,
 $\{0, 5, 19, 23\}$, $\{1, 4, 14, 21\}$, $\{1, 10, 20, 23\}$, $\{1, 5, 13, 16\}$ $\{1, 8, 17, 22\}$, $\{0, 8, 11, 13\}$,
 $\{0, 14, 17, 18\}$, $\{0, 16, 20, 22\}$.

· Type $3^5 9^1$: $\alpha = (1)$.

$\{0, 3, 6, 9\}$, $\{0, 4, 7, 12\}$, $\{0, 5, 8, 15\}$, $\{0, 10, 13, 17\}$, $\{0, 11, 14, 19\}$, $\{0, 16, 20, 22\}$,
 $\{0, 18, 21, 23\}$, $\{1, 9, 12, 15\}$, $\{2, 9, 14, 22\}$, $\{4, 9, 18, 20\}$, $\{8, 9, 16, 21\}$, $\{7, 9, 13, 23\}$,
 $\{5, 9, 17, 19\}$, $\{2, 10, 12, 21\}$, $\{3, 12, 16, 19\}$, $\{2, 7, 15, 19\}$, $\{6, 13, 19, 21\}$, $\{1, 5, 14, 21\}$,
 $\{4, 11, 15, 21\}$, $\{3, 7, 17, 21\}$, $\{7, 14, 16, 18\}$, $\{1, 7, 10, 20\}$, $\{5, 7, 11, 22\}$, $\{2, 5, 13, 18\}$,
 $\{3, 13, 15, 22\}$, $\{8, 11, 13, 20\}$, $\{1, 4, 13, 16\}$, $\{6, 10, 15, 18\}$, $\{5, 10, 16, 23\}$, $\{5, 6, 12, 20\}$,
 $\{11, 12, 17, 23\}$, $\{1, 3, 11, 18\}$, $\{1, 6, 17, 22\}$, $\{1, 8, 19, 23\}$, $\{2, 3, 20, 23\}$, $\{4, 6, 14, 23\}$,
 $\{3, 8, 10, 14\}$, $\{8, 12, 18, 22\}$, $\{2, 4, 8, 17\}$, $\{2, 6, 11, 16\}$, $\{4, 10, 19, 22\}$, $\{14, 15, 17, 20\}$.

· Type $3^5 4^1 5^1$: $\alpha = (1)$.

Research of Yanxun Chang is supported by NSFC grant 11431003; research of Peter Dukes is supported by NSERC grant 312595–2017; research of Tao Feng is supported by NSFC grant 11471032; research of this paper was also partially supported by 111 Project of China, grant number B16002.

$\{0, 3, 6, 9\}, \{0, 4, 7, 12\}, \{0, 5, 8, 15\}, \{0, 10, 13, 17\}, \{0, 11, 14, 19\}, \{0, 16, 21, 23\},$
 $\{0, 18, 20, 22\}, \{1, 9, 12, 15\}, \{2, 9, 14, 21\}, \{5, 9, 17, 20\}, \{4, 9, 18, 23\}, \{7, 9, 13, 22\},$
 $\{8, 9, 16, 19\}, \{1, 7, 14, 18\}, \{5, 6, 14, 22\}, \{4, 10, 14, 16\}, \{8, 14, 17, 23\}, \{3, 14, 15, 20\},$
 $\{7, 11, 16, 20\}, \{1, 5, 13, 16\}, \{6, 12, 16, 18\}, \{2, 3, 16, 22\}, \{1, 8, 10, 22\}, \{1, 6, 20, 23\},$
 $\{2, 10, 12, 20\}, \{4, 8, 13, 20\}, \{2, 8, 11, 18\}, \{3, 8, 12, 21\}, \{5, 11, 12, 23\}, \{2, 5, 7, 19\},$
 $\{2, 13, 15, 23\}, \{2, 4, 6, 17\}, \{3, 7, 10, 23\}, \{3, 13, 18, 19\}, \{1, 3, 11, 17\}, \{1, 4, 19, 21\},$
 $\{4, 11, 15, 22\}, \{6, 11, 13, 21\}, \{6, 10, 15, 19\}, \{5, 10, 18, 21\}, \{7, 15, 17, 21\}, \{12, 17, 19, 22\}.$

· Type $3^4 12^1$: $\alpha = (0, 3, 6, 9)(1, 4, 7, 10)(2, 5, 8, 11)(12, 15, 18, 21)(13, 16, 19, 22)(14, 17, 20, 23).$

$\{0, 3, 6, 9\}^*, \{12, 14, 18, 20\}^*, \{1, 5, 7, 11\}^*, \{13, 16, 19, 22\}^*, \{0, 4, 12, 15\}, \{1, 8, 18, 23\},$
 $\{0, 7, 19, 21\}, \{1, 4, 17, 22\}, \{0, 10, 13, 17\}, \{0, 5, 18, 22\}, \{0, 8, 14, 16\}, \{0, 11, 20, 23\},$
 $\{2, 5, 16, 21\}.$

· Type $3^4 6^2$: $\alpha = (1).$

$\{0, 3, 6, 9\}, \{0, 4, 7, 12\}, \{0, 5, 8, 14\}, \{0, 10, 13, 16\}, \{0, 11, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{1, 3, 11, 21\}, \{8, 11, 12, 20\}, \{3, 12, 14, 18\}, \{2, 3, 16, 20\}, \{3, 7, 10, 22\},$
 $\{3, 13, 15, 23\}, \{3, 8, 17, 19\}, \{4, 8, 16, 23\}, \{8, 10, 18, 21\}, \{1, 8, 9, 13\}, \{2, 8, 15, 22\},$
 $\{7, 13, 18, 20\}, \{9, 14, 20, 23\}, \{1, 4, 10, 20\}, \{5, 6, 15, 20\}, \{10, 12, 15, 19\}, \{1, 7, 15, 17\},$
 $\{4, 9, 15, 21\}, \{1, 6, 12, 23\}, \{2, 5, 12, 21\}, \{5, 10, 17, 23\}, \{2, 9, 17, 18\}, \{4, 6, 18, 22\},$
 $\{1, 5, 16, 18\}, \{1, 14, 19, 22\}, \{5, 7, 9, 19\}, \{5, 11, 13, 22\}, \{6, 13, 17, 21\}, \{2, 4, 13, 19\},$
 $\{4, 11, 14, 17\}, \{6, 11, 16, 19\}, \{2, 6, 10, 14\}, \{2, 7, 11, 23\}, \{7, 14, 16, 21\}, \{9, 12, 16, 22\}.$

· Type $3^4 5^1 7^1$: $\alpha = (1).$

$\{0, 3, 6, 9\}, \{0, 4, 7, 12\}, \{0, 5, 8, 14\}, \{0, 10, 13, 17\}, \{0, 11, 15, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 3, 15, 21\}, \{4, 8, 10, 21\}, \{5, 11, 12, 21\}, \{7, 13, 19, 21\}, \{6, 14, 17, 21\},$
 $\{2, 9, 16, 21\}, \{4, 16, 17, 19\}, \{3, 8, 16, 23\}, \{1, 8, 9, 19\}, \{3, 11, 13, 20\}, \{2, 3, 12, 17\},$
 $\{3, 10, 14, 19\}, \{3, 7, 18, 22\}, \{6, 12, 19, 22\}, \{2, 5, 19, 23\}, \{8, 11, 17, 22\}, \{2, 8, 13, 18\},$
 $\{8, 12, 15, 20\}, \{9, 12, 14, 23\}, \{1, 10, 12, 18\}, \{5, 7, 10, 16\}, \{2, 10, 15, 22\}, \{6, 10, 20, 23\},$
 $\{2, 4, 6, 11\}, \{2, 7, 14, 20\}, \{1, 7, 11, 23\}, \{1, 4, 14, 22\}, \{5, 9, 13, 22\}, \{7, 9, 15, 17\},$
 $\{4, 9, 18, 20\}, \{1, 5, 17, 20\}, \{1, 6, 13, 16\}, \{4, 13, 15, 23\}, \{5, 6, 15, 18\}, \{11, 14, 16, 18\}.$

· Type $3^4 4^1 8^1$: $\alpha = (0, 3, 6, 9)(1, 4, 7, 10)(2, 5, 8, 11)(12, 13, 14, 15)(16, 18, 20, 22)(17, 19, 21, 23).$

$\{0, 6, 12, 14\}^*, \{1, 7, 16, 20\}^*, \{2, 8, 17, 21\}^*, \{0, 3, 7, 19\}, \{0, 5, 13, 21\}, \{0, 10, 20, 23\},$
 $\{2, 15, 18, 23\}, \{0, 8, 11, 18\}, \{0, 15, 16, 22\}, \{1, 4, 11, 13\},$
 $\{1, 15, 19, 21\}, \{1, 5, 14, 18\}.$

· Type $3^4 4^3$: $\alpha = (0, 3, 6)(1, 4, 7)(2, 5, 8)(12, 16, 20)(13, 17, 21)(14, 18, 22)(15, 19, 23).$

$\{0, 3, 6, 9\}^*, \{1, 4, 7, 10\}^*, \{2, 5, 8, 11\}^*, \{1, 5, 9, 12\}, \{9, 13, 15, 18\}, \{0, 4, 13, 17\},$
 $\{1, 11, 15, 17\}, \{1, 16, 18, 23\}, \{1, 8, 14, 22\}, \{0, 7, 15, 16\}, \{0, 10, 12, 22\}, \{0, 8, 18, 21\},$
 $\{0, 5, 19, 23\}, \{0, 11, 14, 20\}, \{2, 12, 16, 21\}, \{2, 10, 17, 23\}.$

· Type $3^3 15^1$: $\alpha = (0, 3, 6)(1, 4, 7)(2, 5, 8)(9, 14, 19)(10, 15, 20)(11, 16, 21)(12, 17, 22)(13, 18, 23).$

$\{0, 3, 7, 9\}, \{1, 9, 12, 19\}, \{0, 11, 14, 16\}, \{2, 9, 15, 18\}, \{2, 11, 19, 23\}, \{2, 10, 12, 14\},$
 $\{0, 5, 8, 12\}, \{1, 5, 10, 21\}, \{1, 8, 16, 23\}, \{0, 15, 21, 23\},$
 $\{1, 4, 18, 20\}, \{0, 13, 18, 22\},$
 $\{0, 10, 17, 20\}, \{1, 11, 17, 22\}.$

· Type $3^3 7^1 8^1$: $\alpha = (1)$.

{0, 3, 6, 9},	{0, 4, 7, 11},	{0, 5, 8, 13},	{0, 10, 12, 16},	{0, 14, 18, 20},	{0, 15, 17, 22},
{0, 19, 21, 23},	{1, 3, 15, 19},	{2, 3, 12, 20},	{3, 11, 18, 22},	{3, 8, 14, 16},	{3, 7, 17, 21},
{3, 10, 13, 23},	{2, 4, 8, 19},	{1, 8, 12, 22},	{8, 10, 17, 20},	{8, 9, 18, 23},	{8, 11, 15, 21},
{10, 14, 19, 22},	{7, 9, 12, 19},	{5, 11, 16, 19},	{6, 13, 17, 19},	{9, 11, 13, 20},	{4, 9, 16, 22},
{2, 7, 13, 22},	{5, 6, 20, 22},	{1, 4, 20, 23},	{7, 15, 16, 20},	{5, 7, 14, 23},	{1, 7, 10, 18},
{1, 13, 16, 21},	{1, 5, 9, 17},	{1, 6, 11, 14},	{2, 11, 17, 23},	{6, 12, 15, 23},	{2, 5, 10, 15},
{2, 9, 14, 21},	{2, 6, 16, 18},	{4, 6, 10, 21},	{5, 12, 18, 21},	{4, 12, 14, 17},	{4, 13, 15, 18}.

· Type $3^3 6^1 9^1$: $\alpha = (0, 3, 6)(1, 4, 7)(2, 5, 8)(9, 11, 13)(10, 12, 14)(15, 18, 21)(16, 19, 22)(17, 20, 23)$.

{0, 3, 7, 9},	{1, 9, 13, 15},	{0, 11, 16, 20},	{2, 13, 17, 20},	{0, 12, 18, 23},	{0, 5, 10, 17},
{0, 15, 19, 21},	{0, 8, 14, 22},	{1, 5, 8, 21},	{2, 9, 12, 21},	{1, 14, 18, 20},	{1, 10, 12, 22},
{1, 4, 17, 19},	{2, 11, 19, 22}.				

· Type $3^3 5^1 10^1$: $\alpha = (1)$.

{0, 3, 6, 9},	{0, 4, 7, 11},	{0, 5, 8, 14},	{0, 10, 12, 16},	{0, 13, 15, 18},	{0, 17, 20, 22},
{0, 19, 21, 23},	{1, 3, 7, 12},	{2, 3, 15, 20},	{3, 8, 13, 23},	{3, 11, 17, 19},	{3, 10, 14, 21},
{3, 16, 18, 22},	{7, 10, 15, 17},	{2, 7, 13, 21},	{7, 14, 19, 22},	{7, 9, 16, 23},	{5, 7, 18, 20},
{4, 13, 14, 17},	{8, 12, 17, 21},	{1, 5, 9, 17},	{2, 6, 17, 23},	{5, 11, 15, 23},	{5, 6, 16, 21},
{2, 5, 12, 19},	{5, 10, 13, 22},	{9, 11, 18, 21},	{9, 12, 14, 20},	{1, 6, 14, 18},	{1, 4, 15, 21},
{1, 10, 20, 23},	{4, 6, 10, 19},	{4, 12, 18, 23},	{2, 8, 10, 18},	{2, 11, 14, 16},	{4, 8, 16, 20},
{2, 4, 9, 22},	{6, 12, 15, 22},	{1, 8, 11, 22},	{1, 13, 16, 19},	{6, 11, 13, 20},	{8, 9, 15, 19}.

· Type $3^3 4^1 11^1$: $\alpha = (1)$.

{0, 3, 6, 9},	{0, 4, 7, 11},	{0, 5, 8, 13},	{0, 10, 12, 15},	{0, 14, 17, 19},	{0, 16, 20, 22},
{0, 18, 21, 23},	{1, 3, 14, 21},	{4, 8, 10, 21},	{2, 12, 16, 21},	{5, 6, 19, 21},	{7, 9, 17, 21},
{11, 13, 15, 21},	{3, 11, 16, 19},	{8, 14, 16, 23},	{1, 5, 7, 16},	{4, 9, 16, 18},	{6, 10, 13, 16},
{1, 9, 13, 22},	{4, 12, 13, 19},	{1, 10, 19, 23},	{7, 15, 19, 22},	{2, 8, 9, 19},	{9, 11, 14, 20},
{5, 9, 15, 23},	{4, 6, 14, 22},	{5, 12, 14, 18},	{2, 7, 10, 14},	{5, 10, 17, 20},	{2, 5, 11, 22},
{6, 11, 17, 23},	{1, 8, 11, 18},	{1, 6, 12, 20},	{1, 4, 15, 17},	{2, 4, 20, 23},	{2, 6, 15, 18},
{2, 3, 13, 17},	{7, 13, 18, 20},	{3, 7, 12, 23},	{3, 10, 18, 22},	{3, 8, 15, 20},	{8, 12, 17, 22}.

· Type $3^3 4^1 5^1 6^1$: $\alpha = (1)$.

{0, 3, 6, 9},	{0, 4, 7, 11},	{0, 5, 8, 13},	{0, 10, 12, 15},	{0, 14, 16, 18},	{0, 17, 20, 22},
{0, 19, 21, 23},	{1, 3, 16, 21},	{6, 13, 15, 21},	{8, 11, 17, 21},	{4, 10, 14, 21},	{2, 9, 18, 21},
{5, 7, 12, 21},	{11, 15, 18, 20},	{5, 6, 18, 22},	{4, 8, 12, 18},	{1, 7, 17, 18},	{3, 10, 13, 18},
{2, 3, 11, 22},	{3, 7, 14, 20},	{3, 8, 15, 19},	{3, 12, 17, 23},	{7, 9, 15, 22},	{1, 5, 15, 23},
{2, 4, 15, 17},	{6, 10, 17, 19},	{5, 9, 14, 17},	{5, 11, 16, 19},	{2, 5, 10, 20},	{7, 10, 16, 23},
{2, 7, 13, 19},	{2, 6, 12, 16},	{2, 8, 14, 23},	{1, 8, 10, 22},	{8, 9, 16, 20},	{4, 13, 16, 22},
{4, 6, 20, 23},	{1, 4, 9, 19},	{1, 6, 11, 14},	{1, 12, 13, 20},	{9, 11, 13, 23},	{12, 14, 19, 22}.

· Type $3^3 5^3$: $\alpha = (0, 3, 6)(1, 4, 7)(2, 5, 8)(9, 14, 19)(10, 15, 20)(11, 16, 21)(12, 17, 22)(13, 18, 23)$.

{0, 3, 7, 9},	{1, 9, 11, 19},	{0, 12, 14, 17},	{9, 15, 18, 21},	{2, 5, 15, 19},	{2, 9, 17, 23},
{0, 10, 20, 22},	{0, 8, 15, 23},	{0, 11, 13, 18},	{0, 5, 16, 21},	{1, 8, 16, 22},	{1, 5, 12, 23},
{1, 10, 17, 21},	{1, 4, 18, 20}.				

· Type $3^3 4^2 7^1$: $\alpha = (1)$.

$\{0, 3, 6, 9\}, \quad \{0, 4, 7, 11\}, \quad \{0, 5, 8, 13\}, \quad \{0, 10, 12, 15\}, \quad \{0, 14, 16, 17\}, \quad \{0, 19, 21, 23\},$
 $\{0, 18, 20, 22\}, \quad \{1, 3, 14, 19\}, \quad \{5, 11, 14, 22\}, \quad \{7, 9, 14, 20\}, \quad \{2, 6, 14, 21\}, \quad \{4, 10, 14, 23\},$
 $\{8, 12, 14, 18\}, \quad \{3, 12, 13, 21\}, \quad \{3, 7, 16, 18\}, \quad \{2, 3, 10, 20\}, \quad \{3, 15, 17, 22\}, \quad \{3, 8, 11, 23\},$
 $\{1, 4, 8, 20\}, \quad \{8, 9, 15, 19\}, \quad \{8, 10, 17, 21\}, \quad \{2, 8, 16, 22\}, \quad \{1, 9, 13, 22\}, \quad \{7, 10, 19, 22\},$
 $\{4, 6, 12, 22\}, \quad \{4, 9, 16, 21\}, \quad \{6, 10, 13, 18\}, \quad \{1, 5, 10, 16\}, \quad \{6, 11, 16, 19\}, \quad \{1, 6, 15, 23\},$
 $\{5, 7, 15, 21\}, \quad \{1, 7, 12, 17\}, \quad \{2, 7, 13, 23\}, \quad \{2, 4, 15, 18\}, \quad \{4, 13, 17, 19\}, \quad \{11, 13, 15, 20\},$
 $\{1, 11, 18, 21\}, \quad \{2, 9, 11, 17\}, \quad \{2, 5, 12, 19\}, \quad \{5, 6, 17, 20\}, \quad \{5, 9, 18, 23\}, \quad \{12, 16, 20, 23\}.$

· Type $3^2 18^1$: $\alpha = (0, 1, 2)(3, 4, 5)(6, 12, 18)(7, 13, 19)(8, 14, 20)(9, 15, 21)(10, 16, 22)(11, 17, 23)$.

$\{0, 3, 6, 12\}, \quad \{0, 7, 18, 21\}, \quad \{3, 9, 16, 18\}, \quad \{6, 10, 16, 20\}, \quad \{6, 8, 11, 17\}, \quad \{6, 14, 19, 21\},$
 $\{0, 5, 8, 14\}, \quad \{3, 8, 21, 23\}, \quad \{0, 13, 20, 22\}, \quad \{0, 11, 16, 19\}, \quad \{0, 4, 10, 17\}, \quad \{3, 13, 17, 19\},$
 $\{0, 9, 15, 23\}, \quad \{3, 7, 10, 15\}.$

· Type $3^2 9^2$: $\alpha = (0, 1, 2)(3, 4, 5)(6, 9, 12)(7, 10, 13)(8, 11, 14)(15, 18, 21)(16, 19, 22)(17, 20, 23)$.

$\{0, 3, 6, 9\}, \quad \{0, 7, 12, 21\}, \quad \{3, 12, 15, 19\}, \quad \{6, 13, 17, 20\}, \quad \{6, 19, 21, 23\}, \quad \{6, 8, 11, 16\},$
 $\{0, 5, 17, 19\}, \quad \{0, 10, 16, 22\}, \quad \{3, 7, 14, 16\}, \quad \{3, 10, 13, 21\}, \quad \{0, 8, 13, 23\}, \quad \{3, 11, 18, 23\},$
 $\{0, 14, 15, 18\}, \quad \{0, 4, 11, 20\}.$

· Type $3^2 8^1 10^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \quad \{0, 4, 7, 10\}, \quad \{0, 5, 9, 12\}, \quad \{0, 11, 13, 14\}, \quad \{0, 16, 18, 20\}, \quad \{0, 15, 17, 22\},$
 $\{0, 19, 21, 23\}, \quad \{1, 3, 15, 19\}, \quad \{2, 3, 11, 16\}, \quad \{6, 9, 11, 19\}, \quad \{7, 11, 18, 22\}, \quad \{3, 9, 20, 22\},$
 $\{3, 7, 14, 21\}, \quad \{3, 12, 18, 23\}, \quad \{3, 10, 13, 17\}, \quad \{7, 13, 16, 19\}, \quad \{1, 7, 9, 23\}, \quad \{4, 9, 14, 16\},$
 $\{2, 9, 17, 21\}, \quad \{9, 13, 15, 18\}, \quad \{5, 7, 17, 20\}, \quad \{2, 7, 12, 15\}, \quad \{4, 11, 17, 23\}, \quad \{1, 8, 11, 20\},$
 $\{5, 11, 15, 21\}, \quad \{4, 6, 15, 20\}, \quad \{2, 13, 20, 23\}, \quad \{10, 12, 14, 20\}, \quad \{8, 10, 15, 23\}, \quad \{5, 6, 16, 23\},$
 $\{1, 6, 12, 17\}, \quad \{6, 10, 18, 21\}, \quad \{2, 6, 14, 22\}, \quad \{2, 5, 10, 19\}, \quad \{2, 4, 8, 18\}, \quad \{8, 12, 16, 21\},$
 $\{1, 10, 16, 22\}, \quad \{1, 4, 13, 21\}, \quad \{1, 5, 14, 18\}, \quad \{4, 12, 19, 22\}, \quad \{5, 8, 13, 22\}, \quad \{8, 14, 17, 19\}.$

· Type $3^2 7^1 11^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \quad \{1, 4, 6, 10\}, \quad \{2, 5, 6, 13\}, \quad \{6, 9, 11, 15\}, \quad \{6, 14, 17, 19\}, \quad \{6, 16, 20, 22\},$
 $\{6, 18, 21, 23\}, \quad \{0, 4, 11, 13\}, \quad \{3, 7, 11, 17\}, \quad \{1, 11, 19, 22\}, \quad \{2, 11, 14, 21\}, \quad \{8, 11, 16, 18\},$
 $\{5, 11, 20, 23\}, \quad \{8, 10, 14, 22\}, \quad \{5, 8, 12, 19\}, \quad \{4, 8, 17, 21\}, \quad \{2, 8, 15, 23\}, \quad \{1, 8, 13, 20\},$
 $\{1, 5, 15, 17\}, \quad \{12, 13, 17, 22\}, \quad \{2, 10, 17, 20\}, \quad \{0, 9, 17, 23\}, \quad \{2, 3, 9, 22\}, \quad \{2, 7, 12, 18\},$
 $\{2, 4, 16, 19\}, \quad \{1, 3, 14, 18\}, \quad \{3, 12, 15, 20\}, \quad \{4, 9, 18, 20\}, \quad \{4, 12, 14, 23\}, \quad \{0, 7, 14, 20\},$
 $\{0, 5, 18, 22\}, \quad \{1, 7, 16, 23\}, \quad \{1, 9, 12, 21\}, \quad \{5, 7, 10, 21\}, \quad \{5, 9, 14, 16\}, \quad \{0, 10, 12, 16\},$
 $\{0, 15, 19, 21\}, \quad \{7, 9, 13, 19\}, \quad \{3, 10, 19, 23\}, \quad \{3, 13, 16, 21\}, \quad \{4, 7, 15, 22\}, \quad \{10, 13, 15, 18\}.$

· Type $3^2 6^1 12^1$: $\alpha = (0, 1, 2)(3, 4, 5)(6, 8, 10)(7, 9, 11)(12, 16, 20)(13, 17, 21)(14, 18, 22)(15, 19, 23)$.

$\{0, 3, 12, 16\}, \quad \{0, 14, 17, 20\}, \quad \{6, 8, 12, 14\}, \quad \{6, 16, 21, 23\}, \quad \{7, 9, 20, 23\}, \quad \{3, 11, 18, 20\},$
 $\{0, 9, 18, 22\}, \quad \{3, 10, 14, 21\}, \quad \{3, 15, 19, 22\}, \quad \{0, 5, 6, 19\}, \quad \{3, 7, 13, 17\}, \quad \{0, 4, 8, 11\},$
 $\{0, 7, 15, 21\}, \quad \{0, 10, 13, 23\}.$

· Type $3^2 6^3$: $\alpha = (0, 1, 2)(3, 4, 5)(6, 12, 18)(7, 13, 19)(8, 14, 20)(9, 15, 21)(10, 16, 22)(11, 17, 23)$.

$\{0, 3, 6, 12\}, \{0, 7, 18, 21\}, \{6, 15, 17, 22\}, \{6, 16, 19, 21\}, \{6, 8, 10, 20\}, \{3, 8, 17, 18\},$
 $\{3, 9, 15, 23\}, \{0, 9, 14, 19\}, \{0, 5, 8, 15\}, \{3, 13, 16, 20\}, \{0, 11, 13, 22\}, \{0, 4, 10, 16\},$
 $\{0, 17, 20, 23\}, \{3, 7, 11, 19\}.$

· Type $3^2 5^1 6^1 7^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{0, 4, 7, 11\}, \{0, 5, 9, 13\}, \{0, 10, 12, 15\}, \{0, 14, 16, 17\}, \{0, 19, 21, 23\},$
 $\{0, 18, 20, 22\}, \{1, 4, 10, 13\}, \{2, 6, 13, 21\}, \{3, 13, 16, 18\}, \{11, 13, 20, 23\}, \{7, 13, 17, 19\},$
 $\{8, 13, 15, 22\}, \{4, 15, 18, 21\}, \{2, 3, 15, 23\}, \{7, 9, 15, 20\}, \{5, 11, 15, 17\}, \{1, 6, 15, 19\},$
 $\{6, 9, 11, 18\}, \{4, 6, 17, 22\}, \{5, 6, 14, 23\}, \{6, 12, 16, 20\}, \{2, 4, 14, 20\}, \{3, 10, 17, 20\},$
 $\{1, 5, 8, 20\}, \{2, 8, 12, 17\}, \{1, 9, 17, 21\}, \{1, 7, 16, 23\}, \{1, 12, 14, 18\}, \{1, 3, 11, 22\},$
 $\{2, 10, 11, 19\}, \{2, 5, 7, 18\}, \{2, 9, 16, 22\}, \{4, 8, 16, 19\}, \{4, 9, 12, 23\}, \{3, 9, 14, 19\},$
 $\{3, 7, 12, 21\}, \{7, 10, 14, 22\}, \{5, 10, 16, 21\}, \{5, 12, 19, 22\}, \{8, 10, 18, 23\}, \{8, 11, 14, 21\}.$

· Type $3^2 5^2 8^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{0, 4, 7, 11\}, \{0, 5, 9, 13\}, \{0, 10, 12, 16\}, \{0, 14, 18, 20\}, \{0, 15, 17, 22\},$
 $\{0, 19, 21, 23\}, \{1, 3, 15, 19\}, \{7, 9, 16, 19\}, \{3, 11, 14, 16\}, \{3, 9, 20, 23\}, \{3, 7, 12, 22\},$
 $\{2, 3, 17, 21\}, \{3, 10, 13, 18\}, \{1, 5, 7, 18\}, \{7, 10, 15, 21\}, \{7, 14, 17, 23\}, \{2, 7, 13, 20\},$
 $\{6, 9, 12, 17\}, \{2, 4, 9, 15\}, \{1, 9, 14, 22\}, \{9, 11, 18, 21\}, \{6, 13, 15, 23\}, \{8, 15, 16, 18\},$
 $\{5, 12, 15, 20\}, \{2, 12, 18, 23\}, \{4, 6, 18, 22\}, \{2, 5, 16, 22\}, \{2, 6, 11, 19\}, \{2, 8, 10, 14\},$
 $\{8, 13, 19, 22\}, \{1, 11, 13, 17\}, \{4, 13, 16, 21\}, \{1, 6, 16, 20\}, \{4, 8, 17, 20\}, \{4, 12, 14, 19\},$
 $\{1, 4, 10, 23\}, \{5, 8, 11, 23\}, \{1, 8, 12, 21\}, \{5, 6, 14, 21\}, \{5, 10, 17, 19\}, \{10, 11, 20, 22\}.$

· Type $3^2 5^1 13^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{0, 4, 7, 11\}, \{0, 5, 9, 13\}, \{0, 10, 12, 15\}, \{0, 14, 17, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 4, 8, 10\}, \{5, 8, 17, 23\}, \{2, 8, 14, 20\}, \{8, 12, 16, 21\}, \{8, 13, 18, 22\},$
 $\{8, 11, 15, 19\}, \{4, 12, 14, 22\}, \{4, 6, 16, 18\}, \{2, 4, 13, 19\}, \{4, 15, 17, 21\}, \{4, 9, 20, 23\},$
 $\{6, 13, 15, 23\}, \{2, 10, 16, 23\}, \{1, 3, 14, 23\}, \{7, 12, 19, 23\}, \{1, 5, 16, 19\}, \{6, 9, 19, 22\},$
 $\{3, 10, 19, 21\}, \{3, 7, 13, 16\}, \{9, 11, 14, 16\}, \{5, 6, 14, 21\}, \{7, 10, 14, 18\}, \{2, 7, 9, 21\},$
 $\{1, 11, 13, 21\}, \{10, 13, 17, 20\}, \{5, 10, 11, 22\}, \{3, 11, 18, 20\}, \{2, 6, 11, 17\}, \{3, 9, 12, 17\},$
 $\{1, 6, 12, 20\}, \{5, 7, 15, 20\}, \{2, 5, 12, 18\}, \{1, 7, 17, 22\}, \{1, 9, 15, 18\}, \{2, 3, 15, 22\}.$

· Type $3^2 4^3 6^1$: $\alpha = (0, 1, 2)(3, 4, 5)(6, 10, 14)(7, 11, 15)(8, 12, 16)(9, 13, 17)(18, 20, 22)(19, 21, 23)$.

$\{0, 3, 6, 10\}, \{6, 12, 16, 18\}, \{0, 11, 14, 18\}, \{6, 11, 13, 22\}, \{3, 17, 20, 22\}, \{0, 4, 12, 20\},$
 $\{0, 15, 19, 22\}, \{0, 7, 13, 16\}, \{3, 7, 15, 23\}, \{3, 9, 11, 16\}, \{0, 5, 8, 23\}, \{0, 9, 17, 21\},$
 $\{6, 8, 19, 21\}, \{3, 13, 14, 21\}.$

· Type $3^2 4^2 10^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 12\}, \{6, 11, 13, 14\}, \{6, 16, 18, 20\}, \{6, 15, 17, 22\},$
 $\{6, 19, 21, 23\}, \{2, 8, 10, 16\}, \{1, 8, 19, 22\}, \{8, 12, 14, 21\}, \{8, 11, 17, 23\}, \{4, 8, 15, 18\},$
 $\{5, 8, 13, 20\}, \{1, 3, 14, 17\}, \{1, 11, 15, 20\}, \{1, 7, 12, 18\}, \{1, 9, 13, 21\}, \{1, 5, 16, 23\},$
 $\{2, 13, 18, 23\}, \{3, 7, 13, 15\}, \{2, 9, 15, 19\}, \{2, 3, 11, 22\}, \{3, 10, 18, 21\}, \{3, 12, 16, 19\},$
 $\{3, 9, 20, 23\}, \{0, 5, 15, 21\}, \{10, 12, 15, 23\}, \{0, 4, 7, 23\}, \{5, 7, 11, 19\}, \{0, 9, 11, 18\},$
 $\{4, 11, 16, 21\}, \{0, 13, 16, 22\}, \{4, 13, 17, 19\}, \{2, 4, 14, 20\}, \{2, 7, 17, 21\}, \{5, 9, 10, 17\},$
 $\{5, 14, 18, 22\}, \{7, 9, 14, 16\}, \{0, 10, 14, 19\}, \{0, 12, 17, 20\}, \{4, 9, 12, 22\}, \{7, 10, 20, 22\}.$

· Type $3^2 4^2 5^2$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 12\}, \{6, 11, 13, 14\}, \{6, 16, 18, 19\}, \{6, 15, 21, 23\},$
 $\{6, 17, 20, 22\}, \{2, 8, 10, 16\}, \{4, 8, 14, 20\}, \{8, 11, 18, 23\}, \{8, 12, 19, 21\}, \{1, 8, 15, 22\},$
 $\{5, 8, 13, 17\}, \{1, 14, 17, 19\}, \{2, 3, 14, 21\}, \{2, 7, 17, 23\}, \{2, 11, 15, 20\}, \{2, 13, 18, 22\},$
 $\{2, 4, 9, 19\}, \{0, 4, 13, 23\}, \{4, 12, 15, 17\}, \{4, 7, 18, 21\}, \{4, 11, 16, 22\}, \{3, 9, 11, 17\},$
 $\{0, 10, 17, 21\}, \{1, 5, 11, 21\}, \{0, 7, 11, 19\}, \{3, 13, 15, 19\}, \{5, 10, 19, 22\}, \{3, 7, 12, 22\},$
 $\{0, 9, 14, 22\}, \{0, 5, 15, 18\}, \{0, 12, 16, 20\}, \{10, 12, 14, 23\}, \{1, 9, 12, 18\}, \{3, 10, 18, 20\},$
 $\{1, 3, 16, 23\}, \{1, 7, 13, 20\}, \{9, 13, 16, 21\}, \{5, 7, 14, 16\}, \{5, 9, 20, 23\}, \{7, 9, 10, 15\}.$

· Type $3^2 4^1 14^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 12\}, \{6, 11, 14, 16\}, \{6, 13, 15, 18\}, \{6, 17, 20, 22\},$
 $\{6, 19, 21, 23\}, \{1, 8, 11, 21\}, \{8, 12, 15, 20\}, \{4, 8, 18, 23\}, \{8, 14, 19, 22\}, \{2, 8, 13, 17\},$
 $\{5, 8, 10, 16\}, \{0, 7, 13, 21\}, \{5, 14, 18, 21\}, \{3, 10, 13, 22\}, \{2, 10, 15, 21\}, \{3, 9, 16, 21\},$
 $\{4, 12, 17, 21\}, \{1, 13, 16, 23\}, \{4, 11, 13, 19\}, \{5, 9, 13, 20\}, \{2, 3, 7, 19\}, \{0, 12, 16, 19\},$
 $\{9, 10, 17, 19\}, \{1, 5, 15, 19\}, \{0, 10, 14, 20\}, \{7, 10, 12, 18\}, \{1, 3, 18, 20\}, \{3, 12, 14, 23\},$
 $\{3, 11, 15, 17\}, \{0, 5, 17, 23\}, \{5, 7, 11, 22\}, \{4, 7, 16, 20\}, \{2, 4, 9, 14\}, \{0, 9, 11, 18\},$
 $\{0, 4, 15, 22\}, \{1, 7, 14, 17\}, \{1, 9, 12, 22\}, \{2, 11, 20, 23\}, \{2, 16, 18, 22\}, \{7, 9, 15, 23\}.$

· Type $3^2 4^1 5^1 9^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 12\}, \{6, 11, 13, 15\}, \{6, 14, 17, 19\}, \{6, 16, 20, 22\},$
 $\{6, 18, 21, 23\}, \{1, 8, 12, 18\}, \{2, 8, 14, 16\}, \{8, 11, 19, 23\}, \{4, 8, 15, 20\}, \{8, 10, 13, 21\},$
 $\{5, 8, 17, 22\}, \{1, 13, 19, 22\}, \{2, 15, 19, 21\}, \{3, 7, 12, 19\}, \{4, 9, 16, 19\}, \{0, 5, 10, 19\},$
 $\{10, 12, 16, 23\}, \{1, 3, 16, 21\}, \{0, 11, 16, 18\}, \{5, 7, 13, 16\}, \{5, 11, 14, 21\}, \{5, 9, 15, 18\},$
 $\{1, 5, 20, 23\}, \{1, 7, 14, 15\}, \{1, 9, 11, 17\}, \{0, 12, 15, 22\}, \{0, 7, 9, 21\}, \{0, 13, 17, 20\},$
 $\{0, 4, 14, 23\}, \{2, 4, 13, 18\}, \{4, 12, 17, 21\}, \{3, 9, 13, 23\}, \{9, 12, 14, 20\}, \{2, 9, 10, 22\},$
 $\{3, 10, 15, 17\}, \{3, 14, 18, 22\}, \{2, 3, 11, 20\}, \{2, 7, 17, 23\}, \{4, 7, 11, 22\}, \{7, 10, 18, 20\}.$

· Type $3^2 4^1 6^1 8^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 12\}, \{6, 11, 14, 16\}, \{6, 13, 15, 18\}, \{6, 17, 20, 22\},$
 $\{6, 19, 21, 23\}, \{1, 8, 11, 21\}, \{8, 12, 15, 23\}, \{2, 8, 10, 17\}, \{5, 8, 14, 18\}, \{4, 8, 16, 20\},$
 $\{8, 13, 19, 22\}, \{1, 5, 15, 20\}, \{1, 7, 13, 17\}, \{1, 3, 18, 23\}, \{1, 9, 14, 22\}, \{1, 12, 16, 19\},$
 $\{0, 5, 16, 22\}, \{10, 12, 18, 22\}, \{3, 7, 11, 22\}, \{2, 4, 15, 22\}, \{2, 3, 9, 19\}, \{3, 15, 17, 21\},$
 $\{3, 12, 14, 20\}, \{3, 10, 13, 16\}, \{7, 9, 15, 16\}, \{0, 11, 15, 19\}, \{4, 14, 17, 19\}, \{2, 16, 18, 21\},$
 $\{2, 7, 14, 23\}, \{2, 11, 13, 20\}, \{4, 9, 11, 18\}, \{0, 10, 14, 21\}, \{0, 7, 18, 20\}, \{0, 9, 12, 17\},$
 $\{0, 4, 13, 23\}, \{5, 9, 13, 21\}, \{5, 7, 10, 19\}, \{4, 7, 12, 21\}, \{5, 11, 17, 23\}, \{9, 10, 20, 23\}.$

· Type $3^2 4^1 7^1 7^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 12\}, \{6, 11, 14, 16\}, \{6, 13, 15, 17\}, \{6, 19, 21, 23\},$
 $\{6, 18, 20, 22\}, \{2, 8, 10, 17\}, \{8, 12, 14, 18\}, \{5, 8, 16, 21\}, \{8, 11, 19, 22\}, \{1, 8, 15, 23\},$
 $\{4, 8, 13, 20\}, \{2, 3, 7, 19\}, \{2, 9, 16, 22\}, \{2, 11, 15, 20\}, \{2, 13, 18, 23\}, \{2, 4, 14, 21\},$
 $\{1, 13, 16, 19\}, \{0, 4, 16, 18\}, \{3, 16, 17, 20\}, \{7, 12, 16, 23\}, \{4, 9, 11, 23\}, \{3, 10, 14, 23\},$
 $\{0, 5, 20, 23\}, \{3, 11, 13, 21\}, \{0, 7, 11, 17\}, \{0, 9, 14, 19\}, \{0, 10, 13, 22\}, \{0, 12, 15, 21\},$
 $\{3, 9, 15, 18\}, \{1, 3, 12, 22\}, \{9, 10, 12, 20\}, \{1, 5, 11, 18\}, \{5, 14, 17, 22\}, \{1, 7, 14, 20\},$
 $\{1, 9, 17, 21\}, \{4, 7, 15, 22\}, \{5, 10, 15, 19\}, \{4, 12, 17, 19\}, \{5, 7, 9, 13\}, \{7, 10, 18, 21\}.$

· Type $3^1 21^1$: $\alpha = (0, 1, 2)(3, 10, 17)(4, 11, 18)(5, 12, 19)(6, 13, 20)(7, 14, 21)(8, 15, 22)(9, 16, 23)$.

$\{0, 3, 5, 10\}, \{3, 6, 8, 12\}, \{0, 8, 17, 23\}, \{3, 7, 14, 22\}, \{3, 13, 18, 20\}, \{3, 11, 16, 21\},$
 $\{0, 9, 13, 22\}, \{4, 12, 15, 22\}, \{0, 11, 15, 20\}, \{0, 4, 18, 21\}, \{4, 16, 19, 23\}, \{5, 7, 13, 16\},$
 $\{0, 7, 12, 19\}, \{0, 6, 14, 16\}.$

· Type $3^1 10^1 11^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\},$	$\{1, 5, 9, 11\},$	$\{2, 5, 8, 13\},$	$\{5, 10, 12, 15\},$	$\{5, 14, 17, 19\},$	$\{5, 16, 20, 22\},$
$\{5, 18, 21, 23\},$	$\{2, 3, 9, 14\},$	$\{2, 6, 15, 18\},$	$\{2, 10, 19, 22\},$	$\{2, 12, 16, 21\},$	$\{2, 4, 17, 23\},$
$\{2, 7, 11, 20\},$	$\{7, 9, 19, 23\},$	$\{4, 6, 9, 16\},$	$\{9, 13, 15, 21\},$	$\{7, 15, 17, 22\},$	$\{9, 12, 17, 20\},$
$\{0, 9, 18, 22\},$	$\{1, 4, 7, 21\},$	$\{7, 12, 14, 18\},$	$\{7, 10, 13, 16\},$	$\{0, 6, 12, 23\},$	$\{1, 8, 12, 22\},$
$\{4, 12, 13, 19\},$	$\{4, 11, 14, 22\},$	$\{0, 11, 13, 17\},$	$\{3, 6, 13, 22\},$	$\{1, 13, 18, 20\},$	$\{4, 8, 10, 18\},$
$\{0, 4, 15, 20\},$	$\{0, 10, 14, 21\},$	$\{0, 8, 16, 19\},$	$\{1, 14, 16, 23\},$	$\{3, 10, 20, 23\},$	$\{3, 8, 17, 21\},$
$\{8, 11, 15, 23\},$	$\{6, 11, 19, 21\},$	$\{1, 3, 15, 19\},$	$\{1, 6, 10, 17\},$	$\{3, 11, 16, 18\},$	$\{6, 8, 14, 20\}.$

· Type $3^1 7^1 14^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\},$	$\{1, 5, 8, 10\},$	$\{2, 5, 9, 12\},$	$\{5, 11, 14, 16\},$	$\{5, 13, 15, 18\},$	$\{5, 17, 20, 22\},$
$\{5, 19, 21, 23\},$	$\{0, 4, 15, 20\},$	$\{0, 12, 14, 23\},$	$\{10, 12, 16, 20\},$	$\{7, 14, 18, 20\},$	$\{1, 9, 20, 23\},$
$\{2, 11, 13, 20\},$	$\{3, 6, 8, 20\},$	$\{3, 11, 17, 23\},$	$\{2, 6, 15, 23\},$	$\{4, 7, 13, 23\},$	$\{8, 16, 18, 23\},$
$\{0, 8, 13, 17\},$	$\{8, 11, 15, 21\},$	$\{4, 8, 12, 19\},$	$\{2, 8, 14, 22\},$	$\{3, 10, 14, 19\},$	$\{2, 3, 18, 21\},$
$\{2, 4, 10, 17\},$	$\{2, 7, 16, 19\},$	$\{1, 7, 11, 22\},$	$\{1, 6, 12, 18\},$	$\{1, 15, 17, 19\},$	$\{1, 4, 14, 21\},$
$\{1, 3, 13, 16\},$	$\{3, 12, 15, 22\},$	$\{7, 9, 10, 15\},$	$\{6, 9, 14, 17\},$	$\{4, 6, 16, 22\},$	$\{4, 9, 11, 18\},$
$\{0, 6, 11, 19\},$	$\{0, 10, 18, 22\},$	$\{0, 9, 16, 21\},$	$\{6, 10, 13, 21\},$	$\{7, 12, 17, 21\},$	$\{9, 13, 19, 22\}.$

· Type $3^1 6^1 7^1 8^1$: $\alpha = (1)$.

$\{0, 3, 6, 9\},$	$\{0, 4, 7, 11\},$	$\{0, 5, 8, 13\},$	$\{0, 10, 12, 16\},$	$\{0, 14, 18, 20\},$	$\{0, 15, 17, 22\},$
$\{0, 19, 21, 23\},$	$\{1, 4, 15, 19\},$	$\{2, 6, 11, 19\},$	$\{8, 10, 19, 22\},$	$\{7, 9, 13, 19\},$	$\{5, 14, 16, 19\},$
$\{3, 12, 17, 19\},$	$\{3, 11, 14, 23\},$	$\{6, 12, 14, 22\},$	$\{7, 10, 14, 21\},$	$\{1, 8, 9, 14\},$	$\{2, 4, 14, 17\},$
$\{5, 7, 17, 20\},$	$\{9, 11, 17, 21\},$	$\{6, 8, 17, 23\},$	$\{1, 10, 13, 17\},$	$\{1, 6, 16, 20\},$	$\{6, 10, 15, 18\},$
$\{4, 6, 13, 21\},$	$\{4, 10, 20, 23\},$	$\{2, 3, 5, 10\},$	$\{3, 13, 20, 22\},$	$\{2, 9, 12, 20\},$	$\{4, 8, 12, 18\},$
$\{4, 9, 16, 22\},$	$\{5, 9, 18, 23\},$	$\{1, 5, 11, 22\},$	$\{1, 7, 12, 23\},$	$\{1, 3, 18, 21\},$	$\{3, 7, 15, 16\},$
$\{2, 7, 18, 22\},$	$\{11, 13, 16, 18\},$	$\{2, 13, 15, 23\},$	$\{2, 8, 16, 21\},$	$\{5, 12, 15, 21\},$	$\{8, 11, 15, 20\}.$

· Type $3^1 9^1 12^1$: $\alpha = (0, 1, 2)(3, 6, 9)(4, 7, 10)(5, 8, 11)(12, 16, 20)(13, 17, 21)(14, 18, 22)(15, 19, 23)$.

$\{0, 3, 5, 9\},$	$\{0, 6, 13, 16\},$	$\{3, 10, 16, 18\},$	$\{3, 14, 20, 23\},$	$\{0, 10, 12, 20\},$	$\{3, 7, 15, 19\},$
$\{3, 13, 17, 22\},$	$\{5, 8, 12, 22\},$	$\{5, 16, 21, 23\},$	$\{0, 4, 14, 18\},$	$\{0, 8, 19, 21\},$	$\{0, 7, 17, 23\},$
$\{0, 11, 15, 22\},$	$\{4, 7, 11, 21\}.$				

· Type $3^1 8^1 13^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\},$	$\{1, 5, 9, 11\},$	$\{2, 5, 8, 13\},$	$\{5, 10, 12, 15\},$	$\{5, 14, 17, 19\},$	$\{5, 16, 20, 22\},$
$\{5, 18, 21, 23\},$	$\{2, 3, 6, 11\},$	$\{3, 8, 17, 21\},$	$\{3, 12, 19, 22\},$	$\{1, 3, 14, 16\},$	$\{3, 9, 13, 18\},$
$\{3, 15, 20, 23\},$	$\{2, 4, 15, 19\},$	$\{2, 7, 18, 22\},$	$\{2, 10, 17, 23\},$	$\{2, 9, 14, 20\},$	$\{2, 12, 16, 21\},$
$\{1, 8, 15, 18\},$	$\{7, 11, 15, 17\},$	$\{0, 9, 15, 22\},$	$\{6, 13, 15, 21\},$	$\{7, 9, 19, 21\},$	$\{1, 4, 10, 21\},$
$\{0, 11, 14, 21\},$	$\{1, 13, 19, 23\},$	$\{1, 6, 17, 22\},$	$\{1, 7, 12, 20\},$	$\{4, 7, 14, 23\},$	$\{7, 10, 13, 16\},$
$\{4, 11, 13, 22\},$	$\{10, 11, 18, 20\},$	$\{8, 11, 16, 19\},$	$\{0, 6, 10, 19\},$	$\{6, 9, 16, 23\},$	$\{0, 13, 17, 20\},$
$\{4, 9, 12, 17\},$	$\{0, 8, 12, 23\},$	$\{8, 10, 14, 22\},$	$\{0, 4, 16, 18\},$	$\{4, 6, 8, 20\},$	$\{6, 12, 14, 18\}.$

· Type $3^1 7^3$: $\alpha = (0, 1, 2)(3, 10, 17)(4, 11, 18)(5, 12, 19)(6, 13, 20)(7, 14, 21)(8, 15, 22)(9, 16, 23)$.

$\{0, 3, 5, 10\},$	$\{3, 6, 8, 12\},$	$\{0, 8, 11, 17\},$	$\{3, 7, 11, 22\},$	$\{3, 13, 16, 20\},$	$\{3, 14, 21, 23\},$
$\{0, 13, 18, 22\},$	$\{5, 8, 15, 23\},$	$\{0, 7, 15, 20\},$	$\{4, 6, 16, 18\},$	$\{0, 6, 19, 21\},$	$\{0, 12, 16, 23\},$
$\{4, 7, 12, 19\},$	$\{0, 4, 9, 14\}.$				

· Type $3^1 6^1 15^1$: $\alpha = (0, 1, 2)(3, 5, 7)(4, 6, 8)(9, 14, 19)(10, 15, 20)(11, 16, 21)(12, 17, 22)(13, 18, 23)$.

$\{0, 3, 9, 14\}, \{3, 6, 10, 19\}, \{0, 8, 12, 19\}, \{9, 12, 20, 22\}, \{4, 11, 19, 21\}, \{9, 13, 18, 21\},$
 $\{4, 6, 13, 15\}, \{0, 4, 18, 22\}, \{0, 6, 17, 21\}, \{0, 7, 15, 23\}, \{0, 10, 16, 20\}, \{0, 5, 11, 13\},$
 $\{3, 5, 16, 22\}, \{3, 12, 15, 18\}.$

· Type $3^1 6^2 9^1$: $\alpha = (0, 1, 2)(3, 5, 7)(4, 6, 8)(9, 11, 13)(10, 12, 14)(15, 18, 21)(16, 19, 22)(17, 20, 23)$.

$\{0, 3, 15, 18\}, \{3, 6, 9, 21\}, \{4, 11, 16, 21\}, \{9, 12, 15, 17\}, \{4, 14, 15, 22\}, \{0, 14, 17, 21\},$
 $\{0, 4, 8, 10\}, \{4, 17, 19, 23\}, \{0, 6, 11, 23\}, \{3, 5, 13, 20\}, \{0, 7, 12, 20\}, \{3, 10, 12, 22\},$
 $\{0, 5, 19, 22\}, \{0, 9, 13, 16\}.$

· Type $3^1 5^3 6^1$: $\alpha = (0, 1, 2)(3, 8, 13)(4, 9, 14)(5, 10, 15)(6, 11, 16)(7, 12, 17)(18, 20, 22)(19, 21, 23)$.

$\{0, 3, 5, 8\}, \{3, 6, 10, 18\}, \{3, 9, 20, 23\}, \{3, 11, 17, 22\}, \{3, 12, 14, 21\}, \{0, 11, 13, 23\},$
 $\{4, 6, 11, 19\}, \{0, 6, 9, 22\}, \{0, 10, 12, 16\}, \{0, 17, 18, 20\}, \{0, 15, 19, 21\}, \{0, 4, 7, 14\},$
 $\{4, 10, 15, 22\}, \{5, 12, 17, 19\}.$

· Type $3^1 5^2 11^1$: $\alpha = (1)$.

$\{0, 3, 5, 8\}, \{1, 3, 9, 11\}, \{2, 3, 8, 13\}, \{3, 10, 12, 15\}, \{3, 14, 17, 20\}, \{3, 16, 20, 23\},$
 $\{3, 19, 21, 23\}, \{2, 5, 9, 13\}, \{5, 12, 13, 20\}, \{5, 8, 14, 16\}, \{5, 10, 18, 21\}, \{5, 10, 15, 21\},$
 $\{1, 5, 20, 22\}, \{1, 7, 14, 19\}, \{1, 13, 18, 21\}, \{1, 4, 12, 17\}, \{1, 6, 16, 22\}, \{1, 7, 18, 22\},$
 $\{0, 12, 16, 19\}, \{6, 10, 15, 22\}, \{2, 7, 12, 19\}, \{8, 11, 13, 21\}, \{6, 10, 12, 17\}, \{2, 15, 18, 20\},$
 $\{0, 9, 16, 18\}, \{4, 9, 16, 18\}, \{9, 13, 16, 20\}, \{0, 11, 14, 23\}, \{7, 9, 20, 23\}, \{7, 10, 14, 17\},$
 $\{4, 14, 17, 20\}, \{4, 10, 13, 22\}, \{2, 11, 16, 22\}, \{8, 10, 18, 21\}, \{0, 4, 8, 19\}, \{0, 6, 11, 23\},$
 $\{0, 12, 21, 23\}, \{2, 4, 6, 18\}, \{4, 7, 11, 21\}, \{2, 10, 19, 23\}, \{6, 8, 14, 17\}, \{6, 13, 16, 21\}.$

· Type $3^1 5^1 16^1$: $\alpha = (1)$.

$\{0, 3, 5, 8\}, \{0, 4, 6, 10\}, \{0, 7, 9, 12\}, \{0, 11, 14, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{1, 3, 15, 20\}, \{2, 12, 15, 23\}, \{6, 8, 15, 19\}, \{7, 10, 15, 17\}, \{4, 11, 15, 22\},$
 $\{5, 9, 15, 21\}, \{1, 5, 13, 17\}, \{2, 5, 11, 20\}, \{5, 7, 14, 23\}, \{5, 10, 18, 22\}, \{5, 12, 16, 19\},$
 $\{2, 10, 13, 19\}, \{1, 7, 11, 19\}, \{4, 9, 17, 19\}, \{3, 14, 19, 22\}, \{1, 6, 12, 22\}, \{2, 9, 16, 22\},$
 $\{7, 8, 13, 22\}, \{1, 9, 18, 23\}, \{6, 9, 14, 20\}, \{3, 9, 11, 13\}, \{6, 11, 17, 23\}, \{8, 11, 18, 21\},$
 $\{3, 10, 16, 23\}, \{3, 12, 17, 21\}, \{6, 13, 16, 21\}, \{4, 13, 20, 23\}, \{7, 16, 18, 20\}, \{1, 4, 8, 16\},$
 $\{1, 10, 14, 21\}, \{4, 12, 14, 18\}, \{2, 3, 6, 18\}, \{2, 4, 7, 21\}, \{2, 8, 14, 17\}, \{8, 10, 12, 20\}.$

· Type $3^1 5^1 8^1 8^1$: $\alpha = (1)$.

$\{0, 3, 5, 8\}, \{0, 4, 6, 10\}, \{0, 7, 9, 12\}, \{0, 11, 14, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{1, 4, 8, 12\}, \{2, 4, 14, 19\}, \{4, 7, 18, 22\}, \{4, 9, 16, 21\}, \{4, 11, 13, 20\},$
 $\{4, 15, 17, 23\}, \{3, 6, 14, 22\}, \{8, 13, 16, 22\}, \{8, 11, 17, 19\}, \{6, 8, 18, 20\}, \{7, 8, 14, 21\},$
 $\{2, 8, 10, 23\}, \{1, 6, 13, 23\}, \{5, 7, 11, 23\}, \{7, 10, 13, 17\}, \{3, 9, 13, 19\}, \{2, 5, 13, 21\},$
 $\{3, 12, 20, 23\}, \{1, 3, 17, 21\}, \{6, 7, 11, 15, 21\}, \{2, 3, 11, 18\}, \{3, 10, 15, 16\}, \{1, 9, 11, 22\},$
 $\{2, 12, 15, 22\}, \{2, 7, 16, 20\}, \{1, 7, 15, 19\}, \{1, 5, 16, 18\}, \{1, 10, 14, 20\}, \{2, 6, 9, 17\},$
 $\{5, 12, 14, 17\}, \{5, 10, 19, 22\}, \{5, 9, 15, 20\}, \{6, 12, 16, 19\}, \{9, 14, 18, 23\}, \{10, 12, 18, 21\}.$

· Type $3^1 5^1 7^1 9^1$: $\alpha = (1)$.

$\{0, 3, 5, 8\}, \{0, 4, 6, 10\}, \{0, 7, 9, 12\}, \{0, 11, 13, 15\}, \{0, 14, 17, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 4, 8, 12\}, \{4, 14, 15, 22\}, \{4, 9, 18, 20\}, \{2, 4, 11, 17\}, \{4, 13, 16, 21\},$
 $\{4, 7, 19, 23\}, \{8, 11, 20, 23\}, \{8, 10, 16, 19\}, \{6, 8, 15, 21\}, \{7, 8, 17, 22\}, \{2, 8, 13, 18\},$
 $\{5, 7, 13, 20\}, \{7, 10, 15, 18\}, \{2, 7, 14, 16\}, \{1, 7, 11, 21\}, \{2, 3, 15, 20\}, \{5, 12, 15, 17\},$
 $\{1, 9, 15, 19\}, \{10, 12, 14, 20\}, \{1, 6, 17, 20\}, \{3, 10, 17, 21\}, \{9, 13, 17, 23\}, \{1, 10, 13, 22\},$
 $\{2, 5, 10, 23\}, \{2, 12, 19, 21\}, \{2, 6, 9, 22\}, \{3, 12, 18, 22\}, \{6, 12, 16, 23\}, \{6, 11, 14, 18\},$
 $\{1, 3, 14, 23\}, \{1, 5, 16, 18\}, \{3, 9, 11, 16\}, \{3, 6, 13, 19\}, \{5, 9, 14, 21\}, \{5, 11, 19, 22\}.$

· Type $3^1 5^1 6^1 10^1$: $\alpha = (1)$.

$\{0, 3, 8, 11\}, \{0, 5, 7, 9\}, \{0, 4, 6, 14\}, \{0, 10, 12, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{1, 5, 11, 13\}, \{3, 5, 16, 19\}, \{5, 8, 14, 22\}, \{2, 5, 18, 23\}, \{5, 10, 15, 20\},$
 $\{5, 12, 17, 21\}, \{8, 10, 17, 23\}, \{7, 13, 20, 23\}, \{9, 11, 16, 23\}, \{1, 4, 12, 23\}, \{3, 6, 15, 23\},$
 $\{4, 11, 18, 20\}, \{2, 6, 11, 17\}, \{7, 11, 14, 21\}, \{11, 15, 19, 22\}, \{1, 7, 17, 19\}, \{4, 9, 15, 17\},$
 $\{1, 8, 15, 21\}, \{2, 7, 12, 15\}, \{3, 13, 14, 17\}, \{7, 8, 16, 18\}, \{4, 7, 10, 22\}, \{2, 4, 8, 19\},$
 $\{4, 13, 16, 21\}, \{2, 3, 10, 21\}, \{2, 9, 13, 22\}, \{2, 14, 16, 20\}, \{1, 6, 16, 22\}, \{1, 3, 9, 20\},$
 $\{1, 10, 14, 18\}, \{9, 12, 14, 19\}, \{6, 9, 18, 21\}, \{3, 12, 18, 22\}, \{6, 8, 12, 20\}, \{6, 10, 13, 19\}.$

· Type $3^1 4^1 17^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \{0, 4, 6, 9\}, \{0, 7, 9, 12\}, \{0, 11, 14, 23\}, \{0, 12, 15, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 3, 15, 21\}, \{5, 7, 14, 21\}, \{10, 14, 17, 21\}, \{2, 6, 8, 20\}, \{4, 11, 16, 18\},$
 $\{8, 13, 19, 23\}, \{6, 12, 15, 21\}, \{5, 9, 17, 23\}, \{9, 19, 21, 23\}, \{2, 8, 15, 23\}, \{4, 7, 15, 22\},$
 $\{1, 8, 10, 13\}, \{4, 8, 17, 20\}, \{3, 7, 13, 20\}, \{9, 12, 18, 22\}, \{2, 5, 17, 20\}, \{2, 4, 12, 19\},$
 $\{1, 4, 13, 21\}, \{4, 9, 14, 21\}, \{2, 11, 13, 22\}, \{5, 13, 20, 22\}, \{5, 11, 14, 17\}, \{1, 5, 11, 15\},$
 $\{3, 9, 11, 17\}, \{1, 9, 16, 19\}, \{6, 7, 13, 15\}, \{6, 10, 13, 22\}, \{1, 6, 11, 19\}, \{1, 8, 11, 18\},$
 $\{3, 12, 18, 20\}, \{2, 7, 10, 16\}, \{2, 3, 14, 20\}, \{3, 10, 19, 21\}, \{6, 13, 19, 23\}, \{8, 10, 13, 16\}.$

· Type $3^1 4^4 5^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \{1, 3, 9, 11\}, \{2, 3, 8, 13\}, \{3, 10, 12, 15\}, \{3, 14, 17, 19\}, \{3, 16, 21, 23\},$
 $\{3, 18, 20, 22\}, \{2, 5, 9, 16\}, \{1, 5, 12, 19\}, \{5, 8, 14, 22\}, \{5, 10, 18, 23\}, \{5, 13, 17, 20\},$
 $\{5, 11, 15, 21\}, \{0, 8, 15, 17\}, \{1, 8, 20, 23\}, \{4, 8, 12, 16\}, \{8, 10, 19, 21\}, \{6, 8, 11, 18\},$
 $\{2, 10, 11, 20\}, \{4, 11, 17, 22\}, \{1, 6, 10, 17\}, \{0, 4, 10, 14\}, \{10, 13, 16, 22\}, \{1, 7, 15, 22\},$
 $\{1, 14, 16, 18\}, \{1, 4, 13, 21\}, \{2, 6, 12, 22\}, \{0, 9, 19, 22\}, \{0, 6, 16, 20\}, \{0, 11, 13, 23\},$
 $\{7, 11, 16, 19\}, \{7, 9, 13, 18\}, \{4, 9, 15, 20\}, \{2, 4, 18, 19\}, \{4, 6, 7, 23\}, \{6, 9, 14, 21\},$
 $\{9, 12, 17, 23\}, \{0, 12, 18, 21\}, \{2, 7, 17, 21\}, \{2, 14, 15, 23\}, \{6, 13, 15, 19\}, \{7, 12, 14, 20\}.$

· Type $3^1 4^3 9^1$: $\alpha = (0, 1, 2)(3, 7, 11)(4, 8, 12)(5, 9, 13)(6, 10, 14)(15, 18, 21)(16, 19, 22)(17, 20, 23)$.

$\{0, 3, 15, 18\}, \{3, 5, 8, 21\}, \{3, 7, 13, 20\}, \{0, 7, 14, 16\}, \{0, 8, 10, 11\}, \{3, 16, 19, 23\},$
 $\{0, 6, 12, 22\}, \{4, 8, 15, 22\}, \{0, 5, 9, 19\}, \{5, 14, 18, 22\}, \{0, 4, 17, 20\}, \{0, 13, 21, 23\},$
 $\{6, 10, 18, 23\}, \{4, 9, 14, 23\}.$

· Type $3^1 4^2 13^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \{1, 3, 9, 11\}, \{2, 3, 8, 13\}, \{3, 10, 12, 15\}, \{3, 14, 17, 19\}, \{3, 16, 20, 22\},$
 $\{3, 18, 21, 23\}, \{2, 5, 9, 14\}, \{5, 12, 17, 20\}, \{1, 5, 16, 23\}, \{5, 11, 15, 18\}, \{5, 13, 19, 21\},$
 $\{5, 8, 10, 22\}, \{1, 4, 7, 19\}, \{1, 8, 12, 21\}, \{1, 10, 14, 18\}, \{1, 6, 13, 20\}, \{1, 15, 17, 22\},$
 $\{4, 8, 16, 18\}, \{7, 9, 18, 20\}, \{0, 13, 18, 22\}, \{2, 6, 12, 18\}, \{7, 11, 13, 16\}, \{2, 10, 16, 21\},$
 $\{2, 7, 17, 23\}, \{2, 11, 19, 22\}, \{2, 4, 15, 20\}, \{9, 13, 15, 23\}, \{4, 10, 13, 17\}, \{7, 12, 14, 22\},$
 $\{6, 7, 15, 21\}, \{0, 8, 15, 19\}, \{6, 8, 11, 17\}, \{8, 14, 20, 23\}, \{0, 10, 11, 20\}, \{6, 10, 19, 23\},$
 $\{9, 12, 16, 19\}, \{0, 4, 12, 23\}, \{4, 11, 14, 21\}, \{0, 6, 14, 16\}, \{0, 9, 17, 21\}, \{4, 6, 9, 22\}.$

· Type $3^1 4^2 6^1 7^1$: $\alpha = (1)$.

$\{0, 3, 11, 14\}$,	$\{0, 5, 7, 9\}$,	$\{0, 4, 6, 17\}$,	$\{0, 8, 10, 19\}$,	$\{0, 12, 15, 22\}$,	$\{0, 13, 16, 21\}$,
$\{0, 18, 20, 23\}$,	$\{1, 4, 8, 11\}$,	$\{4, 7, 13, 20\}$,	$\{4, 9, 15, 19\}$,	$\{2, 4, 18, 22\}$,	$\{4, 14, 16, 23\}$,
$\{4, 10, 12, 21\}$,	$\{5, 11, 15, 18\}$,	$\{1, 10, 14, 18\}$,	$\{3, 8, 13, 18\}$,	$\{6, 9, 18, 21\}$,	$\{7, 12, 16, 18\}$,
$\{9, 14, 17, 20\}$,	$\{1, 9, 16, 22\}$,	$\{3, 9, 12, 23\}$,	$\{2, 9, 11, 13\}$,	$\{10, 11, 20, 22\}$,	$\{6, 7, 11, 23\}$,
$\{11, 17, 19, 21\}$,	$\{6, 10, 13, 15\}$,	$\{2, 5, 10, 23\}$,	$\{3, 10, 16, 17\}$,	$\{2, 6, 16, 19\}$,	$\{5, 8, 16, 20\}$,
$\{5, 13, 17, 22\}$,	$\{1, 6, 12, 20\}$,	$\{5, 12, 14, 19\}$,	$\{1, 3, 5, 21\}$,	$\{1, 13, 19, 23\}$,	$\{1, 7, 15, 17\}$,
$\{2, 3, 15, 20\}$,	$\{8, 15, 21, 23\}$,	$\{2, 7, 14, 21\}$,	$\{2, 8, 12, 17\}$,	$\{3, 7, 19, 22\}$,	$\{6, 8, 14, 22\}$.

· Type $3^1 4^2 5^1 8^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}$,	$\{1, 3, 9, 11\}$,	$\{2, 3, 8, 13\}$,	$\{3, 10, 12, 16\}$,	$\{3, 14, 18, 20\}$,	$\{3, 15, 17, 22\}$,
$\{3, 19, 21, 23\}$,	$\{2, 5, 9, 15\}$,	$\{1, 5, 12, 20\}$,	$\{5, 8, 18, 23\}$,	$\{5, 13, 16, 22\}$,	$\{5, 10, 17, 21\}$,
$\{5, 11, 14, 19\}$,	$\{2, 7, 17, 19\}$,	$\{1, 4, 6, 17\}$,	$\{0, 8, 12, 17\}$,	$\{9, 14, 17, 23\}$,	$\{11, 13, 17, 20\}$,
$\{1, 7, 13, 23\}$,	$\{4, 12, 15, 23\}$,	$\{6, 9, 12, 19\}$,	$\{2, 12, 18, 21\}$,	$\{7, 12, 14, 22\}$,	$\{1, 15, 16, 18\}$,
$\{1, 8, 14, 21\}$,	$\{1, 10, 19, 22\}$,	$\{0, 13, 15, 19\}$,	$\{4, 8, 16, 19\}$,	$\{6, 10, 13, 18\}$,	$\{6, 8, 11, 22\}$,
$\{8, 10, 15, 20\}$,	$\{6, 7, 15, 21\}$,	$\{0, 11, 16, 21\}$,	$\{4, 7, 11, 18\}$,	$\{0, 6, 20, 23\}$,	$\{7, 9, 16, 20\}$,
$\{2, 4, 20, 22\}$,	$\{2, 10, 11, 23\}$,	$\{0, 4, 10, 14\}$,	$\{0, 9, 18, 22\}$,	$\{2, 6, 14, 16\}$,	$\{4, 9, 13, 21\}$.

· Type $3^1 4^1 8^1 9^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}$,	$\{1, 3, 9, 11\}$,	$\{2, 3, 8, 13\}$,	$\{3, 10, 12, 15\}$,	$\{3, 14, 17, 19\}$,	$\{3, 16, 20, 22\}$,
$\{3, 18, 21, 23\}$,	$\{2, 5, 9, 15\}$,	$\{5, 11, 14, 22\}$,	$\{1, 5, 18, 20\}$,	$\{5, 10, 17, 23\}$,	$\{5, 13, 16, 21\}$,
$\{5, 8, 12, 19\}$,	$\{4, 10, 13, 20\}$,	$\{2, 6, 20, 23\}$,	$\{7, 11, 15, 20\}$,	$\{0, 8, 17, 20\}$,	$\{9, 12, 14, 20\}$,
$\{4, 6, 11, 17\}$,	$\{8, 11, 16, 18\}$,	$\{2, 11, 19, 21\}$,	$\{0, 11, 13, 23\}$,	$\{2, 12, 17, 22\}$,	$\{7, 9, 17, 21\}$,
$\{1, 13, 15, 17\}$,	$\{1, 8, 14, 23\}$,	$\{4, 8, 15, 21\}$,	$\{6, 8, 10, 22\}$,	$\{0, 10, 14, 21\}$,	$\{6, 14, 15, 18\}$,
$\{0, 15, 19, 22\}$,	$\{1, 4, 7, 22\}$,	$\{1, 10, 16, 19\}$,	$\{1, 6, 12, 21\}$,	$\{7, 12, 16, 23\}$,	$\{0, 4, 12, 18\}$,
$\{0, 6, 9, 16\}$,	$\{6, 7, 13, 19\}$,	$\{2, 4, 14, 16\}$,	$\{2, 7, 10, 18\}$,	$\{4, 9, 19, 23\}$,	$\{9, 13, 18, 22\}$.

· Type $3^1 4^1 7^1 10^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}$,	$\{1, 3, 9, 11\}$,	$\{2, 3, 8, 14\}$,	$\{3, 10, 12, 16\}$,	$\{3, 13, 15, 18\}$,	$\{3, 17, 20, 22\}$,
$\{3, 19, 21, 23\}$,	$\{2, 5, 9, 15\}$,	$\{5, 12, 18, 21\}$,	$\{2, 4, 12, 20\}$,	$\{2, 10, 13, 21\}$,	$\{2, 11, 17, 19\}$,
$\{2, 7, 18, 22\}$,	$\{2, 6, 16, 23\}$,	$\{1, 5, 13, 17\}$,	$\{5, 11, 20, 23\}$,	$\{5, 8, 10, 22\}$,	$\{5, 14, 16, 19\}$,
$\{4, 9, 13, 23\}$,	$\{1, 10, 18, 23\}$,	$\{7, 15, 17, 23\}$,	$\{0, 8, 12, 23\}$,	$\{4, 8, 17, 21\}$,	$\{0, 6, 10, 17\}$,
$\{9, 12, 14, 17\}$,	$\{4, 10, 15, 19\}$,	$\{7, 10, 14, 20\}$,	$\{0, 11, 15, 21\}$,	$\{1, 6, 14, 21\}$,	$\{6, 8, 13, 19\}$,
$\{6, 12, 15, 22\}$,	$\{0, 9, 19, 22\}$,	$\{0, 13, 16, 20\}$,	$\{0, 4, 14, 18\}$,	$\{1, 8, 15, 20\}$,	$\{1, 7, 12, 19\}$,
$\{1, 4, 16, 22\}$,	$\{4, 6, 7, 11\}$,	$\{6, 9, 18, 20\}$,	$\{7, 9, 16, 21\}$,	$\{8, 11, 16, 18\}$,	$\{11, 13, 14, 22\}$.

· Type $3^1 4^1 6^1 11^1$: $\alpha = (1)$.

$\{0, 3, 7, 10\}$,	$\{0, 5, 8, 11\}$,	$\{0, 4, 6, 13\}$,	$\{0, 9, 12, 15\}$,	$\{0, 14, 17, 19\}$,	$\{0, 16, 20, 22\}$,
$\{0, 18, 21, 23\}$,	$\{1, 3, 14, 21\}$,	$\{3, 9, 13, 16\}$,	$\{3, 11, 17, 22\}$,	$\{3, 15, 18, 20\}$,	$\{2, 3, 5, 23\}$,
$\{3, 8, 12, 19\}$,	$\{5, 12, 14, 22\}$,	$\{5, 10, 16, 18\}$,	$\{2, 12, 13, 18\}$,	$\{4, 8, 14, 18\}$,	$\{6, 10, 14, 20\}$,
$\{2, 7, 14, 16\}$,	$\{9, 11, 14, 23\}$,	$\{1, 6, 11, 18\}$,	$\{7, 9, 18, 22\}$,	$\{1, 8, 16, 23\}$,	$\{2, 8, 17, 20\}$,
$\{6, 8, 15, 22\}$,	$\{8, 10, 13, 21\}$,	$\{1, 13, 19, 22\}$,	$\{2, 4, 10, 22\}$,	$\{10, 15, 19, 23\}$,	$\{1, 10, 12, 17\}$,
$\{4, 12, 20, 23\}$,	$\{6, 12, 16, 21\}$,	$\{2, 6, 9, 19\}$,	$\{2, 11, 15, 21\}$,	$\{7, 11, 13, 20\}$,	$\{4, 11, 16, 19\}$,
$\{5, 7, 19, 21\}$,	$\{1, 5, 9, 20\}$,	$\{1, 4, 7, 15\}$,	$\{4, 9, 17, 21\}$,	$\{5, 13, 15, 17\}$,	$\{6, 7, 17, 23\}$.

· Type $3^1 4^1 5^1 12^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \{1, 3, 9, 11\}, \{2, 3, 8, 12\}, \{3, 10, 14, 16\}, \{3, 13, 15, 18\}, \{3, 17, 20, 22\},$
 $\{3, 19, 21, 23\}, \{2, 5, 9, 18\}, \{5, 8, 14, 22\}, \{5, 11, 13, 16\}, \{5, 10, 20, 23\}, \{1, 5, 17, 19\},$
 $\{5, 12, 15, 21\}, \{2, 7, 16, 22\}, \{2, 11, 15, 20\}, \{2, 4, 14, 19\}, \{2, 13, 17, 23\}, \{2, 6, 10, 21\},$
 $\{11, 12, 19, 22\}, \{6, 8, 16, 19\}, \{0, 9, 15, 19\}, \{7, 10, 13, 19\}, \{4, 9, 13, 22\}, \{9, 12, 16, 20\},$
 $\{0, 10, 18, 22\}, \{1, 6, 15, 22\}, \{0, 6, 13, 20\}, \{1, 8, 13, 21\}, \{1, 4, 10, 12\}, \{1, 16, 18, 23\},$
 $\{1, 7, 14, 20\}, \{0, 12, 14, 17\}, \{6, 7, 12, 18\}, \{4, 6, 11, 17\}, \{4, 8, 18, 20\}, \{0, 4, 16, 21\},$
 $\{0, 8, 11, 23\}, \{4, 7, 15, 23\}, \{6, 9, 14, 23\}, \{7, 9, 17, 21\}, \{8, 10, 15, 17\}, \{11, 14, 18, 21\}.$

· Type $3^1 4^1 5^1 6^2$: $\alpha = (1)$.

$\{0, 3, 12, 15\}, \{0, 5, 7, 9\}, \{0, 4, 6, 18\}, \{0, 8, 10, 20\}, \{0, 11, 13, 22\}, \{0, 14, 16, 19\},$
 $\{0, 17, 21, 23\}, \{1, 4, 8, 11\}, \{2, 5, 8, 23\}, \{3, 8, 14, 17\}, \{8, 13, 16, 18\}, \{6, 8, 12, 21\},$
 $\{8, 15, 19, 22\}, \{5, 11, 17, 19\}, \{5, 13, 15, 21\}, \{2, 6, 11, 15\}, \{3, 11, 18, 21\}, \{9, 11, 14, 23\},$
 $\{11, 12, 16, 20\}, \{1, 3, 5, 16\}, \{5, 14, 18, 20\}, \{5, 10, 12, 22\}, \{2, 7, 12, 14\}, \{4, 10, 14, 21\},$
 $\{1, 6, 14, 22\}, \{1, 7, 19, 21\}, \{1, 9, 12, 18\}, \{4, 12, 19, 23\}, \{2, 9, 16, 21\}, \{4, 7, 16, 22\},$
 $\{6, 10, 16, 23\}, \{6, 9, 13, 19\}, \{6, 7, 17, 20\}, \{7, 10, 15, 18\}, \{3, 7, 13, 23\}, \{1, 10, 13, 17\},$
 $\{1, 15, 20, 23\}, \{4, 9, 15, 17\}, \{2, 4, 13, 20\}, \{2, 17, 18, 22\}, \{2, 3, 10, 19\}, \{3, 9, 20, 22\}.$

· Type $3^1 4^1 5^2 7^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \{1, 3, 9, 11\}, \{2, 3, 8, 12\}, \{3, 10, 14, 16\}, \{3, 13, 15, 17\}, \{3, 19, 21, 23\},$
 $\{3, 18, 20, 22\}, \{2, 5, 9, 20\}, \{1, 5, 13, 23\}, \{5, 16, 19, 22\}, \{5, 10, 15, 21\}, \{5, 12, 14, 17\},$
 $\{5, 8, 11, 18\}, \{2, 4, 15, 19\}, \{6, 11, 17, 19\}, \{0, 8, 14, 19\}, \{7, 9, 13, 19\}, \{1, 10, 12, 19\},$
 $\{2, 7, 16, 17\}, \{2, 11, 14, 22\}, \{2, 6, 13, 21\}, \{2, 10, 18, 23\}, \{0, 4, 13, 18\}, \{8, 10, 13, 22\},$
 $\{11, 13, 16, 20\}, \{0, 10, 17, 20\}, \{4, 6, 7, 10\}, \{4, 11, 12, 21\}, \{4, 9, 17, 22\}, \{1, 8, 17, 21\},$
 $\{4, 8, 16, 23\}, \{1, 4, 14, 20\}, \{6, 9, 14, 23\}, \{1, 6, 16, 18\}, \{1, 7, 15, 22\}, \{7, 14, 18, 21\},$
 $\{0, 11, 15, 23\}, \{0, 6, 12, 22\}, \{6, 8, 15, 20\}, \{0, 9, 16, 21\}, \{7, 12, 20, 23\}, \{9, 12, 15, 18\}.$

· Type $4^4 8^1$: $\alpha = (0, 4, 8, 12)(1, 5, 9, 13)(2, 6, 10, 14)(3, 7, 11, 15)(16, 18, 20, 22)(17, 19, 21, 23)$.

$\{0, 5, 8, 13\}^*, \{2, 10, 16, 20\}^*, \{3, 11, 17, 21\}^*, \{0, 7, 10, 17\}, \{1, 6, 10, 15\}, \{0, 2, 4, 22\},$
 $\{1, 14, 16, 21\}, \{0, 6, 19, 21\}, \{0, 9, 11, 23\}, \{0, 15, 16, 18\}, \{1, 7, 11, 18\}, \{1, 5, 17, 22\}.$

· Type $4^3 12^1$: $\alpha = (0, 4, 8)(1, 5, 9)(2, 6, 10)(3, 7, 11)(12, 16, 20)(13, 17, 21)(14, 18, 22)(15, 19, 23)$.

$\{0, 2, 4, 9\}, \{2, 6, 12, 14\}, \{0, 6, 13, 20\}, \{2, 11, 13, 18\}, \{2, 7, 15, 19\}, \{1, 10, 13, 19\},$
 $\{0, 17, 19, 21\}, \{0, 14, 16, 23\}, \{0, 11, 12, 15\}, \{0, 7, 18, 22\}, \{1, 5, 15, 22\}, \{1, 14, 17, 20\},$
 $\{1, 3, 11, 21\}, \{1, 7, 12, 16\}.$

· Type $4^3 6^2$: $\alpha = (0, 4, 8)(1, 5, 9)(2, 6, 10)(3, 7, 11)(12, 14, 16)(13, 15, 17)(18, 20, 22)(19, 21, 23)$.

$\{0, 2, 4, 9\}, \{2, 6, 12, 18\}, \{0, 6, 16, 21\}, \{0, 14, 17, 23\}, \{0, 7, 12, 20\}, \{0, 11, 15, 19\},$
 $\{0, 13, 18, 22\}, \{1, 7, 14, 16\}, \{1, 12, 19, 22\}, \{1, 10, 17, 18\}, \{2, 7, 15, 17\}, \{1, 5, 15, 23\},$
 $\{2, 11, 21, 23\}, \{1, 3, 11, 20\}.$

· Type $4^3 5^1 7^1$: $\alpha = (1)$.

$\{0, 2, 17, 20\}, \{0, 4, 6, 22\}, \{0, 5, 7, 8\}, \{0, 10, 12, 14\}, \{0, 9, 11, 15\}, \{0, 13, 16, 18\},$
 $\{0, 19, 21, 23\}, \{2, 4, 8, 10\}, \{2, 9, 13, 21\}, \{2, 6, 16, 23\}, \{2, 5, 14, 18\}, \{2, 11, 19, 22\},$
 $\{2, 7, 12, 15\}, \{1, 8, 15, 23\}, \{6, 8, 13, 20\}, \{8, 12, 18, 22\}, \{8, 14, 17, 19\}, \{3, 8, 16, 21\},$
 $\{6, 11, 14, 21\}, \{7, 10, 18, 21\}, \{5, 15, 17, 21\}, \{1, 4, 12, 21\}, \{3, 6, 15, 18\}, \{10, 15, 20, 22\},$
 $\{4, 13, 15, 19\}, \{1, 9, 18, 20\}, \{4, 11, 18, 23\}, \{1, 6, 10, 17\}, \{6, 9, 12, 19\}, \{3, 11, 12, 17\},$
 $\{5, 12, 20, 23\}, \{7, 11, 16, 20\}, \{1, 5, 11, 13\}, \{5, 10, 16, 19\}, \{1, 14, 16, 22\}, \{1, 3, 7, 19\},$
 $\{3, 5, 9, 22\}, \{3, 10, 13, 23\}, \{3, 4, 14, 20\}, \{4, 9, 16, 17\}, \{7, 9, 14, 23\}, \{7, 13, 17, 22\}.$

· Type $4^2 16^1$: $\alpha = (0, 1, 2, 3)(4, 5, 6, 7)(8, 12, 16, 20)(9, 13, 17, 21)(10, 14, 18, 22)(11, 15, 19, 23)$.

$\{0, 2, 8, 16\}^*, \{4, 6, 10, 18\}^*, \{9, 11, 17, 19\}^*, \{8, 11, 14, 20\}, \{0, 5, 9, 12\}, \{4, 9, 14, 16\},$
 $\{4, 12, 17, 23\}, \{0, 4, 20, 22\}, \{0, 10, 13, 17\}, \{0, 7, 11, 15\}, \{0, 14, 18, 23\}, \{0, 6, 19, 21\}.$

· Type $4^2 7^1 9^1$: $\alpha = (1)$.

$\{0, 2, 8, 11\}, \{0, 4, 6, 13\}, \{0, 5, 7, 15\}, \{0, 9, 12, 17\}, \{0, 10, 14, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{2, 4, 9, 15\}, \{2, 5, 18, 22\}, \{2, 13, 17, 19\}, \{2, 7, 14, 20\}, \{2, 12, 16, 21\},$
 $\{2, 6, 10, 23\}, \{4, 10, 17, 21\}, \{7, 11, 17, 22\}, \{1, 9, 19, 22\}, \{3, 4, 8, 22\}, \{10, 13, 15, 22\},$
 $\{6, 12, 14, 22\}, \{4, 11, 16, 19\}, \{1, 4, 14, 18\}, \{4, 12, 20, 23\}, \{3, 14, 15, 17\}, \{6, 8, 17, 20\},$
 $\{1, 5, 17, 23\}, \{6, 15, 19, 21\}, \{8, 12, 15, 18\}, \{1, 11, 15, 20\}, \{1, 3, 6, 16\}, \{1, 7, 10, 12\},$
 $\{1, 8, 13, 21\}, \{5, 8, 10, 16\}, \{3, 10, 18, 20\}, \{5, 9, 13, 20\}, \{5, 11, 14, 21\}, \{3, 5, 12, 19\},$
 $\{7, 8, 19, 23\}, \{7, 13, 16, 18\}, \{3, 7, 9, 21\}, \{3, 11, 13, 23\}, \{6, 9, 11, 18\}, \{9, 14, 16, 23\}.$

· Type $4^2 5^2 6^1$: $\alpha = (1)$.

$\{0, 2, 18, 21\}, \{0, 4, 6, 8\}, \{0, 5, 7, 10\}, \{0, 9, 11, 13\}, \{0, 12, 15, 17\}, \{0, 14, 19, 22\},$
 $\{0, 16, 20, 23\}, \{2, 4, 9, 12\}, \{2, 8, 16, 19\}, \{2, 5, 11, 14\}, \{2, 7, 17, 20\}, \{2, 6, 15, 23\},$
 $\{2, 10, 13, 22\}, \{1, 6, 13, 21\}, \{6, 9, 17, 19\}, \{6, 11, 20, 22\}, \{3, 6, 10, 16\}, \{6, 12, 14, 18\},$
 $\{4, 13, 16, 18\}, \{1, 7, 11, 16\}, \{9, 14, 16, 21\}, \{5, 12, 16, 22\}, \{3, 7, 8, 14\}, \{7, 9, 18, 22\},$
 $\{7, 13, 15, 19\}, \{7, 12, 21, 23\}, \{3, 12, 13, 20\}, \{1, 10, 12, 19\}, \{5, 8, 13, 23\}, \{1, 3, 9, 23\},$
 $\{5, 9, 15, 20\}, \{1, 5, 17, 18\}, \{1, 8, 15, 22\}, \{1, 4, 14, 20\}, \{3, 5, 19, 21\}, \{4, 11, 19, 23\},$
 $\{3, 11, 15, 18\}, \{3, 4, 17, 22\}, \{4, 10, 15, 21\}, \{8, 11, 17, 21\}, \{8, 10, 18, 20\}, \{10, 14, 17, 23\}.$

· Type $4^2 5^1 11^1$: $\alpha = (1)$.

$\{0, 2, 13, 16\}, \{0, 4, 6, 18\}, \{0, 5, 7, 22\}, \{0, 8, 10, 20\}, \{0, 9, 11, 14\}, \{0, 12, 15, 17\},$
 $\{0, 19, 21, 23\}, \{2, 4, 8, 11\}, \{2, 5, 15, 21\}, \{2, 14, 18, 22\}, \{2, 10, 17, 19\}, \{2, 6, 12, 23\},$
 $\{2, 7, 9, 20\}, \{6, 10, 14, 21\}, \{10, 12, 13, 22\}, \{4, 10, 15, 23\}, \{1, 5, 10, 18\}, \{3, 7, 10, 16\},$
 $\{1, 7, 12, 14\}, \{7, 8, 18, 23\}, \{7, 11, 15, 19\}, \{7, 13, 17, 21\}, \{1, 8, 16, 21\}, \{3, 11, 18, 21\},$
 $\{4, 9, 12, 21\}, \{9, 13, 15, 18\}, \{12, 16, 18, 20\}, \{3, 5, 12, 19\}, \{5, 11, 13, 20\}, \{6, 11, 16, 22\},$
 $\{6, 8, 13, 19\}, \{1, 11, 17, 23\}, \{3, 14, 20, 23\}, \{5, 8, 14, 17\}, \{3, 8, 15, 22\}, \{1, 6, 15, 20\},$
 $\{1, 9, 19, 22\}, \{1, 3, 4, 13\}, \{3, 6, 9, 17\}, \{4, 14, 16, 19\}, \{4, 17, 20, 22\}, \{5, 9, 16, 23\}.$

· Type $4^2 8^2$: $\alpha = (0, 1, 2, 3)(4, 5, 6, 7)(8, 10, 12, 14)(9, 11, 13, 15)(16, 18, 20, 22)(17, 19, 21, 23)$.

$\{0, 2, 8, 12\}^*, \{4, 6, 16, 20\}^*, \{9, 13, 17, 21\}^*, \{4, 8, 10, 18\}, \{4, 9, 14, 19\}, \{0, 5, 14, 23\},$
 $\{0, 6, 19, 21\}, \{8, 13, 19, 22\}, \{0, 10, 17, 22\}, \{0, 4, 13, 15\}, \{0, 7, 9, 20\}, \{0, 11, 16, 18\}.$

· Type $4^2 6^1 10^1$: $\alpha = (1)$.

$\{0, 2, 8, 11\}, \{0, 4, 6, 9\}, \{0, 5, 7, 14\}, \{0, 10, 12, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{2, 4, 10, 13\}, \{2, 6, 14, 19\}, \{2, 12, 18, 22\}, \{2, 5, 16, 21\}, \{2, 9, 15, 20\},$
 $\{2, 7, 17, 23\}, \{6, 13, 16, 22\}, \{1, 9, 13, 23\}, \{7, 11, 13, 19\}, \{3, 5, 13, 20\}, \{13, 14, 17, 21\},$
 $\{5, 9, 11, 17\}, \{3, 9, 19, 22\}, \{7, 9, 12, 21\}, \{9, 14, 16, 18\}, \{1, 4, 16, 19\}, \{7, 8, 16, 20\},$
 $\{3, 11, 16, 23\}, \{1, 3, 7, 18\}, \{7, 10, 15, 22\}, \{1, 5, 8, 22\}, \{4, 11, 14, 22\}, \{5, 10, 18, 23\},$
 $\{5, 12, 15, 19\}, \{8, 10, 17, 19\}, \{3, 8, 12, 14\}, \{3, 4, 15, 17\}, \{1, 10, 14, 20\}, \{1, 6, 12, 17\},$
 $\{1, 11, 15, 21\}, \{6, 11, 18, 20\}, \{3, 6, 10, 21\}, \{4, 8, 18, 21\}, \{4, 12, 20, 23\}, \{6, 8, 15, 23\}$

· Type $4^1 20^1$: $\alpha = (0, 1, 2, 3)(4, 9, 14, 19)(5, 10, 15, 20)(6, 11, 16, 21)(7, 12, 17, 22)(8, 13, 18, 23)$.

$\{0, 2, 4, 14\}^*, \{5, 11, 15, 21\}^*, \{7, 12, 17, 22\}^*, \{8, 13, 18, 23\}^*, \{4, 6, 13, 19\}, \{0, 9, 12, 21\},$
 $\{4, 10, 17, 21\}, \{0, 6, 11, 23\}, \{0, 16, 18, 22\}, \{4, 8, 20, 22\}, \{0, 7, 10, 19\}, \{0, 13, 15, 20\},$
 $\{0, 5, 8, 17\}.$

· Type $4^1 10^2$: $\alpha = (1)$.

$\{0, 2, 4, 7\}, \{0, 5, 9, 11\}, \{0, 6, 8, 14\}, \{0, 10, 12, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{2, 6, 9, 13\}, \{2, 5, 16, 21\}, \{2, 12, 14, 19\}, \{2, 10, 15, 22\}, \{2, 8, 17, 23\},$
 $\{2, 11, 18, 20\}, \{6, 11, 16, 23\}, \{6, 12, 18, 22\}, \{1, 6, 15, 20\}, \{4, 6, 10, 19\}, \{3, 6, 17, 21\},$
 $\{4, 11, 15, 17\}, \{8, 12, 15, 21\}, \{3, 5, 15, 19\}, \{7, 9, 15, 23\}, \{1, 9, 12, 17\}, \{9, 16, 19, 22\},$
 $\{7, 13, 17, 19\}, \{5, 10, 14, 17\}, \{1, 8, 11, 19\}, \{5, 8, 13, 22\}, \{5, 7, 12, 20\}, \{1, 5, 18, 23\},$
 $\{3, 4, 12, 23\}, \{1, 4, 14, 22\}, \{3, 9, 14, 20\}, \{11, 13, 14, 21\}, \{1, 7, 10, 21\}, \{1, 3, 13, 16\},$
 $\{7, 14, 16, 18\}, \{4, 8, 16, 20\}, \{3, 7, 11, 22\}, \{3, 8, 10, 18\}, \{4, 9, 18, 21\}, \{10, 13, 20, 23\}.$

· Type $4^1 9^1 11^1$: $\alpha = (1)$.

$\{0, 2, 4, 7\}, \{0, 5, 9, 11\}, \{0, 6, 8, 13\}, \{0, 10, 12, 15\}, \{0, 14, 17, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{2, 6, 11, 14\}, \{2, 13, 15, 18\}, \{2, 9, 19, 22\}, \{2, 5, 16, 21\}, \{2, 8, 10, 20\},$
 $\{2, 12, 17, 23\}, \{6, 10, 18, 22\}, \{1, 6, 12, 21\}, \{3, 6, 16, 23\}, \{4, 6, 15, 19\}, \{6, 9, 17, 20\},$
 $\{7, 9, 15, 23\}, \{4, 9, 13, 21\}, \{3, 10, 14, 21\}, \{3, 9, 12, 18\}, \{1, 9, 14, 16\}, \{1, 4, 10, 17\},$
 $\{5, 10, 19, 23\}, \{7, 10, 13, 16\}, \{8, 12, 16, 19\}, \{4, 11, 16, 18\}, \{3, 4, 8, 22\}, \{4, 14, 20, 23\},$
 $\{1, 8, 11, 23\}, \{5, 8, 14, 18\}, \{8, 15, 17, 21\}, \{1, 7, 18, 20\}, \{1, 3, 13, 19\}, \{1, 5, 15, 22\},$
 $\{5, 12, 13, 20\}, \{3, 5, 7, 17\}, \{3, 11, 15, 20\}, \{7, 11, 19, 21\}, \{7, 12, 14, 22\}, \{11, 13, 17, 22\}.$

· Type $4^1 8^1 12^1$: $\alpha = (0, 1, 2, 3)(4, 6, 8, 10)(5, 7, 9, 11)(12, 15, 18, 21)(13, 16, 19, 22)(14, 17, 20, 23)$.

$\{0, 2, 4, 8\}^*, \{5, 9, 12, 18\}^*, \{14, 17, 20, 23\}^*, \{13, 16, 19, 22\}^*, \{0, 12, 15, 17\}, \{0, 5, 19, 21\},$
 $\{4, 6, 12, 20\}, \{4, 7, 13, 18\}, \{0, 6, 18, 22\}, \{4, 9, 14, 22\}, \{0, 10, 13, 20\}, \{0, 9, 11, 23\},$
 $\{0, 7, 14, 16\}.$

· Type $4^1 7^1 13^1$: $\alpha = (1)$.

$\{0, 2, 4, 7\}, \{0, 5, 9, 11\}, \{0, 6, 8, 13\}, \{0, 10, 12, 15\}, \{0, 14, 17, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{2, 6, 9, 15\}, \{2, 11, 17, 22\}, \{2, 13, 19, 23\}, \{2, 5, 12, 21\}, \{2, 10, 14, 20\},$
 $\{2, 8, 16, 18\}, \{5, 8, 14, 23\}, \{1, 7, 10, 23\}, \{4, 15, 20, 23\}, \{6, 12, 17, 23\}, \{3, 9, 16, 23\},$
 $\{1, 5, 13, 16\}, \{4, 12, 16, 19\}, \{7, 11, 14, 16\}, \{6, 10, 16, 21\}, \{3, 10, 13, 17\}, \{8, 10, 11, 19\},$
 $\{5, 10, 18, 22\}, \{5, 7, 17, 20\}, \{3, 5, 15, 19\}, \{1, 6, 19, 22\}, \{7, 9, 19, 21\}, \{1, 4, 9, 17\},$
 $\{8, 15, 17, 21\}, \{3, 4, 8, 22\}, \{4, 11, 13, 21\}, \{4, 6, 14, 18\}, \{3, 6, 11, 20\}, \{1, 11, 15, 18\},$
 $\{1, 8, 12, 20\}, \{1, 3, 14, 21\}, \{3, 7, 12, 18\}, \{7, 13, 15, 22\}, \{9, 12, 14, 22\}, \{9, 13, 18, 20\}.$

· Type $4^1 6^1 14^1$: $\alpha = (1)$.

{0, 2, 4, 7},	{0, 5, 8, 10},	{0, 6, 9, 12},	{0, 11, 14, 16},	{0, 13, 15, 18},	{0, 17, 20, 22},
{0, 19, 21, 23},	{2, 5, 11, 21},	{2, 6, 15, 20},	{2, 12, 17, 23},	{2, 8, 13, 22},	{2, 9, 14, 19},
{2, 10, 16, 18},	{1, 11, 15, 23},	{4, 8, 15, 17},	{3, 6, 8, 11},	{1, 8, 16, 19},	{8, 12, 18, 21},
{8, 14, 20, 23},	{4, 6, 16, 23},	{1, 6, 18, 22},	{3, 4, 14, 18},	{4, 11, 19, 22},	{4, 10, 12, 20},
{1, 4, 13, 21},	{6, 10, 13, 19},	{6, 14, 17, 21},	{7, 10, 14, 22},	{1, 5, 12, 14},	{3, 12, 16, 22},
{5, 9, 15, 22},	{3, 10, 15, 21},	{1, 9, 10, 17},	{1, 3, 7, 20},	{3, 5, 17, 19},	{3, 9, 13, 23},
{7, 11, 13, 17},	{5, 7, 18, 23},	{5, 13, 16, 20},	{7, 9, 16, 21},	{7, 12, 15, 19},	{9, 11, 18, 20}.

· Type $4^1 6^1 7^2$: $\alpha = (1)$.

{0, 2, 4, 7},	{0, 5, 8, 10},	{0, 6, 9, 12},	{0, 11, 14, 16},	{0, 13, 15, 17},	{0, 19, 21, 23},
{0, 18, 20, 22},	{2, 6, 10, 17},	{2, 5, 14, 20},	{2, 12, 15, 19},	{2, 11, 13, 22},	{2, 8, 16, 21},
{2, 9, 18, 23},	{1, 5, 11, 23},	{5, 9, 15, 22},	{5, 7, 17, 19},	{5, 12, 16, 18},	{3, 5, 13, 21},
{6, 8, 11, 19},	{4, 8, 13, 23},	{1, 6, 13, 20},	{7, 10, 13, 18},	{9, 13, 16, 19},	{3, 6, 15, 23},
{4, 6, 16, 22},	{6, 14, 18, 21},	{1, 8, 15, 18},	{3, 4, 11, 18},	{7, 16, 20, 23},	{1, 3, 16, 17},
{7, 11, 15, 21},	{4, 12, 17, 21},	{1, 9, 10, 21},	{3, 7, 9, 14},	{3, 10, 19, 22},	{3, 8, 12, 20},
{8, 14, 17, 22},	{1, 7, 12, 22},	{1, 4, 14, 19},	{4, 10, 15, 20},	{9, 11, 17, 20},	{10, 12, 14, 23}.

· Type $4^1 6^2 8^1$: $\alpha = (1)$.

{0, 2, 4, 7},	{0, 5, 8, 10},	{0, 6, 9, 12},	{0, 11, 14, 16},	{0, 13, 15, 18},	{0, 17, 20, 22},
{0, 19, 21, 23},	{2, 5, 11, 21},	{2, 6, 15, 22},	{2, 8, 13, 20},	{2, 9, 16, 18},	{2, 14, 17, 19},
{2, 10, 12, 23},	{7, 9, 14, 21},	{9, 10, 13, 19},	{1, 9, 11, 22},	{5, 9, 17, 23},	{3, 9, 15, 20},
{8, 11, 15, 23},	{3, 6, 11, 19},	{4, 11, 18, 20},	{7, 11, 13, 17},	{1, 7, 20, 23},	{5, 12, 14, 20},
{6, 10, 16, 20},	{3, 4, 13, 23},	{6, 14, 18, 23},	{1, 6, 13, 21},	{4, 6, 8, 17},	{5, 13, 16, 22},
{1, 3, 5, 18},	{3, 8, 14, 22},	{7, 10, 18, 22},	{8, 12, 18, 21},	{1, 8, 16, 19},	{1, 4, 10, 14},
{1, 12, 15, 17},	{4, 15, 16, 21},	{3, 7, 12, 16},	{3, 10, 17, 21},	{4, 12, 19, 22},	{5, 7, 15, 19}.

· Type $4^1 5^2 10^1$: $\alpha = (1)$.

{0, 2, 14, 17},	{0, 4, 6, 19},	{0, 5, 7, 22},	{0, 8, 9, 11},	{0, 10, 12, 15},	{0, 13, 16, 20},
{0, 18, 21, 23},	{2, 4, 7, 10},	{2, 8, 13, 21},	{2, 15, 19, 23},	{2, 5, 9, 18},	{2, 6, 11, 20},
{2, 12, 16, 22},	{1, 3, 5, 15},	{6, 8, 15, 17},	{7, 11, 15, 21},	{9, 15, 20, 22},	{4, 13, 15, 18},
{1, 4, 17, 22},	{4, 11, 16, 23},	{3, 4, 12, 20},	{4, 9, 14, 21},	{1, 11, 14, 19},	{3, 11, 18, 22},
{5, 11, 13, 17},	{8, 10, 19, 22},	{3, 8, 14, 16},	{5, 10, 14, 20},	{5, 16, 19, 21},	{5, 8, 12, 23},
{1, 8, 18, 20},	{6, 10, 16, 18},	{1, 10, 13, 23},	{3, 10, 17, 21},	{1, 7, 9, 16},	{1, 6, 12, 21},
{3, 6, 9, 23},	{3, 7, 13, 19},	{9, 12, 17, 19},	{6, 13, 14, 22},	{7, 12, 14, 18},	{7, 17, 20, 23}.

· Type $4^1 5^1 15^1$: $\alpha = (1)$.

{0, 2, 9, 12},	{0, 4, 6, 14},	{0, 5, 7, 16},	{0, 8, 10, 18},	{0, 11, 13, 22},	{0, 15, 17, 20},
{0, 19, 21, 23},	{2, 4, 10, 22},	{2, 7, 15, 18},	{2, 6, 11, 19},	{2, 5, 17, 21},	{2, 8, 13, 16},
{2, 14, 20, 23},	{1, 10, 13, 20},	{5, 9, 13, 19},	{5, 10, 15, 23},	{3, 4, 13, 15},	{7, 13, 17, 23},
{6, 13, 18, 21},	{3, 6, 10, 17},	{1, 6, 8, 23},	{6, 9, 15, 22},	{6, 12, 16, 20},	{10, 14, 16, 19},
{7, 10, 12, 21},	{1, 11, 15, 21},	{8, 12, 15, 19},	{4, 9, 16, 21},	{3, 8, 14, 21},	{8, 9, 11, 17},
{5, 8, 20, 22},	{5, 11, 14, 18},	{1, 3, 5, 12},	{1, 7, 9, 14},	{1, 4, 17, 19},	{1, 16, 18, 22},
{3, 9, 18, 20},	{4, 7, 11, 20},	{3, 7, 19, 22},	{3, 11, 16, 23},	{4, 12, 18, 23},	{12, 14, 17, 22}.

· Type $4^1 5^1 7^1 8^1$: $\alpha = (1)$.

$\{0, 2, 9, 12\}, \{0, 4, 6, 14\}, \{0, 5, 7, 16\}, \{0, 8, 10, 18\}, \{0, 11, 13, 22\}, \{0, 15, 17, 20\},$
 $\{0, 19, 21, 23\}, \{2, 4, 7, 22\}, \{2, 10, 14, 19\}, \{2, 6, 17, 23\}, \{2, 11, 16, 20\}, \{2, 8, 13, 15\},$
 $\{2, 5, 18, 21\}, \{1, 7, 9, 19\}, \{3, 13, 17, 19\}, \{4, 11, 15, 19\}, \{5, 12, 19, 22\}, \{6, 8, 16, 19\},$
 $\{1, 5, 10, 15\}, \{5, 9, 13, 23\}, \{5, 8, 11, 17\}, \{3, 5, 14, 20\}, \{1, 14, 17, 22\}, \{4, 9, 17, 21\},$
 $\{7, 10, 12, 17\}, \{7, 13, 18, 20\}, \{1, 4, 13, 16\}, \{6, 10, 13, 21\}, \{4, 10, 20, 23\}, \{3, 4, 12, 18\},$
 $\{3, 7, 15, 23\}, \{3, 10, 16, 22\}, \{8, 9, 20, 22\}, \{1, 6, 12, 20\}, \{3, 6, 9, 11\}, \{1, 3, 8, 21\},$
 $\{8, 12, 14, 23\}, \{12, 15, 16, 21\}, \{1, 11, 18, 23\}, \{6, 15, 18, 22\}, \{7, 11, 14, 21\}, \{9, 14, 16, 18\}.$

· Type $4^1 5^1 6^1 9^1$: $\alpha = (1)$.

$\{0, 2, 9, 12\}, \{0, 4, 6, 10\}, \{0, 5, 7, 15\}, \{0, 8, 11, 17\}, \{0, 13, 16, 19\}, \{0, 14, 20, 22\},$
 $\{0, 18, 21, 23\}, \{2, 6, 8, 13\}, \{2, 14, 15, 17\}, \{2, 5, 10, 21\}, \{2, 4, 19, 22\}, \{2, 16, 18, 20\},$
 $\{2, 7, 11, 23\}, \{1, 6, 17, 20\}, \{4, 7, 9, 20\}, \{5, 11, 13, 20\}, \{10, 12, 15, 20\}, \{3, 8, 20, 23\},$
 $\{10, 13, 17, 23\}, \{3, 4, 12, 17\}, \{7, 17, 19, 21\}, \{5, 9, 17, 22\}, \{1, 4, 14, 23\}, \{4, 11, 16, 21\},$
 $\{4, 13, 15, 18\}, \{5, 12, 19, 23\}, \{6, 9, 16, 23\}, \{6, 12, 18, 22\}, \{3, 6, 15, 21\}, \{6, 11, 14, 19\},$
 $\{1, 9, 13, 21\}, \{3, 9, 11, 18\}, \{1, 11, 15, 22\}, \{8, 9, 15, 19\}, \{1, 3, 10, 19\}, \{3, 5, 14, 16\},$
 $\{3, 7, 13, 22\}, \{8, 10, 16, 22\}, \{8, 12, 14, 21\}, \{1, 5, 8, 18\}, \{1, 7, 12, 16\}, \{7, 10, 14, 18\}.$

· Type $4^1 5^4$: $\alpha = (0, 1, 2, 3)(4, 9, 14, 19)(5, 10, 15, 20)(6, 11, 16, 21)(7, 12, 17, 22)(8, 13, 18, 23)$.

$\{0, 2, 4, 14\}^*, \{6, 8, 16, 18\}^*, \{5, 12, 15, 22\}^*, \{4, 7, 9, 15\}, \{4, 6, 11, 20\}, \{0, 8, 11, 19\},$
 $\{4, 12, 18, 23\}, \{0, 6, 9, 22\}, \{0, 7, 12, 21\}, \{0, 16, 20, 23\}, \{0, 5, 10, 18\}, \{0, 13, 15, 17\}.$

· Type $5^3 9^1$: $\alpha = (0, 5, 10)(1, 6, 11)(2, 7, 12)(3, 8, 13)(4, 9, 14)(15, 18, 21)(16, 19, 22)(17, 20, 23)$.

$\{0, 2, 15, 18\}, \{0, 3, 5, 11\}, \{0, 8, 17, 21\}, \{0, 7, 14, 19\}, \{0, 16, 20, 22\}, \{0, 9, 12, 23\},$
 $\{1, 7, 12, 16\}, \{2, 8, 20, 23\}, \{2, 4, 13, 21\}, \{1, 3, 13, 19\}, \{3, 14, 16, 21\}, \{1, 14, 15, 22\},$
 $\{1, 4, 9, 17\}, \{1, 6, 21, 23\}.$

· Type $5^2 14^1$: $\alpha = (1)$.

$\{0, 2, 10, 13\}, \{0, 3, 5, 15\}, \{0, 7, 9, 11\}, \{0, 6, 8, 17\}, \{0, 12, 14, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 3, 7, 10\}, \{3, 6, 12, 18\}, \{3, 8, 14, 22\}, \{3, 9, 17, 20\}, \{3, 13, 16, 21\},$
 $\{3, 11, 19, 23\}, \{4, 6, 10, 20\}, \{10, 14, 17, 21\}, \{5, 10, 16, 18\}, \{8, 10, 15, 19\}, \{9, 10, 12, 22\},$
 $\{1, 9, 16, 19\}, \{6, 13, 19, 22\}, \{6, 11, 14, 16\}, \{1, 6, 15, 23\}, \{2, 6, 9, 21\}, \{4, 9, 14, 23\},$
 $\{9, 13, 15, 18\}, \{1, 5, 14, 20\}, \{2, 7, 14, 18\}, \{8, 11, 18, 20\}, \{7, 13, 20, 23\}, \{2, 12, 15, 20\},$
 $\{1, 4, 18, 22\}, \{4, 5, 8, 13\}, \{4, 11, 15, 21\}, \{2, 4, 17, 19\}, \{1, 8, 12, 21\}, \{2, 8, 16, 23\},$
 $\{1, 11, 13, 17\}, \{2, 5, 11, 22\}, \{7, 15, 17, 22\}, \{5, 12, 17, 23\}, \{4, 7, 12, 16\}, \{5, 7, 19, 21\}.$

· Type $5^2 7^2$: $\alpha = (1)$.

$\{0, 2, 10, 13\}, \{0, 3, 5, 15\}, \{0, 7, 9, 11\}, \{0, 6, 8, 17\}, \{0, 12, 14, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 3, 7, 12\}, \{3, 10, 17, 21\}, \{3, 8, 11, 22\}, \{3, 9, 19, 23\}, \{3, 13, 18, 20\},$
 $\{3, 6, 14, 16\}, \{5, 8, 14, 21\}, \{2, 7, 19, 21\}, \{4, 12, 15, 21\}, \{6, 9, 13, 21\}, \{1, 11, 16, 21\},$
 $\{9, 12, 16, 17\}, \{8, 13, 16, 19\}, \{2, 5, 16, 23\}, \{4, 7, 16, 18\}, \{5, 12, 18, 22\}, \{2, 8, 12, 20\},$
 $\{6, 10, 12, 23\}, \{1, 4, 8, 23\}, \{8, 10, 15, 18\}, \{1, 9, 14, 18\}, \{2, 9, 15, 22\}, \{4, 9, 10, 20\},$
 $\{7, 10, 14, 22\}, \{11, 14, 20, 23\}, \{2, 4, 14, 17\}, \{2, 6, 11, 18\}, \{4, 6, 19, 22\}, \{4, 5, 11, 13\},$
 $\{11, 15, 17, 19\}, \{1, 13, 17, 22\}, \{1, 6, 15, 20\}, \{1, 5, 10, 19\}, \{5, 7, 17, 20\}, \{7, 13, 15, 23\}.$

· Type $5^2 6^1 8^1$: $\alpha = (1)$.

$\{0, 2, 10, 13\}, \{0, 3, 5, 7\}, \{0, 6, 8, 16\}, \{0, 9, 11, 18\}, \{0, 12, 14, 22\}, \{0, 15, 17, 20\},$
 $\{0, 19, 21, 23\}, \{2, 4, 6, 11\}, \{2, 7, 18, 22\}, \{2, 8, 20, 23\}, \{2, 9, 14, 17\}, \{2, 5, 15, 19\},$
 $\{2, 12, 16, 21\}, \{5, 11, 17, 23\}, \{5, 8, 12, 18\}, \{1, 5, 13, 21\}, \{4, 5, 14, 16\}, \{5, 10, 20, 22\},$
 $\{7, 11, 14, 21\}, \{1, 11, 16, 20\}, \{3, 6, 14, 20\}, \{4, 13, 18, 20\}, \{7, 9, 12, 20\}, \{3, 10, 16, 18\},$
 $\{1, 14, 18, 23\}, \{8, 10, 14, 19\}, \{6, 15, 18, 21\}, \{3, 8, 17, 21\}, \{4, 9, 10, 21\}, \{1, 7, 10, 17\},$
 $\{4, 7, 15, 23\}, \{3, 9, 13, 23\}, \{1, 4, 8, 22\}, \{4, 12, 17, 19\}, \{1, 3, 12, 15\}, \{3, 11, 19, 22\},$
 $\{8, 11, 13, 15\}, \{7, 13, 16, 19\}, \{1, 6, 9, 19\}, \{6, 10, 12, 23\}, \{6, 13, 17, 22\}, \{9, 15, 16, 22\}.$

· Type $5^1 19^1$: $\alpha = (1)$.

$\{0, 2, 5, 8\}, \{0, 3, 6, 10\}, \{0, 7, 9, 12\}, \{0, 11, 14, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{2, 4, 6, 21\}, \{2, 12, 14, 19\}, \{2, 7, 15, 17\}, \{2, 11, 13, 22\}, \{2, 9, 18, 20\},$
 $\{2, 10, 16, 23\}, \{6, 8, 14, 22\}, \{1, 6, 11, 18\}, \{6, 12, 16, 20\}, \{6, 9, 15, 23\}, \{6, 13, 17, 19\},$
 $\{4, 14, 18, 23\}, \{3, 12, 17, 23\}, \{7, 11, 20, 23\}, \{1, 8, 13, 23\}, \{8, 11, 17, 21\}, \{8, 10, 12, 18\},$
 $\{4, 8, 15, 20\}, \{3, 8, 16, 19\}, \{3, 5, 11, 15\}, \{5, 10, 13, 20\}, \{1, 3, 14, 20\}, \{3, 7, 18, 22\},$
 $\{3, 9, 13, 21\}, \{4, 7, 13, 16\}, \{4, 9, 11, 19\}, \{5, 16, 18, 21\}, \{1, 9, 16, 22\}, \{5, 9, 14, 17\},$
 $\{1, 4, 10, 17\}, \{1, 5, 7, 19\}, \{1, 12, 15, 21\}, \{4, 5, 12, 22\}, \{7, 10, 14, 21\}, \{10, 15, 19, 22\}.$

· Type $5^1 9^1 10^1$: $\alpha = (1)$.

$\{0, 2, 5, 8\}, \{0, 3, 6, 10\}, \{0, 7, 9, 12\}, \{0, 11, 13, 14\}, \{0, 16, 18, 20\}, \{0, 15, 17, 22\},$
 $\{0, 19, 21, 23\}, \{1, 3, 15, 19\}, \{3, 7, 13, 18\}, \{3, 14, 17, 21\}, \{3, 8, 11, 20\}, \{3, 9, 16, 22\},$
 $\{3, 5, 12, 23\}, \{4, 5, 15, 20\}, \{2, 7, 10, 15\}, \{1, 7, 20, 23\}, \{5, 7, 17, 19\}, \{4, 7, 14, 22\},$
 $\{7, 11, 16, 21\}, \{5, 10, 14, 16\}, \{5, 9, 18, 21\}, \{1, 5, 11, 22\}, \{10, 12, 17, 20\}, \{2, 9, 14, 20\},$
 $\{6, 13, 20, 22\}, \{2, 12, 18, 22\}, \{8, 10, 19, 22\}, \{6, 12, 14, 19\}, \{8, 12, 15, 21\}, \{1, 4, 12, 16\},$
 $\{2, 4, 6, 21\}, \{4, 9, 11, 19\}, \{1, 10, 13, 21\}, \{1, 6, 9, 17\}, \{1, 8, 14, 18\}, \{4, 10, 18, 23\},$
 $\{4, 8, 13, 17\}, \{6, 8, 16, 23\}, \{6, 11, 15, 18\}, \{2, 11, 17, 23\}, \{2, 13, 16, 19\}, \{9, 13, 15, 23\}.$

· Type $5^1 8^1 11^1$: $\alpha = (1)$.

$\{0, 2, 5, 8\}, \{0, 3, 6, 10\}, \{0, 7, 9, 13\}, \{0, 11, 15, 17\}, \{0, 12, 14, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 3, 7, 12\}, \{3, 8, 15, 18\}, \{3, 9, 11, 20\}, \{3, 13, 19, 22\}, \{3, 5, 16, 21\},$
 $\{3, 14, 17, 23\}, \{5, 10, 13, 17\}, \{4, 7, 17, 19\}, \{2, 7, 11, 21\}, \{7, 10, 14, 16\}, \{5, 7, 18, 22\},$
 $\{7, 15, 20, 23\}, \{1, 5, 14, 20\}, \{4, 5, 11, 23\}, \{5, 9, 15, 19\}, \{2, 6, 19, 23\}, \{1, 9, 16, 23\},$
 $\{8, 11, 16, 19\}, \{1, 10, 19, 21\}, \{8, 10, 12, 23\}, \{6, 11, 14, 22\}, \{1, 11, 13, 18\}, \{4, 8, 14, 21\},$
 $\{1, 8, 17, 22\}, \{1, 4, 6, 15\}, \{2, 10, 15, 22\}, \{4, 10, 18, 20\}, \{2, 9, 14, 18\}, \{4, 9, 12, 22\},$
 $\{2, 4, 13, 16\}, \{2, 12, 17, 20\}, \{6, 8, 13, 20\}, \{6, 9, 17, 21\}, \{6, 12, 16, 18\}, \{12, 13, 15, 21\}.$

· Type $5^1 7^1 12^1$: $\alpha = (1)$.

$\{0, 2, 5, 8\}, \{0, 3, 6, 10\}, \{0, 7, 9, 12\}, \{0, 11, 14, 16\}, \{0, 13, 15, 18\}, \{0, 17, 20, 22\},$
 $\{0, 19, 21, 23\}, \{1, 3, 15, 20\}, \{3, 5, 17, 23\}, \{3, 7, 14, 19\}, \{3, 9, 13, 16\}, \{3, 11, 12, 21\},$
 $\{3, 8, 18, 22\}, \{4, 5, 12, 15\}, \{1, 5, 9, 19\}, \{5, 10, 14, 22\}, \{5, 7, 13, 20\}, \{5, 16, 18, 21\},$
 $\{1, 6, 12, 22\}, \{2, 9, 15, 22\}, \{4, 7, 16, 22\}, \{11, 13, 19, 22\}, \{1, 10, 16, 23\}, \{1, 7, 11, 17\},$
 $\{1, 4, 14, 18\}, \{1, 8, 13, 21\}, \{7, 10, 15, 21\}, \{2, 7, 18, 23\}, \{10, 12, 18, 20\}, \{6, 9, 11, 18\},$
 $\{2, 4, 11, 20\}, \{6, 8, 16, 20\}, \{4, 6, 13, 23\}, \{4, 9, 17, 21\}, \{4, 8, 10, 19\}, \{8, 12, 14, 17\},$
 $\{2, 12, 16, 19\}, \{6, 15, 17, 19\}, \{2, 6, 14, 21\}, \{2, 10, 13, 17\}, \{8, 11, 15, 23\}, \{9, 14, 20, 23\}.$

· Type $5^1 6^2 7^1$: $\alpha = (1)$.

$\{0, 2, 5, 8\}, \{0, 3, 6, 11\}, \{0, 7, 9, 13\}, \{0, 10, 12, 15\}, \{0, 14, 16, 17\}, \{0, 19, 21, 23\},$
 $\{0, 18, 20, 22\}, \{2, 4, 6, 20\}, \{2, 7, 12, 23\}, \{2, 10, 16, 19\}, \{2, 9, 14, 18\}, \{2, 11, 15, 21\},$
 $\{2, 13, 17, 22\}, \{1, 6, 12, 14\}, \{6, 8, 16, 22\}, \{6, 9, 17, 19\}, \{6, 15, 18, 23\}, \{6, 10, 13, 21\},$
 $\{5, 12, 19, 22\}, \{3, 9, 12, 20\}, \{4, 12, 16, 18\}, \{8, 12, 17, 21\}, \{4, 9, 15, 22\}, \{5, 9, 11, 23\},$
 $\{1, 9, 16, 21\}, \{5, 7, 16, 20\}, \{3, 13, 16, 23\}, \{4, 5, 14, 21\}, \{3, 7, 18, 21\}, \{1, 5, 13, 18\},$
 $\{3, 5, 15, 17\}, \{1, 7, 15, 19\}, \{8, 13, 15, 20\}, \{4, 11, 13, 19\}, \{4, 7, 10, 17\}, \{1, 4, 8, 23\},$
 $\{1, 3, 10, 22\}, \{1, 11, 17, 20\}, \{10, 14, 20, 23\}, \{7, 11, 14, 22\}, \{3, 8, 14, 19\}, \{8, 10, 11, 18\}.$

· Type $5^1 6^1 13^1$: $\alpha = (1)$.

$\{0, 2, 5, 8\}, \{0, 3, 6, 11\}, \{0, 7, 9, 13\}, \{0, 10, 12, 15\}, \{0, 14, 17, 19\}, \{0, 16, 20, 22\},$
 $\{0, 18, 21, 23\}, \{1, 3, 9, 14\}, \{3, 5, 12, 18\}, \{3, 13, 19, 22\}, \{3, 10, 16, 21\}, \{3, 7, 15, 17\},$
 $\{3, 8, 20, 23\}, \{5, 11, 14, 21\}, \{1, 7, 12, 21\}, \{5, 7, 16, 19\}, \{2, 7, 14, 23\}, \{4, 7, 10, 20\},$
 $\{7, 11, 18, 22\}, \{6, 12, 14, 20\}, \{8, 10, 14, 22\}, \{4, 14, 16, 18\}, \{4, 8, 12, 19\}, \{9, 12, 16, 23\},$
 $\{2, 12, 17, 22\}, \{2, 6, 13, 16\}, \{2, 10, 11, 19\}, \{1, 8, 11, 16\}, \{8, 13, 17, 21\}, \{6, 8, 15, 18\},$
 $\{1, 10, 13, 18\}, \{2, 9, 18, 20\}, \{2, 4, 15, 21\}, \{4, 9, 11, 17\}, \{5, 9, 15, 22\}, \{11, 13, 15, 20\},$
 $\{1, 15, 19, 23\}, \{6, 9, 19, 21\}, \{1, 4, 6, 22\}, \{1, 5, 17, 20\}, \{4, 5, 13, 23\}, \{6, 10, 17, 23\}.$

· Type $6^1 18^1$: $\alpha = (0, 2, 4)(1, 3, 5)(6, 12, 18)(7, 13, 19)(8, 14, 20)(9, 15, 21)(10, 16, 22)(11, 17, 23)$.

$\{0, 3, 6, 12\}, \{0, 7, 18, 21\}, \{1, 12, 14, 21\}, \{6, 11, 16, 21\}, \{1, 9, 11, 15\}, \{0, 9, 16, 19\},$
 $\{0, 13, 15, 20\}, \{0, 2, 10, 17\}, \{0, 8, 14, 23\}, \{6, 14, 17, 19\}, \{6, 10, 20, 22\}, \{1, 3, 8, 22\},$
 $\{1, 7, 10, 19\}, \{1, 13, 17, 23\}.$

· Type $6^1 9^2$: $\alpha = (0, 2, 4)(1, 3, 5)(6, 9, 12)(7, 10, 13)(8, 11, 14)(15, 18, 21)(16, 19, 22)(17, 20, 23)$.

$\{0, 3, 6, 9\}, \{0, 7, 12, 21\}, \{1, 9, 21, 23\}, \{6, 11, 16, 22\}, \{6, 17, 19, 21\}, \{6, 8, 13, 23\},$
 $\{1, 13, 17, 20\}, \{1, 3, 8, 16\}, \{1, 11, 15, 18\}, \{1, 7, 10, 19\}, \{0, 13, 15, 19\}, \{0, 8, 10, 18\},$
 $\{0, 11, 14, 23\}, \{0, 2, 16, 20\}.$

· Type $6^1 7^1 11^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}, \{1, 4, 6, 10\}, \{2, 5, 6, 13\}, \{6, 9, 11, 15\}, \{6, 14, 17, 19\}, \{6, 16, 20, 22\},$
 $\{6, 18, 21, 23\}, \{0, 2, 11, 17\}, \{4, 8, 17, 22\}, \{2, 15, 18, 22\}, \{0, 10, 14, 22\}, \{3, 11, 13, 22\},$
 $\{1, 9, 19, 22\}, \{5, 7, 12, 22\}, \{4, 11, 19, 21\}, \{0, 7, 19, 23\}, \{2, 8, 12, 19\}, \{10, 13, 16, 19\},$
 $\{3, 5, 15, 19\}, \{2, 7, 10, 21\}, \{2, 4, 14, 16\}, \{2, 9, 20, 23\}, \{4, 12, 15, 23\}, \{0, 13, 15, 21\},$
 $\{0, 4, 18, 20\}, \{0, 9, 12, 16\}, \{4, 7, 9, 13\}, \{1, 8, 13, 18\}, \{8, 10, 15, 20\}, \{5, 10, 17, 23\},$
 $\{3, 9, 17, 21\}, \{5, 9, 14, 18\}, \{1, 5, 11, 20\}, \{1, 12, 14, 21\}, \{3, 7, 14, 20\}, \{3, 10, 12, 18\},$
 $\{1, 3, 16, 23\}, \{8, 11, 14, 23\}, \{1, 7, 15, 17\}, \{5, 8, 16, 21\}, \{7, 11, 16, 18\}, \{12, 13, 17, 20\}.$

· Type $6^2 12^1$: $\alpha = (0, 2, 4)(1, 3, 5)(6, 8, 10)(7, 9, 11)(12, 16, 20)(13, 17, 21)(14, 18, 22)(15, 19, 23)$.

$\{0, 3, 12, 16\}, \{0, 6, 14, 20\}, \{6, 9, 12, 22\}, \{6, 13, 16, 19\}, \{1, 7, 16, 21\}, \{7, 12, 14, 19\},$
 $\{0, 13, 18, 22\}, \{1, 3, 11, 18\}, \{1, 8, 19, 22\}, \{0, 2, 10, 19\}, \{1, 6, 10, 17\}, \{1, 13, 15, 23\},$
 $\{0, 9, 17, 21\}, \{0, 7, 11, 23\}.$

· Type 6^4 : $\alpha = (0, 2, 4)(1, 3, 5)(6, 8, 10)(7, 9, 11)(12, 14, 16)(13, 15, 17)(18, 20, 22)(19, 21, 23)$.

$\{0, 2, 6, 12\}, \{0, 3, 8, 18\}, \{6, 8, 16, 19\}, \{1, 10, 13, 18\}, \{6, 17, 18, 21\}, \{1, 8, 11, 15\},$
 $\{1, 14, 17, 20\}, \{0, 7, 20, 22\}, \{7, 14, 16, 18\}, \{0, 9, 14, 19\}, \{1, 3, 12, 19\}, \{1, 7, 9, 21\},$
 $\{0, 15, 21, 23\}, \{0, 11, 13, 17\}.$

· Type $6^1 8^1 10^1$: $\alpha = (1)$.

$\{0, 3, 6, 8\}$,	$\{1, 4, 6, 10\}$,	$\{2, 5, 6, 14\}$,	$\{6, 9, 11, 16\}$,	$\{6, 12, 15, 18\}$,	$\{6, 17, 20, 22\}$,
$\{6, 19, 21, 23\}$,	$\{1, 8, 12, 14\}$,	$\{3, 7, 12, 21\}$,	$\{5, 12, 17, 23\}$,	$\{2, 12, 16, 20\}$,	$\{0, 10, 12, 19\}$,
$\{4, 9, 12, 22\}$,	$\{2, 7, 10, 17\}$,	$\{8, 11, 17, 21\}$,	$\{0, 4, 14, 17\}$,	$\{2, 4, 13, 21\}$,	$\{0, 9, 15, 21\}$,
$\{2, 9, 18, 23\}$,	$\{0, 2, 11, 22\}$,	$\{2, 8, 15, 19\}$,	$\{4, 7, 16, 19\}$,	$\{0, 13, 16, 18\}$,	$\{0, 7, 20, 23\}$,
$\{4, 8, 18, 20\}$,	$\{4, 11, 15, 23\}$,	$\{1, 5, 18, 21\}$,	$\{10, 14, 16, 21\}$,	$\{3, 10, 18, 22\}$,	$\{8, 10, 13, 23\}$,
$\{5, 8, 16, 22\}$,	$\{1, 3, 16, 23\}$,	$\{5, 10, 15, 20\}$,	$\{3, 13, 15, 17\}$,	$\{1, 7, 15, 22\}$,	$\{13, 14, 19, 22\}$,
$\{5, 7, 9, 13\}$,	$\{3, 5, 11, 19\}$,	$\{3, 9, 14, 20\}$,	$\{1, 9, 17, 19\}$,	$\{1, 11, 13, 20\}$,	$\{7, 11, 14, 18\}$.

· Type $7^1 17^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}$,	$\{1, 5, 9, 11\}$,	$\{2, 5, 8, 13\}$,	$\{5, 10, 12, 15\}$,	$\{5, 14, 17, 19\}$,	$\{5, 16, 20, 22\}$,
$\{5, 18, 21, 23\}$,	$\{3, 6, 9, 14\}$,	$\{3, 8, 12, 18\}$,	$\{3, 13, 19, 22\}$,	$\{3, 10, 16, 21\}$,	$\{1, 3, 15, 17\}$,
$\{3, 11, 20, 23\}$,	$\{8, 10, 14, 20\}$,	$\{1, 7, 12, 20\}$,	$\{1, 14, 16, 18\}$,	$\{1, 6, 8, 22\}$,	$\{1, 4, 13, 21\}$,
$\{1, 10, 19, 23\}$,	$\{0, 12, 14, 23\}$,	$\{4, 8, 15, 23\}$,	$\{0, 8, 16, 19\}$,	$\{8, 11, 17, 21\}$,	$\{2, 7, 14, 21\}$,
$\{0, 9, 15, 21\}$,	$\{6, 12, 19, 21\}$,	$\{4, 11, 14, 22\}$,	$\{0, 11, 13, 18\}$,	$\{6, 7, 11, 16\}$,	$\{6, 13, 15, 20\}$,
$\{2, 6, 17, 23\}$,	$\{4, 6, 10, 18\}$,	$\{2, 9, 18, 20\}$,	$\{2, 11, 15, 19\}$,	$\{0, 2, 10, 22\}$,	$\{0, 4, 17, 20\}$,
$\{4, 7, 9, 19\}$,	$\{2, 4, 12, 16\}$,	$\{7, 10, 13, 17\}$,	$\{7, 15, 18, 22\}$,	$\{9, 12, 17, 22\}$,	$\{9, 13, 16, 23\}$.

· Type $7^1 8^1 9^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}$,	$\{1, 5, 9, 11\}$,	$\{2, 5, 8, 13\}$,	$\{5, 10, 12, 15\}$,	$\{5, 14, 17, 19\}$,	$\{5, 16, 20, 22\}$,
$\{5, 18, 21, 23\}$,	$\{3, 6, 9, 12\}$,	$\{9, 14, 15, 20\}$,	$\{2, 9, 18, 22\}$,	$\{7, 9, 17, 23\}$,	$\{0, 4, 9, 16\}$,
$\{9, 13, 19, 21\}$,	$\{0, 10, 18, 20\}$,	$\{0, 11, 13, 22\}$,	$\{0, 8, 15, 19\}$,	$\{0, 12, 17, 21\}$,	$\{0, 2, 14, 23\}$,
$\{2, 4, 12, 20\}$,	$\{2, 11, 15, 17\}$,	$\{1, 7, 13, 20\}$,	$\{3, 8, 17, 20\}$,	$\{6, 11, 20, 23\}$,	$\{7, 12, 16, 18\}$,
$\{4, 7, 11, 19\}$,	$\{6, 7, 15, 22\}$,	$\{2, 7, 10, 21\}$,	$\{2, 6, 16, 19\}$,	$\{3, 11, 14, 18\}$,	$\{4, 13, 15, 18\}$,
$\{6, 10, 13, 17\}$,	$\{3, 13, 16, 23\}$,	$\{1, 3, 15, 21\}$,	$\{3, 10, 19, 22\}$,	$\{1, 12, 19, 23\}$,	$\{8, 12, 14, 22\}$,
$\{8, 11, 16, 21\}$,	$\{1, 10, 14, 16\}$,	$\{4, 8, 10, 23\}$,	$\{1, 6, 8, 18\}$,	$\{1, 4, 17, 22\}$,	$\{4, 6, 14, 21\}$.

· Type $7^2 10^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}$,	$\{1, 5, 9, 11\}$,	$\{2, 5, 8, 14\}$,	$\{5, 10, 12, 16\}$,	$\{5, 13, 15, 18\}$,	$\{5, 17, 20, 22\}$,
$\{5, 19, 21, 23\}$,	$\{3, 6, 9, 12\}$,	$\{1, 3, 15, 21\}$,	$\{3, 8, 17, 19\}$,	$\{3, 10, 18, 23\}$,	$\{3, 14, 16, 22\}$,
$\{3, 11, 13, 20\}$,	$\{1, 12, 19, 22\}$,	$\{8, 12, 18, 21\}$,	$\{7, 12, 14, 20\}$,	$\{6, 11, 14, 18\}$,	$\{1, 7, 16, 18\}$,
$\{1, 10, 14, 17\}$,	$\{1, 4, 13, 23\}$,	$\{1, 6, 8, 20\}$,	$\{8, 10, 13, 22\}$,	$\{0, 4, 8, 16\}$,	$\{8, 11, 15, 23\}$,
$\{4, 9, 14, 21\}$,	$\{0, 13, 14, 19\}$,	$\{2, 4, 18, 20\}$,	$\{0, 9, 18, 22\}$,	$\{9, 16, 20, 23\}$,	$\{2, 9, 13, 17\}$,
$\{7, 9, 15, 19\}$,	$\{2, 11, 16, 19\}$,	$\{0, 11, 17, 21\}$,	$\{0, 2, 12, 23\}$,	$\{0, 10, 15, 20\}$,	$\{2, 6, 15, 22\}$,
$\{2, 7, 10, 21\}$,	$\{4, 6, 10, 19\}$,	$\{4, 7, 11, 22\}$,	$\{4, 12, 15, 17\}$,	$\{6, 7, 17, 23\}$,	$\{6, 13, 16, 21\}$.

· Type 8^3 : $\alpha = (0, 8, 16)(1, 9, 17)(2, 10, 18)(3, 11, 19)(4, 12, 20)(5, 13, 21)(6, 14, 22)(7, 15, 23)$.

$\{0, 2, 4, 8\}$,	$\{1, 3, 10, 18\}$,	$\{0, 5, 10, 13\}$,	$\{2, 12, 14, 22\}$,	$\{2, 6, 13, 23\}$,	$\{2, 7, 15, 20\}$,
$\{1, 4, 13, 20\}$,	$\{1, 6, 12, 19\}$,	$\{0, 3, 12, 15\}$,	$\{0, 9, 19, 22\}$,	$\{0, 6, 11, 21\}$,	$\{0, 14, 17, 23\}$,
$\{1, 5, 9, 23\}$,	$\{3, 5, 7, 11\}$.				

· Type $8^1 16^1$: $\alpha = (0, 2, 4, 6)(1, 3, 5, 7)(8, 12, 16, 20)(9, 13, 17, 21)(10, 14, 18, 22)(11, 15, 19, 23)$.

$\{0, 2, 4, 6\}^*$,	$\{1, 5, 8, 16\}^*$,	$\{10, 14, 18, 22\}^*$,	$\{9, 15, 17, 23\}^*$,	$\{0, 3, 9, 13\}$,	$\{1, 3, 15, 22\}$,
$\{1, 13, 20, 23\}$,	$\{1, 10, 12, 17\}$,	$\{0, 5, 11, 22\}$,	$\{0, 14, 17, 20\}$,	$\{0, 12, 16, 18\}$,	$\{0, 8, 15, 19\}$,
$\{0, 10, 21, 23\}$.					

· Type $9^1 15^1$: $\alpha = (0, 3, 6)(1, 4, 7)(2, 5, 8)(9, 14, 19)(10, 15, 20)(11, 16, 21)(12, 17, 22)(13, 18, 23)$.

$\{0, 2, 6, 9\}, \quad \{1, 9, 11, 14\}, \quad \{0, 12, 19, 22\}, \quad \{2, 11, 13, 19\}, \quad \{9, 13, 15, 22\}, \quad \{1, 5, 15, 19\},$
 $\{2, 5, 20, 22\}, \quad \{2, 12, 16, 23\}, \quad \{1, 8, 13, 16\}, \quad \{1, 4, 10, 22\}, \quad \{0, 4, 11, 17\}, \quad \{0, 7, 13, 18\},$
 $\{0, 15, 20, 23\}, \quad \{0, 10, 16, 21\}.$

· Type $10^1 14^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \quad \{1, 5, 8, 10\}, \quad \{2, 5, 9, 12\}, \quad \{5, 11, 14, 16\}, \quad \{5, 13, 15, 18\}, \quad \{5, 17, 20, 22\},$
 $\{5, 19, 21, 23\}, \quad \{0, 2, 15, 20\}, \quad \{0, 4, 11, 13\}, \quad \{0, 16, 18, 23\}, \quad \{0, 6, 10, 21\}, \quad \{0, 12, 19, 22\},$
 $\{0, 8, 14, 17\}, \quad \{2, 8, 11, 23\}, \quad \{6, 8, 16, 19\}, \quad \{3, 8, 13, 22\}, \quad \{8, 12, 15, 21\}, \quad \{4, 8, 18, 20\},$
 $\{2, 6, 14, 18\}, \quad \{7, 10, 12, 18\}, \quad \{1, 9, 18, 22\}, \quad \{3, 11, 18, 21\}, \quad \{6, 11, 15, 22\}, \quad \{7, 9, 11, 20\},$
 $\{1, 11, 17, 19\}, \quad \{4, 10, 14, 22\}, \quad \{2, 7, 16, 22\}, \quad \{2, 10, 13, 19\}, \quad \{2, 4, 17, 21\}, \quad \{1, 4, 12, 16\},$
 $\{9, 13, 16, 21\}, \quad \{3, 10, 16, 20\}, \quad \{9, 10, 15, 17\}, \quad \{3, 9, 14, 19\}, \quad \{1, 7, 14, 21\}, \quad \{1, 3, 15, 23\},$
 $\{1, 6, 13, 20\}, \quad \{7, 13, 17, 23\}, \quad \{3, 6, 12, 17\}, \quad \{4, 6, 9, 23\}, \quad \{4, 7, 15, 19\}, \quad \{12, 14, 20, 23\}.$

· Type $11^1 13^1$: $\alpha = (1)$.

$\{0, 3, 5, 7\}, \quad \{1, 5, 9, 11\}, \quad \{2, 5, 8, 13\}, \quad \{5, 10, 12, 15\}, \quad \{5, 14, 17, 19\}, \quad \{5, 16, 20, 22\},$
 $\{5, 18, 21, 23\}, \quad \{3, 6, 9, 12\}, \quad \{1, 3, 14, 18\}, \quad \{3, 13, 16, 23\}, \quad \{3, 10, 17, 20\}, \quad \{3, 11, 15, 21\},$
 $\{3, 8, 19, 22\}, \quad \{7, 12, 18, 22\}, \quad \{1, 15, 17, 22\}, \quad \{2, 9, 14, 22\}, \quad \{0, 4, 13, 22\}, \quad \{6, 10, 11, 22\},$
 $\{7, 11, 13, 17\}, \quad \{10, 13, 19, 21\}, \quad \{1, 6, 13, 20\}, \quad \{9, 13, 15, 18\}, \quad \{0, 9, 17, 21\}, \quad \{7, 9, 16, 19\},$
 $\{4, 9, 20, 23\}, \quad \{2, 7, 15, 20\}, \quad \{1, 12, 19, 23\}, \quad \{7, 10, 14, 23\}, \quad \{1, 4, 7, 21\}, \quad \{1, 8, 10, 16\},$
 $\{2, 4, 10, 18\}, \quad \{0, 2, 11, 19\}, \quad \{2, 12, 16, 21\}, \quad \{2, 6, 17, 23\}, \quad \{4, 8, 12, 17\}, \quad \{4, 6, 15, 19\},$
 $\{4, 11, 14, 16\}, \quad \{8, 11, 18, 20\}, \quad \{0, 6, 16, 18\}, \quad \{0, 8, 15, 23\}, \quad \{0, 12, 14, 20\}, \quad \{6, 8, 14, 21\}.$

· Type 12^2 : $\alpha = (0, 4, 8)(1, 5, 9)(2, 6, 10)(3, 7, 11)(12, 16, 20)(13, 17, 21)(14, 18, 22)(15, 19, 23)$.

$\{0, 2, 4, 7\}, \quad \{2, 6, 12, 14\}, \quad \{0, 6, 13, 20\}, \quad \{1, 6, 17, 22\}, \quad \{1, 10, 15, 23\}, \quad \{2, 11, 17, 23\},$
 $\{0, 17, 19, 21\}, \quad \{0, 14, 16, 23\}, \quad \{0, 9, 12, 15\}, \quad \{0, 5, 18, 22\}, \quad \{3, 7, 18, 23\}, \quad \{3, 13, 16, 22\},$
 $\{1, 5, 11, 13\}, \quad \{1, 3, 12, 20\}.$

References

- [1] C.J. Colbourn and J.H. Dinitz, eds., The CRC Handbook of Combinatorial Designs, 2nd edition, CRC Press, Boca Raton, 2006.
- [2] C.J. Colbourn and A.C.H. Ling, Balanced sampling plans with block size four excluding contiguous units. *Australas. J. Combin.* 20 (1999), 37–46.
- [3] P.J. Dukes, T. Feng and A.C.H. Ling, Matching divisible designs with block size four. *Discrete Math.* 339 (2016), 790–799.

Yanxun Chang: Mathematics, Beijing Jiaotong University, Beijing, P.R. China

E-mail address: yxchang@bjtu.edu.cn

Peter J. Dukes: Mathematics and Statistics, University of Victoria, Victoria, Canada

E-mail address: dukes@uvic.ca

Tao Feng: Mathematics, Beijing Jiaotong University, Beijing, P.R. China

E-mail address: tfeng@bjtu.edu.cn